

#2 30-045-07284
#16 30-045-21129
4762

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 20 Twp 28 Rng 8

Name of Well/Wells or Pipeline Serviced FLORANCE C #2, #16

cps 549w

Elevation 5759' Completion Date 4/21/64 Total Depth 170' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 3125 lbs.

Depths anodes placed: 155', 149', 143', 137', 131'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-21-64

WELL NAME Florance No. 2-C

CPS NO. 549-W

LOCATION SW² 20-28-8

WORK ORDER NUMBER 20032

ANODE HOLE DEPTH 170'

TOTAL DRILLING RIG TIME 10 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 7/8 Hughes 57226-X

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 155, #2 149, #3 143, #4 137 5 131

TOTAL LBS. COKE USED 3125 25 sacks

ANODE OUTPUTS 12.2 VOLTS, #1 4.8, #2 5.0, #3 5.7, #4 5.5 5.5.1

TOTAL CIRCUIT RESISTANCE: VOLTS 11.5 AMPERES 10.2 OHMS 1.12 ~

NUMBER FEET SURFACE CABLE CONDUIT 530

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static - 82 R. 600' N.W.

PEM 28-12 Ser # 637217

ALL CONSTRUCTION COMPLETED

Barrels
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1245'

2-C

LEASE *FLORANCE*WELL NO. *2-C*CONTRACTOR *RE. WILSON*RIG NO. *P-1*

REPORT NO.

DATE *4-20-64*

1964

MORNING

DAYLIGHT

EVENING

Driller					Total Men In Crew					Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.
0	20	SAND			80	100	SC																						
20	30	WATER SAND			100	170	SH + SC																						
30	70	SS																											
0	80	SL																											

BIT NO. <i>57226</i>			NO. DC			SIZE			LENG.			BIT NO.			NO. DC			SIZE			LENG.			BIT NO.			NO. DC			SIZE			LENG.		
SERIAL NO.			STANDS			SINGLES			DOWN ON KELLY			SERIAL NO.			STANDS			SINGLES			DOWN ON KELLY			SERIAL NO.			STANDS			SINGLES			DOWN ON KELLY		
SIZE <i>7 7/8</i>			MAKE <i>Hughes</i>			TOTAL DEPTH <i>170</i>			MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH			MAKE		

MUD RECORD			MUD ADDITIVES USED AND RECEIVED			MUD RECORD			MUD ADDITIVES USED AND RECEIVED			MUD RECORD			MUD ADDITIVES USED AND RECEIVED		
Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.

FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN
4-20-64		FINISHED LAST HOLE AT 11:00 AM MAKE RIG UP TIME 5 1/2 HRS	4-21-64		LEFT RIG AT 5:00 PM	4-21-64		2 HRS WATER
		LEFT YARD AT 6:00 AM ARRIVED AT LOCATION AT 7:00 AM			FINISHED HOLE AT			

REMARKS-	REMARKS-	REMARKS-
4-20-64 DRILLED FROM 0' TO 140' 2 HRS WATER 6 HRS		
4-21-64 DRILLED FROM 140' TO 170' FINISHED HOLE AT 11:00 AM 4 HRS		

SIGNED: Toolpusher

