

30-045-09511

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 17 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced SCHUMACHER #1

cps 359w

Elevation 6434' Completion Date 5/20/63 Total Depth 240' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2295 lbs.

Depths anodes placed: 210', 185', 179', 120', 114', 99', 50', 44'


Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.



WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 20, May 1963

WELL NAME Schumacher No. 7

CPS NO. 359 W

LOCATION NE⁴ Sec. 17 T.30N R.10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 240'

TOTAL DRILLING RIG TIME 11 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock WM 2794 & 3493

NUMBER SACKS MUD USED 2

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS: #1 210, #2 185, #3 179, #4 120 #5 114 #6 99 #7 50 #8 44

TOTAL LBS. COKE USED 2295 lbs. 27 Sacks

ANODE OUTPUTS: 2.6 VOLTS, #1 1.4, #2 1.2, #3 1.9, #4 2.0 #5 2.0 #6 1.1

TOTAL CIRCUIT RESISTANCE: VOLTS 12.0 AMPERES 7.3 OHMS 1.64 #7 1.6 #8 2.1

NUMBER FEET SURFACE CABLE CONDUIT 421


DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s 74 R 600 SE

Good All Rectifier 20V 12A Ser # 62C6067

Wash out in Hole Est. 40' DOWN



ALL CONSTRUCTION COMPLETED

Serrich
SIGNATURE

GROUND BED LAYOUT SKETCH

ORIGINAL & 1 COPY
ALL REPORTS

Insulating Union
ON Meter

1562

DAILY DRILLING REPORT

DATE 11/11/80

EVENING

NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.
BIT NO.	NO. DC	SIZE	LENG.	BIT NO.	NO. DC	SIZE	LENG.	NO. DC
SERIAL NO.	STANDS		SERIAL NO.	STANDS		SERIAL NO.	STANDS	
SIZE	SINGLES		SIZE	SINGLES		SIZE	SINGLES	
TYPE	DOWN ON KELLY		TYPE	DOWN ON KELLY		TYPE	DOWN ON KELLY	
MAKE	TOTAL DEPTH		MAKE	TOTAL DEPTH		MAKE	TOTAL DEPTH	
WILCOX	240							

[illegible]

REMARKS -

MAY 17 - MOVED 3.00 S/A 11.00 5.00 DILLED 100' SW. 7.5-00
 MAY 18 - LEFT 6.00 FELD 6.00 RAINED APRIL 7.00 DILLED 140' JALISTED OFF FINISHED HOLE 5.00

Drilling Time 19 hrs
Fishing Time 2 hrs
Total Time 21 hrs

Company Supervisor

Handwritten signature