

30-045-10079

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator TENNECO Location: Unit SW Sec. 34 Twp 31 Rng 9

Name of Well/Wells or Pipeline Serviced PRITCHARD #3

cps 343w

Elevation 6168' Completion Date 6/13/63 Total Depth 130' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1000 lbs.

Depths anodes placed: 110', 104', 98', 92', 86'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb. #1 not a MERIDIAN well

RECEIVED
MAY 31 1991
CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

PRICHARD
DATE 6-13-63
WELL NAME Prichard No. 3-2 CPS NO. 343-W
LOCATION SK 34 TWIN 27W
WORK ORDER NUMBER 124-10517-50-02
ANODE HOLE DEPTH 130
TOTAL DRILLING RIG TIME 3¹²
DRILLING TIME FOR RECTIFIER POLE HOLE 0
TYPE AND SIZE BIT USED 6 1/2 Rock W.M. 3429
NUMBER SACKS MUD USED 0
NUMBER SACKS LOST CIRCULATION MAT'L USED 0
ANODE DEPTHS #1 110, #2 104, #3 98, #4 92 5 86
TOTAL LBS. COKE USED 1000 10 sacks
ANODE OUTPUTS 12.4 VOLTS, #1 2.7, #2 4.0, #3 4.2, #4 4.2 5 3.8
TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 8.7 OHMS 1.34
NUMBER FEET SURFACE CABLE CONDUIT 350

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static @ 76 2600' EAST
Good All Rectifier 28V 12A Ser # 62C6054

N
|

ALL CONSTRUCTION COMPLETED

Sanck
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

9/16'

Pritchard No. 3-2

DRILLING DEPARTMENT

2430

DAILY DRILLING REPORT

LEASE # SEWELL RIG NO. 243 REPORT NO. 103 DATE June 12 1953

MORNING

DAYLIGHT

EVENING

Driller				Total Men In Crew				Driller				Total Men In Crew			
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	
0	90	8 3/8	200												
80	130	8 3/8	200												
130	130	8 3/8	200												

BIT I	SERI.	SIZE	TYPE	MAKE	NO. DC	SIZE	LENG.									
	8 3/8	4 1/2	8 3/8	Wells												

MUD RECORD				MUD, ADDITIVES USED AND RECEIVED				MUD RECORD				MUD, ADDITIVES USED AND RECEIVED					
Time	WT.	Vis.	Time	WT.	Vis.	Time	WT.	Vis.	Time	WT.	Vis.	Time	WT.	Vis.	Time	WT.	

FROM				TO				FROM				TO					
TIME BREAKDOWN								TIME BREAKDOWN									

REMARKS - June 12 - moved 1:15 5:00 Drilled 130' Stand made 4:15 5:00

SIGNED Toolpusher

Company Supervisor

Olden