<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

<u>District IV</u> 1220 S. <u>St. Francis Dr., Santa Fe, NM 87505</u>

Pit or Below-Grade Tank Registration or Closure Is nit or below-grade tank covered by a "general plan"? Yes X No 🗌

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank				
BP AMERICA PRODUCO	T-tt (505)-326-9200	31 - 4d		
Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: Address: 200 ENERGY COURT. FARMINGTON. NM 87410				
Facility or well name: STOREY LS #4	API #: 30-045- 07047 U/L or Qtr/C	Dt. B Sac 34 T 28N P 8W		
County: SAN JUAN Latitude 36.62265 Longitude 10	7.66489 NAD: 1027 1023 Surface O	wner Federal State Private Indian		
County. Latitude Cotton Longitude 10	1927 1963 Surface O	when rederat \(\sigma \) State \(\sigma \) Fivate \(\sigma \) Indian \(\sigma \)		
Pit	Below-grade tank			
Type: Drilling ☐ Production ☒ Disposal ☐ BLOW	Volume:bbl-Type-of-fluid: /A	RCVD APR5'07		
Workover Emergency	Construction materia:	OIL CONS. DIV.		
Lined 🛛 Unlined 🔲 STEEL TANK	Double-walled, with leak ditection? Yes I If I	t, explain why not. DIST. 3		
Liner type: Synthetic Thickness mil Clay				
Pit Volumebbl				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
nigh water elevation of ground water.)	100 feet or more	(0 points)		
W. III	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)		
water source, or less than 1000 feet from all other water sources.)	T 4 200 C 4			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet 1000 feet or more	(10 points)		
	1000 feet of more	(0 points)		
	Ranking Score (Total Points)	0		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if		
your are burying in place) onsite 🛛 offsite 🗌 If offsite, name of facility_	. (3) Attach a general of	description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🔯 Y	es 🔲 If yes, show depth below ground surface	ft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavation	s			
Additional Comments: PIT LOCATED APPROXIMATELY	y 96 FT. S15E FROM WE	LL HEAD.		
PIT EXCAVATION: WIDTH N/Aft., LENGTH		,		
PIT REMEDIATION: CLOSE AS IS: \(\times \), LANDFARM: \(\times \), COMPOST: \(\times \), STOCKPILE: \(\times \), OTHER \(\times \) (explain)				
Cubic yards: N/A				
BEDROCK BOTTOM.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan .				
Date: 06/20/06				
PrintedName/Title Jeff Blagg - P.E. # 11607 Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Deputy Oil & Gas Inspector,				
		AUG 0 1 2007		
Printed Name/Title Signature Signatu	gnature Burnol Fill	Date:		

		سيحيون وبدوري والمروج	and the same of the same and the same		and the second of the second of the second	The state of the s
	AGG ENGI		•	LOC	ATION NO:	B1419
CLIENT: <u>BP</u> P.O. BC	0X 87, BLO (505) 632	•	, NM 874	113	OR NO:	1065
FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: _ ' of _ '						
LOCATION: NAME: STOREY LS						6-14-06
QUAD/UNIT. B SEC: 34 TWP: 28N QTR/FOOTAGE: 900 FAL × 1650	FEL NO PM: /	ACTOR HAI	(EDGAR)	ENVIR	RONMENTAL	JCB
EXCAVATION APPROX. NA FT						0
DISPOSAL FACILITY: MA					close a	·S 15
LAND USE: RANGE - BLM					ION: PC	/MV
FIELD NOTES & REMARKS: PIT I	OCATED APPROX	MATELY 9	6 FT.	SISE	FROM	WELLHEAD.
	T WATER SOURCE:			SURFACE WAT	TER	<i>900</i>
NMOCD RANKING SCORE: O NMOCD	TPH CLOSURE STD: .	<u>5000</u> PI	,			
SOIL AND EXCAVATION DESCR	PTION:		OVM CALIB. OVM CALIB.	GAS =/	OO ppm	<u>RF = 0.52</u>
			TIME: 063			
SOIL TYPE: (SAND / SILT				OCK SAL	ASTURE (Z 11
COHESION (ALL OTHERS). NON COHESIVE (SLIGH CONSISTENCY (NON COHESIVE SOILS): LOOSE (F	And in case of Persons and Per		COHESIVE			
PLASTICITY (CLAYS). NON PLASTIC / SLIGHTLY PL	print.		/ HIGHLY PLAST	IC		
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM MOISTURE DRY (SLIGHTLY MOIST) MOIST / WET /					C	rozed)
DISCOLORATION/STAINING OBSERVED: YES / NO		- SATURATED				
HC ODOR DETECTED: YES (100) EXPLANATION						
ADDITIONAL COMMENTS.		BALATE				
BEDTOCK BOTTOM		E BACHLO	ce of a			(#{# ⁶ ^
	FIE	LD 418.1 CALC				
SCALE SAMP. TIME SAMP. II	D LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT						
PIT PERIMETER				PITF	ROFIL	Ė
TO WE'VE	1	VM				
1 ms.	SAMPLE ID	DING FIELD HEADSPACE	-			
	1@	(ppm)				
	2 @ 3 @			<u>e</u>	-6-	>
	4 @ 5 @		-			
A ((C)) A						1
A			6		!	
)	,,,
		A 101 50		<u></u>	<i>_</i>	1
← 6°→	0.4.1.01.7	AMPLES NALYSIS TIME				
		18/c1 09/				\downarrow
	1P	रहा ।		REREUR	IK SAA	. مجولا ١٠٤٠
PD = PIT DEPRESSION; B G. = BELOW GRADE; B = BEL T H = TEST HOLE, ~ = APPROX, T.B. = TANK BOTTOM	.ow		/ /		1	
TRAVEL NOTES: CALLOUT:		ONSITE:	6/14/06	T		
CALLOUT.		_ ONSITE:	~/ · ·/ U.O			

S



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	,	Project #:	94034-010
Sample ID:	C @ 9'		Date Reported:	06-16-06
Laboratory Number:	37399		Date Sampled:	06-14-06
Chain of Custody No:	1065		Date Received:	06-14-06
Sample Matrix:	Soil		Date Extracted:	06-15-06
Preservative:	Cool		Date Analyzed:	06-16-06
Condition:	Cool and Intact		Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.6	0.2
Diesel Range (C10 - C28)	21.2	0.1
Total Petroleum Hydrocarbons	21.8	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Storey LS 4 Blow.

Analyst P. Offeren

Mobile M. Walter Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 9'	Date Reported:	06-16-06
Laboratory Number:	37399	Date Sampled:	06-14-06
Chain of Custody:	1065	Date Received:	06-14-06
Sample Matrix:	Soil	Date Analyzed:	06-16-06
Preservative:	Cool	Date Extracted:	06-15-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	ND	1.7	
Ethylbenzene	ND	1.5	
p,m-Xylene	ND	2.2	
o-Xylene	ND	1.0	
Total BTEX	ND		
ND - Parameter not detected at the stated detection li	mit.		

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Storey LS 4 Blow.

Analyst

(Minter Muchen



Chloride

Client: Blagg / BP Project #: 94034-010 C @ 9' Sample ID: Date Reported: 06-16-06 Lab ID#: 37399 Date Sampled: 06-14-06 Sample Matrix: Soil Date Received: 06-14-06 Preservative: Cool Date Analyzed: 06-15-06 Cool and Intact Condition: Chain of Custody: 1065

Parameter

Concentration (mg/Kg)

Total Chloride

37.0

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Storey LS 4 Blow.

Mister m Walter Analyst

Review