

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: _____
Address: 200 ENERGY COURT, FARMINGTON, NM 87410
Facility or well name: VAN HOOK FEDERAL #1 API #: 30-045- 21715 U/L or Qtr/Qtr M Sec 27 T 32N R 11W
County: SAN JUAN Latitude 36.95096 Longitude 107.98258 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> SEPARATOR Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> STEEL TANK Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>NA</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. RCVD APR5'07 OIL CONS. DIV. DIST. 3
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 0 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 0 1000 feet or more (0 points)
Ranking Score (Total Points) 0	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments PIT LOCATED APPROXIMATELY 75 FT. N60W FROM WELL HEAD.

PIT EXCAVATION: WIDTH N/A ft., LENGTH N/A ft., DEPTH N/A ft.

PIT REMEDIATION: CLOSE AS IS: ☒ LANDFARM: ☐ COMPOST: ☐ STOCKPILE: ☐ OTHER ☐ (explain)

Cubic yards: N/A

BEDROCK BOTTOM.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 05/5/06

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Deputy Oil & Gas Inspector,
Printed Name/Title District #3

Signature [Signature]

Date: AUG 01 2006

CLIENT: BP

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO: B1120
COCR NO: 15059

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: VAN HOOK FEDERAL WELL # 1 TYPE: SEP
QUAD/UNIT M SEC: 27 TWP: 32 N RNG: 11 W PM: NM CNTY: SJ ST: NM
QTR/FOOTAGE: 930FSL x 975 FWL SW 1/4 CONTRACTOR: SIERRA - CALVIN

DATE STARTED 4/27/06
DATE FINISHED 4/27/06
ENVIRONMENTAL SPECIALIST: JCB

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: SF - 080424 FORMATION PC

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 75 FT. N60W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ = 53.8 ppm
OVM CALIB GAS = 100 ppm RF = 0.52
TIME: 1200 am/pm DATE 4/27

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL OTHER BEDROCK SANDSTONE
SOIL COLOR ORANGE TAN
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE
PLASTICITY (CLAYS) NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CLOSED
MOISTURE DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED
DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION -
HC ODOR DETECTED: YES / NO EXPLANATION -
SAMPLE TYPE GRAB / COMPOSITE - # OF PTS. _____
ADDITIONAL COMMENTS: 12" DIA x 5' Tall steel tank set in bedrock bottom
Bedrock Sandstone P.T. Use backhoe to pull tank & scrape sandstone surface.

FIELD 418.1 CALCULATIONS

SCALE 0 FT
PIT PERIMETER

PIT PROFILE

12" A

12" A

12" A

12" A

TANK FOOT PRINT

TO WELL

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
C @ 5'	0.0
4 P @ 5'	0.0

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
C @ 5'	T/B/C	1200
4 P @ 5'	"	1300

CLOSED

12"

2"

5'

BEDROCK SANDSTONE

P.D = PIT DEPRESSION, B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE, ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES

CALLOUT: _____

ONSITE: 4/27/06

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	4-Pt. @ 5'	Date Reported:	05-01-06
Laboratory Number:	36986	Date Sampled:	04-27-06
Chain of Custody No:	15859	Date Received:	04-28-06
Sample Matrix:	Soil	Date Extracted:	04-30-06
Preservative:	Cool	Date Analyzed:	05-01-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.4	0.1
Total Petroleum Hydrocarbons	0.4	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Van Hook Fed #1 Sep Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	4-Pt. @ 5'	Date Reported:	05-01-06
Laboratory Number:	36986	Date Sampled:	04-27-06
Chain of Custody:	15859	Date Received:	04-28-06
Sample Matrix:	Soil	Date Analyzed:	05-01-06
Preservative:	Cool	Date Extracted:	04-30-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	23.0	1.7
Ethylbenzene	4.1	1.5
p,m-Xylene	58.1	2.2
o-Xylene	15.0	1.0
Total BTEX	100	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Van Hook Fed #1 Sep Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW


Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	4-Pt. @ 5'	Date Reported:	05-01-06
Lab ID#:	36986	Date Sampled:	04-27-06
Sample Matrix:	Soil	Date Received:	04-28-06
Preservative:	Cool	Date Analyzed:	05-01-06
Condition:	Cool and Intact	Chain of Custody:	15859

Parameter	Concentration (mg/Kg)
Total Chloride	57.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Van Hook Fed #1 Sep Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 5'	Date Reported:	05-01-06
Laboratory Number:	36985	Date Sampled:	04-27-06
Chain of Custody No:	15859	Date Received:	04-28-06
Sample Matrix:	Soil	Date Extracted:	04-30-06
Preservative:	Cool	Date Analyzed:	05-01-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Van Hook Fed #1 Sep Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 5'	Date Reported:	05-01-06
Laboratory Number:	36985	Date Sampled:	04-27-06
Chain of Custody:	15859	Date Received:	04-28-06
Sample Matrix:	Soil	Date Analyzed:	05-01-06
Preservative:	Cool	Date Extracted:	04-30-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	7.3	1.7
Ethylbenzene	4.2	1.5
p,m-Xylene	21.3	2.2
o-Xylene	11.2	1.0
Total BTEX	44.0	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Van Hook Fed #1 Sep Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 5'	Date Reported:	05-01-06
Lab ID#:	36985	Date Sampled:	04-27-06
Sample Matrix:	Soil	Date Received:	04-28-06
Preservative:	Cool	Date Analyzed:	05-01-06
Condition:	Cool and Intact	Chain of Custody:	15859


Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride

69.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Van Hook Fed #1 Sep Pit.**


Analyst


Review

CHAIN OF CUSTODY RECORD

15859

Client / Project Name Buag/BP			Project Location VAN Hook FED #1		ANALYSIS / PARAMETERS								
Sampler: J. C. Alsy			Client No. 94034-010		No. of Containers	TPH	BTEX	CL				Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
C @ 5'	4/27/06	1300	36985	SOIL	1	X	X	X				SEP P.T	
4-Pt @ 5'	"	1305	36986	"	1	X	X	X				"	
Relinquished by: (Signature) J-C. Alsy			Date 4/28/06	Time 1435	Received by: (Signature) Christine M. Walker						Date 4/28/06	Time 1435	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	05-01-06 QA/QC	Date Reported:	05-01-06
Laboratory Number:	36983	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	05-01-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-04-05	1.0072E+003	1.0082E+003	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	1.0059E+003	1.0080E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 36983 - 36991.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	05-01-BTEX QA/QC	Date Reported:	05-01-06
Laboratory Number:	36985	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	05-01-06
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect. Limit
		Accept. Range 0 - 15%			
Benzene	3.7429E+007	3.7504E+007	0.2%	ND	0.2
Toluene	9.6295E+007	9.6488E+007	0.2%	ND	0.2
Ethylbenzene	5.7150E+007	5.7265E+007	0.2%	ND	0.2
p,m-Xylene	1.7715E+008	1.7751E+008	0.2%	ND	0.2
o-Xylene	8.7145E+007	8.7320E+007	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	1.8
Toluene	7.3	7.3	0.0%	0 - 30%	1.7
Ethylbenzene	4.2	4.2	0.0%	0 - 30%	1.5
p,m-Xylene	21.3	21.2	0.5%	0 - 30%	2.2
o-Xylene	11.2	11.2	0.0%	0 - 30%	1.0

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	49.9	99.8%	39 - 150
Toluene	7.3	50.0	57.3	100.0%	46 - 148
Ethylbenzene	4.2	50.0	54.1	99.8%	32 - 160
p,m-Xylene	21.3	100	121	99.8%	46 - 148
o-Xylene	11.2	50.0	61.1	99.8%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 36985 - 36987.


Analyst


Review