

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: _____
Address: 200 ENERGY COURT, FARMINGTON, NM 87410
Facility or well name: LEEPER GC #1 API #: 30-045- 11142 U/L or Qtr/Qtr L Sec 34 T 32N R 10W
County: SAN JUAN Latitude 36.93838 Longitude 107.87547 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐

Pit	Below-grade tank	RCVD APR5'07 OIL CONS. DIV. DIST. 3	
Type: Drilling ☐ Production ☒ Disposal ☐ ABANDON Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness _____ mil Clay ☐ Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: <u>N/A</u> Construction material: <u>N/A</u> Double-walled, with leak detection? Yes ☐ If not, explain why not. _____		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	20
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	20
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	20
Ranking Score (Total Points)		60	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5)

Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 66 FT. S60E FROM WELL HEAD.

PIT EXCAVATION: WIDTH N/A ft., LENGTH N/A ft., DEPTH N/A ft.

PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain)

Cubic yards: N/A



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 04/18/06

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Deputy Oil & Gas Inspector,
District #3
Printed Name/Title _____ Signature Bob Roll Date: AUG 03 2007

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>B1762</u> COCR NO: <u>HALL</u>																																				
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																				
LOCATION: NAME: <u>LEPPER GC</u> WELL #: <u>1</u> TYPE: <u>ABANDON</u> QUAD/UNIT: <u>L</u> SEC: <u>34</u> TWP: <u>32N</u> RNG: <u>10W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1340 FSL x 790 FUL NW1SW</u> CONTRACTOR: <u>PXS (TRENNE)</u>		DATE STARTED: <u>3-29-06</u> DATE FINISHED: <u>3-29-06</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																				
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>																																						
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																						
LAND USE: <u>RURAL</u> LEASE: <u>NM073305 FEE RV</u> FORMATION: <u>MV</u>																																						
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>66</u> FT. <u>560E</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u><50</u> NEAREST WATER SOURCE: <u><1000</u> NEAREST SURFACE WATER: <u><200</u> NMOCD RANKING SCORE: <u>30+</u> NMOCD TPH CLOSURE STD: <u>100</u> PPM																																						
SOIL AND EXCAVATION DESCRIPTION: SOIL TYPE: SAND (<u>SILTY SAND</u>) / SILT / SILTY CLAY / CLAY / GRAVEL (<u>OTHER</u>) SOIL COLOR: <u>DARK BROWN</u> COHESION (ALL OTHERS): NON COHESIVE (<u>SLIGHTLY COHESIVE</u>) / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE (<u>FIRM</u>) / DENSE / VERY DENSE PLASTICITY (CLAYS): (<u>NON PLASTIC</u>) / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY (<u>SLIGHTLY MOIST</u>) / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / (<u>NO</u>) EXPLANATION - HC ODOR DETECTED: YES / (<u>NO</u>) EXPLANATION - SAMPLE TYPE: (<u>GRAB / COMPOSITE</u>) # OF PTS. _____ ADDITIONAL COMMENTS: <u>18'x18'x2' Deep Unlined Abandon Pit. Use Shovels</u> <u>* Hand dig to dip test holes @ corners & center to sample</u>		OVM CALIB. READ. = <u>539</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>0305</u> am/pm DATE: <u>3/24/06</u>																																				
FIELD 418.1 CALCULATIONS																																						
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																												
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																															
SCALE  0 FT ↑ N	PIT PERIMETER 	PIT PROFILE 																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">OVM READING</th> </tr> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> <th></th> </tr> </thead> <tbody> <tr><td>1 @</td><td></td><td></td></tr> <tr><td>2 @</td><td></td><td></td></tr> <tr><td>3 @</td><td></td><td></td></tr> <tr><td>4 @</td><td></td><td></td></tr> <tr><td>5 @</td><td></td><td></td></tr> <tr><td>2 @ 5'</td><td>0.0</td><td></td></tr> <tr><td>4 @ 5'</td><td>0.0</td><td></td></tr> <tr><td>5 @ 5'</td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> </tbody> </table>			OVM READING			SAMPLE ID	FIELD HEADSPACE (ppm)		1 @			2 @			3 @			4 @			5 @			2 @ 5'	0.0		4 @ 5'	0.0		5 @ 5'								
OVM READING																																						
SAMPLE ID	FIELD HEADSPACE (ppm)																																					
1 @																																						
2 @																																						
3 @																																						
4 @																																						
5 @																																						
2 @ 5'	0.0																																					
4 @ 5'	0.0																																					
5 @ 5'																																						
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>2 @ 5'</td><td>TPH/B3/B1</td><td>0835</td></tr> <tr><td>4 @ 5'</td><td>"</td><td>0945</td></tr> <tr><td>5 @ 5'</td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> </tbody> </table>			LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	2 @ 5'	TPH/B3/B1	0835	4 @ 5'	"	0945	5 @ 5'																							
LAB SAMPLES																																						
SAMPLE ID	ANALYSIS	TIME																																				
2 @ 5'	TPH/B3/B1	0835																																				
4 @ 5'	"	0945																																				
5 @ 5'																																						
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																						
TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>3/29/06</u>																																						

Hall Environmental Analysis Laboratory

Date: 07-Apr-06

CLIENT: Blagg Engineering
Lab Order: 0603363
Project: Leeper GC #1- Abandon Pit
Lab ID: 0603363-01

Client Sample ID: C@5'
Collection Date: 3/29/2006 8:55:00 AM
Date Received: 3/31/2006
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANGE ORGANICS						Analyst: SCC
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	4/7/2006 2:57:01 AM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/7/2006 2:57:01 AM
Surr: DNOP	95.6	60-124		%REC	1	4/7/2006 2:57:01 AM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/6/2006 7:12:08 PM
Surr: BFB	111	79-128		%REC	1	4/6/2006 7:12:08 PM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.050		mg/Kg	1	4/6/2006 7:12:08 PM
Toluene	ND	0.050		mg/Kg	1	4/6/2006 7:12:08 PM
Ethylbenzene	ND	0.050		mg/Kg	1	4/6/2006 7:12:08 PM
Xylenes, Total	ND	0.050		mg/Kg	1	4/6/2006 7:12:08 PM
Surr: 4-Bromofluorobenzene	101	84.4-117		%REC	1	4/6/2006 7:12:08 PM
EPA METHOD 9056A: ANIONS						Analyst: MAP
Chloride	ND	1.5		mg/Kg	5	4/5/2006 8:41:05 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory

Date: 07-Apr-06

CLIENT: Blagg Engineering
Lab Order: 0603363
Project: Leeper GC #1- Abandon Pit
Lab ID: 0603363-02

Client Sample ID: 4-Point Composite
Collection Date: 3/29/2006 9:05:00 AM
Date Received: 3/31/2006
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANGE ORGANICS						Analyst: SCC
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	4/7/2006 3:30:03 AM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/7/2006 3:30:03 AM
Surr. DNOP	103	60-124		%REC	1	4/7/2006 3:30:03 AM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/6/2006 7:40:03 PM
Surr. BFB	112	79-128		%REC	1	4/6/2006 7:40:03 PM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.050		mg/Kg	1	4/6/2006 7:40:03 PM
Toluene	ND	0.050		mg/Kg	1	4/6/2006 7:40:03 PM
Ethylbenzene	ND	0.050		mg/Kg	1	4/6/2006 7:40:03 PM
Xylenes, Total	ND	0.050		mg/Kg	1	4/6/2006 7:40:03 PM
Surr. 4-Bromofluorobenzene	102	84.4-117		%REC	1	4/6/2006 7:40:03 PM
EPA METHOD 9056A: ANIONS						Analyst: MAP
Chloride	5.2	3.0		mg/Kg	10	4/5/2006 8:58:29 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

**HALL ENVIRONMENTAL
ANALYSIS LABORATORY**

4901 Hawkins NE, Suite D
Albuquerque, New Mexico 87109
Tel. 505.345.3975 Fax 505.345.3976
www.hallenvironmental.com

CHAIN-OF-CUSTODY RECORD				QA / QC Package:			
				Std ☐ Level 4 ☐		Other: _____	
Client: <u>BLACC ENGINEERING INC.</u>				Project Name: <u>WEEPER GC # 1- ABANDON P.T</u>			
Address: <u>P.O. Box 897</u>				Project #: _____			
<u>BRANFORD NM 87413</u>				Project Manager: <u>Jeff Blacc</u>			
Phone #: <u>505-632-1149</u>				Sampler: <u>Jeff Blacc</u>			
Fax #: _____				Sample Temperature: <u>40</u>			
Date	Time	Matrix	Sample I.D. No.	Number/Volume	Preservative HgCl ₂ HNO ₃		HEAL No.
<u>3/29/06</u>	<u>0855</u>	<u>Soil</u>	<u>C @ 5'</u>	<u>1- 400</u>			<u>0603363</u>
<u>11</u>	<u>0905</u>	<u>"</u>	<u>4-Rent Composite</u>	<u>"</u>			<u>-1</u>
							<u>-2</u>
Date: <u>3/30/06</u>	Time: <u>0630</u>	Relinquished By: (Signature) <u>Jeff Blacc</u>		Received By: (Signature) <u>Sharon D</u>		HEAL No. <u>1614 333106</u>	
Date: <u> </u>	Time: <u> </u>	Relinquished By: (Signature) <u> </u>		Received By: (Signature) <u> </u>		HEAL No. <u> </u>	

CLIENT: Blagg Engineering
Work Order: 0603363
Project: Leeper GC #1- Abandon Pit

ANALYTICAL QC SUMMARY REPORT

TestCode: 300_S

Sample ID: MB-10116		SampType: MBLK		TestCode: 300_S		Units: mg/Kg		Prep Date: 4/4/2006		RunNo: 18820	
Client ID: ZZZZZ		Batch ID: 10116		TestNo: E300				Analysis Date: 4/5/2006		SeqNo: 467057	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	ND	0.30									

Sample ID: LCS-10116	SampType: LCS	TestCode: 300_S	Units: mg/Kg	Prep Date: 4/4/2006	RunNo: 18820						
Client ID: ZZZZZ	Batch ID: 10116	TestNo: E300		Analysis Date: 4/5/2006	SeqNo: 467058						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	14.07	0.30	15	0	93.8	90	110				

3/7

Qualifiers: E Value above quantitation range
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded
R RPD outside accepted recovery limits

J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

CLIENT: Blagg Engineering
 Work Order: 0603363
 Project: Leeper GC #1- Abandon Pit

ANALYTICAL QC SUMMARY REPORT

TestCode: 8015DRO_S

Sample ID: MB-10114	SampType: MBLK	TestCode: 8015DRO_S	Units: mg/Kg	Prep Date: 4/4/2006	RunNo: 18818						
Client ID: ZZZZZ	Batch ID: 10114	TestNo: SW8015		Analysis Date: 4/5/2006	SeqNo: 467037						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Diesel Range Organics (DRO)	ND	10									
Motor Oil Range Organics (MRO)	ND	50									

Sample ID: LCS-10114	SampType: LCS	TestCode: 8015DRO_S	Units: mg/Kg	Prep Date: 4/4/2006	RunNo: 18818						
Client ID: ZZZZZ	Batch ID: 10114	TestNo: SW8015		Analysis Date: 4/5/2006	SeqNo: 467095						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Diesel Range Organics (DRO)	42.18	10	50	0	84.4	67.4	117				
-----------------------------	-------	----	----	---	------	------	-----	--	--	--	--

Sample ID: LCSD-10114	SampType: LCSD	TestCode: 8015DRO_S	Units: mg/Kg	Prep Date: 4/4/2006	RunNo: 18818						
Client ID: ZZZZZ	Batch ID: 10114	TestNo: SW8015		Analysis Date: 4/5/2006	SeqNo: 467096						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Diesel Range Organics (DRO)	40.59	10	50	0	81.2	67.4	117	42.18	3.84	17.4	
-----------------------------	-------	----	----	---	------	------	-----	-------	------	------	--

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits

CLIENT: Blagg Engineering
Work Order: 0603363
Project: Leeper GC #1- Abandon Pit

ANALYTICAL QC SUMMARY REPORT

TestCode: 8015GRO_S

Sample ID: MB-10102	SampType: MBLK	TestCode: 8015GRO_S	Units: mg/Kg	Prep Date: 3/31/2006	RunNo: 18862						
Client ID: ZZZZZ	Batch ID: 10102	TestNo: SW8015	(SW5035)	Analysis Date: 4/6/2006	SeqNo: 467876						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0									

Sample ID: LCS-10102	SampType: LCS	TestCode: 8015GRO_S	Units: mg/Kg	Prep Date: 3/31/2006	RunNo: 18862						
Client ID: ZZZZZ	Batch ID: 10102	TestNo: SW8015	(SW5035)	Analysis Date: 4/6/2006	SeqNo: 467877						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	25.10	5.0	25	0	100	84	120				

5/7

Qualifiers: E Value above quantitation range
 ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded
 R RPD outside accepted recovery limits

J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

CLIENT: Blagg Engineering
 Work Order: 0603363
 Project: Leeper GC #1- Abandon Pit

ANALYTICAL QC SUMMARY REPORT

TestCode: 8021BTEX_S

Sample ID: MB-10102	SampType: MBLK	TestCode: 8021BTEX_S	Units: mg/Kg	Prep Date: 3/31/2006	RunNo. 18862						
Client ID: ZZZZZ	Batch ID: 10102	TestNo: SW8021	(SW5035)	Analysis Date 4/6/2006	SeqNo 467842						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Benzene	ND	0.050									
Toluene	ND	0.050									
Ethylbenzene	ND	0.050									
Xylenes, Total	ND	0.050									

Sample ID: LCS-10102	SampType: LCS	TestCode: 8021BTEX_S	Units: mg/Kg	Prep Date: 3/31/2006	RunNo: 18862						
Client ID: ZZZZZ	Batch ID: 10102	TestNo: SW8021	(SW5035)	Analysis Date: 4/6/2006	SeqNo. 467843						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Benzene	0.4721	0.050	0.452	0	104	85.6	116				
Toluene	1.896	0.050	1.62	0	117	82.4	120				
Ethylbenzene	0.4354	0.050	0.456	0	95.5	86.4	111				
Xylenes, Total	2.077	0.050	1.8	0	115	78.4	125				

Qualifiers: E Value above quantitation range
 ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded
 R RPD outside accepted recovery limits

J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory

Sample Receipt Checklist

Client Name BLAGG

Date and Time Received

3/31/2006

Work Order Number 0603363

Received by LMM

Checklist completed by

Signature

[Signature]

Date

3-31-06

Matrix

/

Carrier name Greyhound

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☒

Yes ☐

No ☐

Water - pH acceptable upon receipt?

Yes ☐

No ☐

N/A ☒

Container/Temp Blank temperature?

4°

4° C ± 2 Acceptable

If given sufficient time to cool.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding

Comments:

Corrective Action