

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: _____
Address: 200 ENERGY COURT, FARMINGTON, NM 87410
Facility or well name: HEATH, W.D. A #9E API #: 30-045- 24378 U/L or Qtr/Qtr J Sec 9 T 29N R 9W
County: SAN JUAN Latitude 36.73683 Longitude 107.78036 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit
Type: Drilling ☐ Production ☒ Disposal ☐ ABAN. DEHY.
Workover ☐ Emergency ☐
Lined ☐ Unlined ☒
Liner type: Synthetic ☐ Thickness _____ mil Clay ☐
Pit Volume _____ bbl

Below-grade tank
Volume: _____ bbl Type of fluid: _____
Construction material: N/A
Double-walled, with leak detection? Yes ☐ If not, explain why not.

RCVD APR 5 '07

OIL CONS. DIV.

DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	0
	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	0
	No	(0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	0
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points)	
Ranking Score (Total Points)			0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 144 FT. N76E FROM WELL HEAD.

PIT EXCAVATION: WIDTH N/A ft., LENGTH N/A ft., DEPTH N/A ft.

PIT REMEDIATION: CLOSE AS IS: ☒ LANDFARM: ☐ COMPOST: ☐ STOCKPILE: ☐ OTHER ☐ (explain)

Cubic yards: N/A

BEDROCK BOTTOM.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 04/10/06

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature _____

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.



Deputy Oil & Gas Inspector,
District #3

Approval:

Printed Name/Title _____

Signature _____

Date: AUG 06 2007

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80120</u> COCR NO: <u>15778</u>																																																
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																																
LOCATION: NAME: <u>WD HEATH A</u> WELL #: <u>9E</u> TYPE: <u>DEHT (ABD)</u> QUAD/UNIT: <u>J</u> SEC: <u>9</u> TWP: <u>29N</u> RNG: <u>9W</u> PM: <u>NM</u> CNTY: <u>SS</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1690 FSL x 1540 FEL NW 1/4</u> CONTRACTOR: <u>PXS (TRENNE)</u>		DATE STARTED: <u>4-3-06</u> DATE FINISHED: <u>4-3-06</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																																
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>																																																		
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																																		
LAND USE: <u>RANGE - BLM</u> LEASE: <u>SF 076337</u> FORMATION: <u>MV/DK</u>																																																		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>144</u> FT. <u>N 76 E</u> FROM WELLHEAD.																																																		
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u>																																																		
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																																		
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>53.0</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1130</u> am/pm DATE: <u>4/3</u>																																																
SOIL TYPE: SAND (SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK SS @ 5'</u> SOIL COLOR: <u>ORANGE TAN</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: <u>DRY</u> / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / <u>NO</u> EXPLANATION - HC ODOR DETECTED: YES / <u>NO</u> EXPLANATION - SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS ADDITIONAL COMMENTS: <u>10' x 10' x 4' Deep Abandoned Well Pit.</u> <u>USE BACKHOE to Dig into Pit & collect Samples. FIRM</u> <u>Bedrock Sandstone @ 1' Below Pit Base</u>																																																		
FIELD 418.1 CALCULATIONS																																																		
SCALE  0 FT N	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																									PIT PROFILE 
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																											
PIT PERIMETER 	OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>4 Point @ 5'</td><td>0.0</td></tr> <tr><td>1 @ 5'</td><td>0.0</td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE (ppm)	1 @		2 @		3 @		4 @		5 @		4 Point @ 5'	0.0	1 @ 5'	0.0									LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>4 Point</td><td>TPH/Dioxin</td><td>1215</td></tr> <tr><td>1 @ 5'</td><td> </td><td>1220</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	ANALYSIS	TIME	4 Point	TPH/Dioxin	1215	1 @ 5'		1220															
SAMPLE ID	FIELD HEADSPACE (ppm)																																																	
1 @																																																		
2 @																																																		
3 @																																																		
4 @																																																		
5 @																																																		
4 Point @ 5'	0.0																																																	
1 @ 5'	0.0																																																	
SAMPLE ID	ANALYSIS	TIME																																																
4 Point	TPH/Dioxin	1215																																																
1 @ 5'		1220																																																
P.D. = PIT DEPRESSION, B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																																		
TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>4/3/06</u>																																																		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	4-Point @ 5'	Date Reported:	04-04-06
Laboratory Number:	36685	Date Sampled:	04-03-06
Chain of Custody No:	15778	Date Received:	04-03-06
Sample Matrix:	Soil	Date Extracted:	04-03-06
Preservative:	Cool	Date Analyzed:	04-04-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	1.4	0.1
Total Petroleum Hydrocarbons	1.4	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **W. D. Heath A 9E Dehy Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	4-Point @ 5'	Date Reported:	04-04-06
Laboratory Number:	36685	Date Sampled:	04-03-06
Chain of Custody:	15778	Date Received:	04-03-06
Sample Matrix:	Soil	Date Analyzed:	04-04-06
Preservative:	Cool	Date Extracted:	04-03-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	10.7	1.7
Ethylbenzene	5.7	1.5
p,m-Xylene	9.8	2.2
o-Xylene	ND	1.0
Total BTEX	26.2	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: W. D. Heath A 9E Dehy Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	4-Point @ 5'	Date Reported:	04-04-06
Lab ID#:	36685	Date Sampled:	04-03-06
Sample Matrix:	Soil	Date Received:	04-03-06
Preservative:	Cool	Date Analyzed:	04-04-06
Condition:	Cool and Intact	Chain of Custody:	15778


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

60.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: W. D. Heath A 9E Dehy Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 5'	Date Reported:	04-04-06
Laboratory Number:	36686	Date Sampled:	04-03-06
Chain of Custody No:	15778	Date Received:	04-03-06
Sample Matrix:	Soil	Date Extracted:	04-03-06
Preservative:	Cool	Date Analyzed:	04-04-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **W. D. Heath A 9E Dehy Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 5'	Date Reported:	04-04-06
Laboratory Number:	36686	Date Sampled:	04-03-06
Chain of Custody:	15778	Date Received:	04-03-06
Sample Matrix:	Soil	Date Analyzed:	04-04-06
Preservative:	Cool	Date Extracted:	04-03-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	12.5	1.7
Ethylbenzene	5.2	1.5
p,m-Xylene	44.1	2.2
o-Xylene	15.8	1.0
Total BTEX	77.6	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: W. D. Heath A 9E Dehy Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	C @ 5'	Date Reported:	04-04-06
Lab ID#:	36686	Date Sampled:	04-03-06
Sample Matrix:	Soil	Date Received:	04-03-06
Preservative:	Cool	Date Analyzed:	04-04-06
Condition:	Cool and Intact	Chain of Custody:	15778

Parameter


Concentration (mg/Kg)


Total Chloride

42.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: W. D. Heath A 9E Dehy Pit.


Analyst


Review

CHAIN OF CUSTODY RECORD

15778

Client / Project Name SLAG/BP			Project Location W.D. HEATH A 9E		ANALYSIS / PARAMETERS								
Sampler: Jeff Blagg			Client No. 94034-010		No. of Containers	TPH	BTEX	CL				Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
4-POINT @ 5'	4/3/06	1215	316685	SOIL	1	X	X	X				DEHT P.T	
C.O. 5'	"	1220	316686	"	1	X	X	X				"	
Relinquished by: (Signature) J. C. Flagg			Date 4/3/06	Time 1310	Received by: (Signature) Christine M. Walters					Date 4/3/06	Time 1310		
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	☒		
										Cool - Ice/Blue Ice	☒		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	04-04-06 QA/QC	Date Reported:	04-04-06
Laboratory Number:	36660	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-04-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-04-05	1.0028E+003	1.0038E+003	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	1.0001E+003	1.0021E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 36660 - 36662, 36666 - 36670, 36685 - 36686.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	04-04-BTEX QA/QC	Date Reported:	04-04-06
Laboratory Number:	36684	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-04-06
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff:	Blank Conc	Detect. Limit
--	-----------	-----------	--------	---------------	------------------

Benzene	6.2800E+007	6.2925E+007	0.2%	ND	0.2
Toluene	6.8755E+007	6.8892E+007	0.2%	ND	0.2
Ethylbenzene	4.7172E+007	4.7267E+007	0.2%	ND	0.2
p,m-Xylene	1.2469E+008	1.2494E+008	0.2%	ND	0.2
o-Xylene	5.9143E+007	5.9262E+007	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect. Limit
-------------------------	--------	-----------	-------	--------------	---------------

Benzene	21.6	21.6	0.0%	0 - 30%	1.8
Toluene	133	132	0.8%	0 - 30%	1.7
Ethylbenzene	170	169	0.6%	0 - 30%	1.5
p,m-Xylene	1,380	1,370	0.7%	0 - 30%	2.2
o-Xylene	207	206	0.5%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
---------------------	--------	---------------	---------------	------------	--------------


Benzene	21.6	50.0	71.5	99.9%	39 - 150
Toluene	133	50.0	182	99.8%	46 - 148
Ethylbenzene	170	50.0	219	99.9%	32 - 160
p,m-Xylene	1,380	100	1,470	99.3%	46 - 148
o-Xylene	207	50.0	256	99.7%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 36684 - 36686.


Analyst


Review