District I 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

### Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank \( \subseteq \) Closure of a pit or below-grade tank \( \subseteq \) Telephone: (505)-326-9200 e-mail address: Operator: BP AMERICA PROD. CO. Address: 200 ENERGY COURT, FARMINGTON, NM 87410 \_\_U/L or Qtr/Qtr\_ O Sec 15 T 29N R 9W API#: 30-045- 08205 Facility or well name: COLE GC B #1 Longitude 107.76303 County: SAN JUAN Latitude 36.72023 NAD: 1927 ☐ 1983 🏿 Surface Owner Federal 🖾 State ☐ Private ☐ Indian ☐ RCVD APR5'07 Pit Below-grade tank NTL CONS. DIV. Type: Drilling Production Disposal BLOW Volume: bbl-Type of fluid: DIST. 3 Construction material Lined | Unlined | Double-walled, with leak direction? Yes I If the explain why not. Liner type: Synthetic Thickness mil Clay Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 0 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more ( 0 points) Ves (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No ( 0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 0 irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more ( 0 points) 0 Ranking Score (Total Points) If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if . (3) Attach a general description of remedial action taken including your are burying in place) onsite offsite If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments PIT LOCATED APPROXIMATELY 99 FT. S2E FROM WELL HEAD. PIT EXCAVATION: WIDTH N/Aft., LENGTH N/Aft., DEPTH N/Aft. PIT REMEDIATION: CLOSE AS IS: ⋈, LANDFARM: □, COMPOST: □, STOCKPILE: □, OTHER □ (explain) Cubic yards: | N/A **BEDROCK BOTTOM** I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan . 03/08/06 Date: Jeff Blagg – P.E. # 11607 Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations Deputy Oil & Gas Inspector,
District #3 AUG 0 9 2007 Printed Name/Title



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 7'	Date Reported:	03-08-06
Laboratory Number:	36392	Date Sampled:	03-07-06
Chain of Custody No:	15650	Date Received:	03-07-06
Sample Matrix:	Soil	Date Extracted:	03-08-06
Preservative:	Cool	Date Analyzed:	03-08-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Cole GC B 1

Blow Pit.

Analyst P. Ogl

Mister Mi Dates
Review



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 7'	Date Reported:	03-08-06
Laboratory Number:	36392	Date Sampled:	03-07-06
Chain of Custody:	15650	Date Received:	03-07-06
Sample Matrix:	Soil	Date Analyzed:	03-08-06
Preservative:	Cool	Date Extracted:	03-08-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

		Det.	
Davamatav	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	ND	1.8	
Toluene	11.4	1.7	
Ethylbenzene	11.7	1.5	
p,m-Xylene	15.8	2.2	
o-Xylene	10.7	1.0	
Total BTEX	49.6		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Cole GC B #1 Blow Pit.

Analyst C. Openson

Muster m Warten
Review



#### Chloride

Client: Blagg / BP Project #: 94034-010 Sample ID: 5-Point Composite @ 7' Date Reported: 03-08-06 Lab ID#: 36392 Date Sampled: 03-07-06 Sample Matrix: Soil Date Received: 03-07-06 Preservative: Cool Date Analyzed: 03-08-06 Condition: Cool and Intact Chain of Custody: 15650

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

57.0

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Cole GC B 1 Blow Pit.

Analyst C. Ceresson

Review

# **CHAIN OF CUSTODY RECORD**

Client / Project Name		3.	Project Location							ΔN	IALYSIS / PA	ARAMETERS				
Scales/13P Sampler:		,	COLE GO	Z1								(1) (1) (1)				
			Client No.				ջ						Re	marks		
1-C. Bes	<u>ک</u>		94034	-010			No of ontaine	1-1	i ti	1						
Sample No./ Identification	Sample Date	Sample Time	Lab Number		Sample Matrix		No of Containers	TPH	Bret	3						
5-Point Composite	3/7/66	0935	36392	5	OIL		(	×	乂	×			Been	RT		
									-							
				Date	Time			(0)	L					ate	T -	ime
Relinquished by: (Signatu	re)		2	7/06	1421	1 1 1	ea by:	(Signatu		71				106	1	
Relinquished by: (Signatu	(e)			1708	17 101		red by:	(Signatu	ire)	year.			5//	10 b	17	
				,								70.000				
Relinquished by: (Signatu	re)		٨	,	ı	Receiv	ed by:	(Signatu	ıre)			,				
				FOV	'IRO"	rec		Ind	~				Sample Re	eceipt	<u> </u>	
				LI IV										Υ	N	N/A
					5796 U.S	. High	way	64				Receive	ed Intact			
				Farm	ington, N			87401	1							
					(505)	o32-0	015					Cool - Ice	e/Blue Ice			



## EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

## **Quality Assurance Report**

Client:	QA/QC		Project #:		N/A
Sample ID:	03-08-06 QA/0	nc.	Date Reported:		03-08-06
Laboratory Number:	36392	20	Date Sampled:		N/A
Sample Matrix:	Methylene Chlor	ride	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		03-08-06
Condition:	N/A		Analysis Reques	ted:	TPH
	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	02-04-05	9.9573E+002	9.9673E+002	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	9.9403E+002	9.9602E+002	0.20%	0 - 15%
Blank Conc. (mg/L - mg/K		Concentration		Detection Lim	iit
Blank Conc. (mg/L - mg/K		Concentration		Detection Lim	jit <u>.</u>
					it
Blank Conc. (mg/L - mg/K Gasoline Range C5 - C10	<b>g)</b>	Concentration ND		Detection Lim 0.2	it:
Blank Conc. (mg/L - mg/K Gasoline Range C5 - C10 Diesel Range C10 - C28	<b>g)</b>	Concentration ND ND ND ND		Detection Lim 0.2 0.1	s Adr
Blank Conc. (mg/L - mg/K Gasoline Range C5 - C10 Diesel Range C10 - C28 Total Petroleum Hydrocarbons	g)	Concentration ND ND ND ND	Canada de la Caración	Detection Lim 0.2 0.1 0.2	s Adr
Blank Conc. (mg/L - mg/K Gasoline Range C5 - C10 Diesel Range C10 - C28 Total Petroleum Hydrocarbons Duplicate Conc. (mg/Kg)	g) Sample	Concentration ND ND ND ND ND	% Difference	Detection Lim 0.2 0.1 0.2	s Adr
Blank Conc. (mg/L - mg/K Gasoline Range C5 - C10 Diesel Range C10 - C28 Total Petroleum Hydrocarbons Duplicate Conc. (mg/Kg) Gasoline Range C5 - C10	g) Sample ND	Concentration ND ND ND ND ND Duplicate	% Difference 0.0% 0.0%	Detection Lim 0.2 0.1 0.2 Accept: Range 0 - 30%	s Adr
Blank Conc. (mg/L - mg/K Gasoline Range C5 - C10 Diesel Range C10 - C28 Total Petroleum Hydrocarbons Duplicate Conc. (mg/Kg) Gasoline Range C5 - C10 Diesel Range C10 - C28	g) Sample ND ND	Concentration ND ND ND ND Duplicate ND ND	% Difference 0.0% 0.0%	0.2 0.1 0.2 Accept Range 0 - 30% 0 - 30%	Tarron or Establish Film Tark, and a

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 36392 - 36393.

Analyst

Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	F	roject #:		N/A
Sample ID:	03-08-BTEX QA/Q	C E	ate Reported:		03-08-06
aboratory Number:	36392		ate Sampled:		N/A
Sample Matrix:	Soil		ate Received:		N/A
Preservative:	N/A		ate Analyzed:		03-08-06
Condition:	N/A	Α	nalysis:		BTEX
Calibration and Detection Limits (ug/L)	l-Cal RF:	C-Cal RF:	- *** Jan. 3-20 N Y 122 N N N N N N	Blank Conc	Detect. Limit
3enzene	7.1878E+007	7.2022E+007	0.2%	ND	0.2
Toluene	7.4012E+007	7.4161E+007	0.2%	ND	0.2
Ethylbenzene	5.7434E+007	5.7549E+007	0.2%	ND	0.2
o,m-Xylene	1.2930E+008	1.2956E+008	0.2%	ND	0.2
o-Xylene	6.0654E+007	6.0775E+007	0.2%	ND	0.1
Duplicate Conc. (ug/Kg)	Sample	Duplicate ND	. 1	n ~4 may 12 . 2:	Detect. Limi
Benzene Foluene Ethylbenzene o,m-Xylene	ND 11.4 11.7 15.8	ND 11.4 11.6 15.7	0.0% 0.0% 0.9% 0.6%	0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2
Duplicate Conc. (ug/Kg)  Benzene Foluene Ethylbenzene o.m-Xylene o-Xylene Bpike Conc. (ug/Kg)	ND 11.4 11.7 15.8 10.7	ND 11.4 11.6 15.7 10.7	0.0% 0.0% 0.9%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5
Benzene Foluene Ethylbenzene o,m-Xylene o-Xylene	ND 11.4 11.7 15.8 10.7	ND 11.4 11.6 15.7 10.7	0.0% 0.0% 0.9% 0.6% 0.0%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Benzene Foluene Ethylbenzene o,m-Xylene o-Xylene Spike Conc. (ug/Kg)	ND 11.4 11.7 15.8 10.7	ND 11.4 11.6 15.7 10.7	0.0% 0.0% 0.9% 0.6% 0.0%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Benzene Toluene Ethylbenzene Dyn-Xylene Dyn-Xylene Spike Conc. (ug/kg)  Benzene Toluene	ND 11.4 11.7 15.8 10.7	ND 11.4 11.6 15.7 10.7	0.0% 0.0% 0.9% 0.6% 0.0%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Benzene Foluene Ethylbenzene o,m-Xylene o-Xylene	ND 11.4 11.7 15.8 10.7 Sample	ND 11.4 11.6 15.7 10.7 Amount Spiked	0.0% 0.0% 0.9% 0.6% 0.0%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30% %Recovery	1.8 1.7 1.5 2.2 1.0 Accept Range

ND - Parameter not detected at the stated detection limit.

References<sup>-</sup>

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 36392 - 36393.

Analyst

Review