District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

**Irict IV
0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

RCVD APR10'07 OIL CONS. DIV.

Form C-144 March 12, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank co Type of action: Registration of a pit or belo	vered by a "general plan"? Yes 💹 No ow-grade tank 🔲 Closure of a pit or below-grade	Ll de tank ⊠ DIST. 3
OperatorBP AMERICA PROD. CO.	Telephone(505) 326-9200	·
Address 200 Energy Court, Farmington, 1	NM 87410	
Facility or well name: VANDEWART A #2A	API# 30-045-22362 U/L or Qtr/Q	Du_ESec_11_T_29N_R_8W
County San Juan Latitude 36.74173 Longitude 107.	64984 NAD: 1927 🗌 1983 🛭 Surface Ov	wner Federal 🛭 State 🗌 Private 🗍 Indian 🗍
Pit Type: Drilling ☐ Production ☐ Disposal ☒ DEHY/SEP Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thicknessmil Clay ☐ Volumebbl	Below-grade tank Volume bbl Type of fluid Construction material Double-walled witherak detection? Jes	If not, explain why not.
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite offsite offsite, name of facility		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date		
Approval: Date: AUG 0 9 2007 Deputy Oil & Gas Inspector, Printed Name/Title District #3	Signature BM BMC	

PAGE 1 OF Z



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	05-26-04
Laboratory Number:	28840	Date Sampled:	05-25-04
Chain of Custody No:	12213	Date Received:	05-25-04
Sample Matrix:	Soil	Date Extracted:	05-26-04
Preservative:	Cool	Date Analyzed:	05-26-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	4,350	0.2
Diesel Range (C10 - C28)	382	0.1
Total Petroleum Hydrocarbons	4,730	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Vandewart A 2A Dehy/Sep.

Analyst

(Review) alles



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	05-26-04
Laboratory Number:	28840	Date Sampled:	05-25-04
Chain of Custody:	12213	Date Received:	05-25-04
Sample Matrix:	Soil	Date Analyzed:	05-26-04
Preservative:	Cool	Date Extracted:	05-26-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
1 alanieri	(ug/Ng)	(49/119)
Benzene	117	1.8
Toluene	434	1.7
Ethylbenzene	1,460	1.5
p,m-Xylene	1,690	2.2
o-Xylene	2,920	1.0
Total BTEX	6,620	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Vandewart A 2A Dehy/Sep.

Analyst C. Cylina

Mister mulceten
Review



Total Chloride

Client: Project #: 94034-010 Blagg / BP Sample ID: 1 @ 7' Date Reported: 05-26-04 Lab ID#: 28840 Date Sampled: 05-25-04 Soil Sample Matrix: Date Received: 05-25-04 Preservative: Cool Date Analyzed: 05-26-04 Condition: Cool and Intact Chain of Custody: 12213

Parameter

Concentration (mg/Kg)

Total Chloride

140

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Vandewart A 2A Dehy/Sep.

Analyst

Mustine m 1201 ten