

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505) 326-9200</u>		RCUD APR10'07 OIL CONS. DIV. DIST. 3
Address: <u>200 Energy Court, Farmington, NM 87410</u>		
Facility or well name: <u>WILCH A #4E</u> API #: <u>30-045-25248</u> U/L or Qtr/Qtr <u>L</u> Sec <u>25</u> T <u>29N</u> R <u>8W</u>		
County: <u>San Juan</u> Latitude <u>36.69382</u> Longitude <u>107.63433</u> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> DEHYDRATOR Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u> </u> mil Clay <input type="checkbox"/> Volume <u> </u> bbl	Below-grade tank Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u>N/A</u> Double-walled with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) <u>0</u>
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) <u>0</u>
Ranking Score (Total Points)		<u>0</u>

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 06/12/04

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: AUG 09 2007

Date:

Printed Name/Title Oil & Gas Inspector, District #3 Signature Bob Dell

CLIENT <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81341</u> COCR NO: <u>11664</u>
------------------	---	--

FIELD REPORT: PIT CLOSURE VERIFICATION

LOCATION: NAME: <u>WILCH</u> A WELL# <u>4E</u> TYPE: <u>DEHY</u> QUAD/UNIT <u>L</u> SEC <u>25</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>ST</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1550'S/815'W</u> NW/5W CONTRACTOR: <u>L+L (BLIAN)</u>	PAGE No: <u>1</u> of <u>1</u> DATE STARTED <u>2/23/04</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST <u>NV</u>
--	--

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>
LAND USE: <u>RANGE - BURN</u> LEASE: <u>SF078416A</u> FORMATION: <u>DK</u>

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>81</u> FT. <u>560W</u> FROM WELLHEAD		
DEPTH TO GROUNDWATER <u>>100'</u>	NEAREST WATER SOURCE: <u>>1000'</u>	NEAREST SURFACE WATER <u>>1000'</u>
NMOCD RANKING SCORE <u>0</u>	NMOCD TPH CLOSURE STD: <u>5000</u> PPM	

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ = <u>51.9</u> ppm
OVM CALIB. GAS = <u>100</u> ppm RF = 0.52
TIME: <u>10:10</u> am/pm DATE: <u>2/20/04</u>

SOIL TYPE SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK (SHALE)

SOIL COLOR: OLIVE GRAY BEDROCK - OLIVE GRAY

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS) NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - ENTIRE TEST HOLE - OLIVE GRAY

HC ODOR DETECTED YES / NO EXPLANATION - TEST HOLE + DUM SAMPLE

SAMPLE TYPE GRAB COMPOSITE - # OF PTS —

ADDITIONAL COMMENTS COLLECTED SAMPLE FROM BEDROCK SURFACE. BEDROCK - SOFT TO HARD, FLIABLE.


BEDROCK BOTTOM

CLOSED

FIELD 418.1 CALCULATIONS

SCALE	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100								

PIT PERIMETER



OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 9'	743
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 9'	TPH(SOILS)	1340
"	STEX(BODIL)	"
(BOTH PASSED)		

PIT PROFILE

NOT APPLICABLE

P.D. = PIT DEPRESSION, B.G. = BELOW GRADE, B = BELOW
 T.H. = TEST HOLE, ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:	CALLOUT: <u>2/20/04 - MORN.</u> ONSITE: <u>2/23/04 - AFTER. (SCHEDULED)</u>
---------------	---

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	02-24-04
Laboratory Number:	27918	Date Sampled:	02-23-04
Chain of Custody No:	11664	Date Received:	02-24-04
Sample Matrix:	Soil	Date Extracted:	02-24-04
Preservative:	Cool	Date Analyzed:	02-24-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	221	0.2
Diesel Range (C10 - C28)	17.2	0.1
Total Petroleum Hydrocarbons	238	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Wilch A #4E Dehydrator Pit Grab Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	02-24-04
Laboratory Number:	27918	Date Sampled:	02-23-04
Chain of Custody:	11664	Date Received:	02-24-04
Sample Matrix:	Soil	Date Analyzed:	02-24-04
Preservative:	Cool	Date Extracted:	02-24-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	104	1.8
Toluene	438	1.7
Ethylbenzene	240	1.5
p,m-Xylene	1,440	2.2
o-Xylene	722	1.0
Total BTEX	2,940	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Wilch A #4E Dehydrator Pit Grab Sample.


Analyst


Review