

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
March 12, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

RCVD APR10'07

Pit or Below-Grade Tank Registration or Closure

OIL CONS. DIV.

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

DIST. 3

Operator <u>BP AMERICA PROD. CO.</u> Telephone <u>(505) 326-9200</u>	
Address <u>200 Energy Court, Farmington, NM 87410</u>	
Facility or well name: <u>WILCH A #1E</u>	API # <u>30-045-25458</u> U/L or Qtr/Qtr <u>J</u> Sec <u>26</u> T <u>29N</u> R <u>8W</u>
County <u>San Juan</u> Latitude <u>36.69444</u> Longitude <u>107.64230</u>	NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>
Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> PRODUCTION TANK Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u> </u> mil Clay <input type="checkbox"/> Volume <u> </u> bbl	Below-grade tank Volume <u> </u> bbl Type of fluid <u> </u> Construction material <u>N/A</u> Double-walled with leak detection? Yes <input type="checkbox"/> If not, explain why not <u> </u>
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) <u>0</u> 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <u>0</u> 1000 feet or more (0 points)
Ranking Score (Total Points) <u>0</u>	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines <input checked="" type="checkbox"/> , a general permit <input type="checkbox"/> , or an (attached) alternative OCD-approved plan <input checked="" type="checkbox"/> .	
Date <u>07/15/04</u>	
Printed Name/Title <u>Jeff Blagg - P.E. # 11607</u>	Signature <u>[Signature]</u>
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Approval <u>AUG 09 2007</u>	
Date <u> </u>	Deputy Oil & Gas Inspector, District #3
Printed Name/Title <u> </u>	Signature <u>[Signature]</u>

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81434</u> COCR NO: <u>12466</u>
-------------------	---	--

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME <u>WILCH</u> A WELL # <u>1E</u> TYPE <u>PROD.</u> QUAD/UNIT <u>J</u> SEC <u>26</u> TWP <u>29N</u> RNG. <u>8W</u> PM. NM CNTY: <u>SJ</u> ST. <u>NM</u> QTR/FOOTAGE <u>175S/1550E</u> NW/SE CONTRACTOR <u>HDI (JOAQUIN)</u>	DATE STARTED <u>7/12/04</u> DATE FINISHED _____ ENVIRONMENTAL SPECIALIST <u>NV</u>
--	--

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>	DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD <u>CLOSE AS IS</u>
LAND USE: <u>RANGE - BUN</u> LEASE: <u>SF 078416A</u> FORMATION: <u>DK</u>	

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>145</u> FT. <u>N75E</u> FROM WELLHEAD
DEPTH TO GROUNDWATER <u>>100'</u>	NEAREST WATER SOURCE <u>>1000'</u> NEAREST SURFACE WATER <u>>1000'</u>
NMOC D RANKING SCORE <u>0</u>	NMOC D TPH CLOSURE STD <u>5000</u> PPM

SOIL AND EXCAVATION DESCRIPTION:

SOIL TYPE SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____
 SOIL COLOR OK. YELL. ORANGE TO BROWNISH GRAY
 COHESION (ALL OTHERS) NON COHESIVE SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE
 CONSISTENCY (NON COHESIVE SOILS) LOOSE/FIRM DENSE / VERY DENSE
 PLASTICITY (CLAYS) NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
 DENSITY (COHESIVE CLAYS & SILTS) SOFT / FIRM / STIFF / VERY STIFF / HARD
 MOISTURE DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED
 DISCOLORATION/STAINING OBSERVED YES / NO EXPLANATION - BROWNISH GRAY SET. 3'-9' BELOW GRADE.
 HC ODOR DETECTED YES / NO EXPLANATION - DISCOLORED SOIL & OVM SAMPLE.
 SAMPLE TYPE GRAB / COMPOSITE - # OF PTS. _____
 ADDITIONAL COMMENTS INSTRUCTED OPERATOR TO DIGITE + AERATE DISCOLORED/IMPACTED SOIL IN PLACE.

OVM CALIB READ = _____ ppm
 OVM CALIB. GAS = 100 ppm RF = 0.52
 TIME _____ am/pm DATE _____

SCALE

0 FT

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC (ppm)

PIT PERIMETER

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 9'	450
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 9'	TPH (80158)	1152
"	RTEX (80218)	"

ROTA PASSED

PIT PROFILE

NOT APPLICABLE

PD = PIT DEPRESSION, BG = BELOW GRADE, B = BELOW
 TH = TEST HOLE, ~ = APPROX.; T.B. = TANK BOTTOM

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	07-15-04
Laboratory Number:	29535	Date Sampled:	07-12-04
Chain of Custody No:	12466	Date Received:	07-13-04
Sample Matrix:	Soil	Date Extracted:	07-13-04
Preservative:	Cool	Date Analyzed:	07-14-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,220	0.2
Diesel Range (C10 - C28)	104	0.1
Total Petroleum Hydrocarbons	1,320	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Wilch A #1E Production Tank Pit, Grab Sample


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	07-14-04
Laboratory Number:	29535	Date Sampled:	07-12-04
Chain of Custody:	12466	Date Received:	07-13-04
Sample Matrix:	Soil	Date Analyzed:	07-14-04
Preservative:	Cool	Date Extracted:	07-13-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	110	1.8
Toluene	1,070	1.7
Ethylbenzene	345	1.5
p,m-Xylene	1,490	2.2
o-Xylene	692	1.0
Total BTEX	3,710	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Wilch A #1E Production Tank Pit Grab Sample.


Analyst


Review