District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office For downstream facilities, submit to Santa Fe

Form C-144

June 1 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No ... Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \) Operator BP America Production Company Telephone. (505)326-9200 e-mail address: Address 200 Energy Ct, Farmington, NM 87401 Facility or well name ELLIOT, E.E. B # 3A API #: 30045 ZZO59 U/L or Qtr/Qtr C Sec Z6 T 30 NR 9 W County San Juan Latitude Longitude NAD 1927 🗌 1983 🔀 Surface Owner Federal X State Private Indian Below-grade tank Type Drilling Production X Disposal Volume: _bbl Type of fluid: \(\sum_{\text{total}} \) Construction material: ___ Double-walled, with leak detection? Yas If not, explain why not Lined | Unlined | Liner type Synthetic Thickness mil Clay Pit Volume bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water) 100 feet or more (0 points) (20 points) Ves Wellhead protection area. (Less than 200 feet from a private domestic \bigcirc Nο (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water (horizontal distance to all wetlands, playas, Ó 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location. (check the onsite box if your are burying in place) onsite 🔀 offsite 🔲 If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No 🔀 Yes 🔲 If yes, show depth below ground surface______ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments RCVD JUN13'07 See Attached Documentation MI CONS. DIV. DIST. 3 I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan ... Printed Name/Title Jeffrey C. Blagg, Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations Deputy Oil & Gas Inspector, Approval AUG 1 0 2007

_ Signature 🥢

District #3

Printed Name/Title

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.D.C. NO. 9893	
FIELD REPORT: PIT CLOSURE VERIFICATION	PAGE No: of	
QUAD/UNIT: C SEC: 26 TWP: 300 RNG: 9W PM: NM CNTY: 57 ST: NM	DATE STARTED 5/3/02 DATE FINISHED	
QTR/FOOTAGE: 1130 N I 1720 W NELDW CONTRACTOR FLINT - CLINT	ENVIRONMENTAL NV	
EXCAVATION APPROX. NA FT x NA FT. x NA FT. DEEP CUBIC		
	D: <u>CLOSE AS IS</u> RMATION: <u>MU</u>	
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 10 FT.		
NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: 5000 PPM	E WATER	
SOIL AND EXCAVATION	' '	
UVM CALIB GA	S = / 0 ppm RF = 052	
SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER	BEDROCK (SANDSTONE)	
COHESION (ALL OTHERS) NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY		
CONSISTENCY (NON COHESIVE SOILS): LODGE / FIRM/ DENSE / VERY DENSE / PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLAST	IC / HIGHLY PLASTIC	
DENSITY (COMESIVE CLAYS & SILIS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE. DRY / SLIGHTLY MOIST) / MOIST) / WET / SATURATED / SUPER SATURATED	CLOSED	
DISCOLORATION/STAINING OBSERVED: (YES) / NO EXPLANATION - 1 FT. ABOVE BEDROCK & BEDROCK SURFACE HC ODOR DETECTED: (YES) / NO EXPLANATION - C BEDROCK & OUR SAMPLE		
SAMPLE TYPE GRAD / COMPOSITE - # OF PTS ADDITIONAL COMMENTS:		
REDUCK		
FIELD 418.1 CALCULATIONS		
SCALE SAMP. TIME SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON DILU	TION READING CALC. ppm	
O FT DIFFERENCE DIFFER	DD OFFILE	
PIT PERIMETER 40 OVM	PROFILE	
RESULTS		
SAMPLE FIELD HEADSPACE PID (ppm)		
2 @		
7.H · 3 @		
16 50		
B.P.D. NOT	APPLICA BLE	
P.D. LAR SAMPLES		
SAMPLES THE		
10 G. WEG TH (80158) 0157		
" 81EX(8021B) "		
P D = PIT DEPRESSION, B.G = BELOW GRADE TH = TEST HOLE, ~ = APPROX.; B = BELOW		
TRAVEL NOTES: CALLOUT: 5/2/02 - AFTER. ONSITE: 5/3/02 -MC	್ಲು ,	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	05-06-02
Laboratory Number:	22657	Date Sampled:	05-03-02
Chain of Custody No:	9893	Date Received:	05-03-02
Sample Matrix:	Soil	Date Extracted:	05-03-02
Preservative:	Cool	Date Analyzed:	05-06-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	23.7	0.2
Diesel Range (C10 - C28)	4.8	0.1
Total Petroleum Hydrocarbons	28.5	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Elliott EE B #3A Dehydrator Pit Grab Sample.

Analyst

Mustini m Walters Review



PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	05-06-02
Laboratory Number:	22657	Date Sampled:	05-03-02
Chain of Custody:	9893	Date Received:	05-03-02
Sample Matrix:	Soil	Date Analyzed:	05-06-02
Preservative:	Cool	Date Extracted:	05-03-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	196	1.7	
Ethylbenzene	79.3	1.5	
p,m-Xylene	486	2.2	
o-Xylene	256	1.0	
Total BTEX	1,020		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Elliott EE B #3A Dehydrator Pit Grab Sample.

Analyst

Mister m Walters
Review