District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office
For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌

Type of action: Registration of a pit of	r below-grade tank 🔲 Closure of a pit or below	v-grade tank 🔀
Operator BP America Production Company Telephon	e. (505)326-9200 e-mail address.	
Address 200 Energy Ct, Farmington, NM 87401	c. (303)320-9200 e-man address.	
Facility or well name: GCU # 210 API#: 30	0045 11648 11/1 or Otr/Otr	L Sec 31 TZ9 NR 1Z W
	Longitude	
Surface Owner Federal State Private Indian		
Pit	Below-grade tank	
Type Drilling Production 💢 Disposal 🗌	Volume:bbl Type of fluid \	/ 🔥
Workover Emergency	Construction material	
Lined Unlined 🗵	Double-walled, with leak detection? Yes	If not explain why not
Liner type Synthetic Thicknessmil Clay		in they, explain they then
Pit Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water)	100 feet or more	(0 points)
Wellhead protection area (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
Duran of an unity /harinantal distance to all matlands plane	Less than 200 feet	(20 points)
Distance to surface water (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks (2) I	Indicate disposal location: (check the onsite box if
your are burying in place) onsite offsite. If offsite, name of facility !!		
remediation start date and end date (4) Groundwater encountered: No 🔀		ft and attach sample results
(5) Attach soil sample results and a diagram of sample locations and excaval	ions.	
Additional Comments		TOTAL TIME TOTAL
See Attached Documentation		RCVD JUN13'07
		UIL COND. DIV.
		DIST. 3
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify the services [3], a general permit [3], or an (attached) alt	hat the above-described pit or below-grade tank ernative OCD-approved plan .
Date <u>11/01/2005</u>		
Printed Name/Title <u>Jeffrey C. Blagg, Agent</u> Signat	ure Jeffy C. Sh	77
-Your centification and NMOCD approval of this application/closure does retherwise endanger public health or the environment. Nor does it relieve to regulations		
Deputy Oil & Gas Inspecto	or .	
District #3	",	AUG 1 0 2007
Printed Name/Title	Signature _ BJ Dell	DateDate

							California (Alberta de Alberta)
CLIENT BP		GG ENGINE 87, BLOOM (505) 632	IFIELD, N		3 LOC		D: 8536
FIELD REPOR	T: CLO	DSURE V	ERIFIC	CATION	PAGE	E No: _	l of [
QUAD/UNIT (L) SEC 31	TWP: 29N	RNG: 12W PI	M: NMCNTY	5.7 ST: M/	DATE	FINISHED	2-26-01 3-01-01 JCB
EXCAVATION APPROX 24 DISPOSAL FACILITY: C LAND USE RANGE	_ FT. x _2 Rouch Mes	4 FT. x 10) ft. de REMEDIATI	EP. CUB	IC YAR HOD: <u></u>	DAGE:	200 Mangant
FIELD NOTES & REMARDED HAVE BEPTH TO GROUNDWATER. > 19 NMOCD RANKING SCORE: O SOIL AND EXCAVATION PIT EXCAVATED W/ TRACK O'- 10' COAMSE GRAINED STREAMS OF CE 10' hit V. dense tracking or cf surface	NEAREST W NOCD TPH N DESCRIPT CHOE. SAND, MOI STRICKIONS.	ATER SOURCE: CLOSURE STD: ION: -7; NON Cohes	>1000 N	earest surf	ACE VATE CHI PIT A STEEL FIBER	ER: > ECK ON ABANDONED TANK IN RGLASS TA	ISTALLED NK INSTALLED
BOTTOM CLOSED		FII LE I D. LAB No	ELD 418.1 CA	CULATIONS mL FREON		,	
SCALE			(3)				
O FT							
PIT PERIME	ETER	OVM RESUL'	rs	Pľ	ΓPR	OFILE	C
Z4' A Cright DiP Z4' To Welline		SAMPLE FIELD	HEADSPACE D (ppm) 3.3 J.7 2.0 4.5 A	10'	francisco po	24'	Á
TRAVEL NOTES CALLOUT			NSITE.				



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow N @ 10'	Date Reported:	03-02-01
Laboratory Number:	19328	Date Sampled:	03-01-01
Chain of Custody No:	8536	Date Received:	03-01-01
Sample Matrix:	Soil	Date Extracted:	03-02-01
Preservative:	Cool	Date Analyzed:	03-02-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	1.1	0.1
Total Petroleum Hydrocarbons	1.1	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

GCU 210.

Alexan L. Ceferran

Mister model.

(Review