

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____		
Address <u>200 Energy Ct, Farmington, NM 87401</u>		
Facility or well name <u>ROEWS B #2A</u> API #: <u>30045 22364</u> U/L or Qtr/Qtr <u>0</u> Sec <u>15</u> T <u>29</u> N <u>8</u> W		
County <u>San Juan</u> Latitude _____ Longitude _____ NAD 1927 ☐ 1983 ☒		
Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐		
Pit Type Drilling ☐ Production ☒ Disposal ☐ Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type Synthetic ☐ Thickness _____ mil Clay ☐ Pit Volume _____ bbl		
Below-grade tank Volume: _____ bbl Type of fluid: <u>MA</u> Construction material: _____ Double-walled, with leak detection? Yes ☐ If not, explain why not _____		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) <u>0</u>
	100 feet or more	(0 points)
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) <u>0</u>
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) <u>0</u>
	1000 feet or more	(0 points)
Ranking Score (Total Points)		<u>0</u>

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location. (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments
See Attached Documentation
RCVD JUN13'07
OIL CONS. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval

Deputy Oil & Gas Inspector,
District #3

Printed Name/Title _____

Signature Brenda Bell

Date: AUG 10 2007

3004522364

CLIENT: BPBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: 80832C.D.C. NO: 8483

FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1LOCATION: NAME: ROELOFS 8 WELL #: 2A PIT: SEPDATE STARTED: 1/24/01QUAD/UNIT: 0 SEC: 15 TWP: 29N RNG: 8W PM: NM CNTY: SJ ST: NMDATE FINISHED: 1/25/01QTR/FOOTAGE: 1140 FSL x 1710 FEL CONTRACTOR: FLINTENVIRONMENTAL SPECIALIST: JCBEXCAVATION APPROX. 10 FT. x 10 FT. x 3 FT. DEEP. CUBIC YARDAGE: 10DISPOSAL FACILITY: ONSITE REMEDIATION METHOD: LFLAND USE: RANGE LEASE: SF 078415 FORMATION: MVFIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 150 FT. S15°E FROM WELLHEAD.DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000NMCD RANKING SCORE: 0 NMCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

CHECK ONE:

☒ PIT ABANDONED☐ STEEL TANK INSTALLED☐ FIBERGLASS TANK INSTALLED

PIT EXCAVATED INTO COMPETENT SANDSTONE

BEDROCK. Bedrock @ 2' depth on West side, 1' depth on East side. Too HARD to sample, sampled coarse grained sand on Bedrock surface. No HC STAINING, STRONG HC odor ON All Samples


CLOSEDBEDROCK
BOTTOM

SCALE



0 FT

PIT PERIMETER


OVM
RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 N02'	166
2 E01'	210
3 S02'	240
4 W02'	308
5	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
W02'	TPH	0949
	4 BTX	
<u>BOTH PASSED</u>		

PIT PROFILE



TRAVEL NOTES.

CALLOUT: 1/24/01 @ 4:00 PM ONSITE: 1/25/01 @ 0915

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	04034-010
Sample ID:	Sep W @ 2'	Date Reported:	01-26-01
Laboratory Number:	19140	Date Sampled:	01-25-01
Chain of Custody No:	8483	Date Received:	01-25-01
Sample Matrix:	Soil	Date Extracted:	01-26-01
Preservative:	Cool	Date Analyzed:	01-26-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	470	0.2
Diesel Range (C10 - C28)	98.9	0.1
Total Petroleum Hydrocarbons	569	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Roelofs 2A.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	04034-010
Sample ID:	Sep W @ 2'	Date Reported:	01-26-01
Laboratory Number:	19140	Date Sampled:	01-25-01
Chain of Custody:	8483	Date Received:	01-25-01
Sample Matrix:	Soil	Date Analyzed:	01-26-01
Preservative:	Cool	Date Extracted:	01-26-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	254	1.8
Toluene	1,470	1.7
Ethylbenzene	414	1.5
p,m-Xylene	1,250	2.2
o-Xylene	1,240	1.0
Total BTEX	4,630	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Trifluorotoluene	100 %
	Bromofluorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Roelofs 2A.


Analyst


Review

CLIENT: BPBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO 80832C.O.C. NO: 14721

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: ROELOFS B WELL #: 2A PITS:DATE STARTED: 12/14/06QUAD/UNIT: 0 SEC: 15 TWP: 29N RNG: 8W PM: NM CNTY: ST ST: NM

DATE FINISHED: _____

QTR/FOOTAGE: SW/SE CONTRACTOR: _____ENVIRONMENTAL
SPECIALIST NV


SOIL REMEDIATION:

REMEDICATION SYSTEM: LANDFARM?APPROX. CUBIC YARDAGE: 10LAND USE: RANGE - BLMLIFT DEPTH (ft): 0-3

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: >100' NEAREST SURFACE WATER >1,000'NEAREST WATER SOURCE >1,000' NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD 5,000 PPMSOIL TYPE: (SAND) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____SOIL COLOR DR. YELL ORANGECOHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): (LOOSE) FIRM / DENSE / VERY DENSEPLASTICITY (CLAYS): (NON PLASTIC) SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTICDENSITY (COHESIVE CLAYS & SILTS): (SOFT) FIRM / STIFF / VERY STIFF / HARDMOISTURE: (DRY) SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDCLOSEDDISCOLORATION/STAINING OBSERVED: YES / (NO) EXPLANATION - _____HC ODOR DETECTED: YES / (NO) EXPLANATION - _____SAMPLING DEPTHS (LANDFARMS) 0-3 (INCHES)SAMPLE TYPE: GRAB / (COMPOSITE) # OF PTS. 5ADDITIONAL COMMENTS: NO ACTUAL LANDFARM OBSERVED ON-SITE.

SKETCH/SAMPLE LOCATIONS

SAMPLE
PT.
DESIGNATIONCOMPOSITE
SAMPLE
AREAOVM CALIB READ. = 51.7 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 9:15 am/pm DATE: 12/14/06

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS (PPM)
LF-1	0.0	LF-1	TPH (8215B)	1100	0.4
		"	CHLORIDE	"	38

P.C. - 1/25/01

SCALE

TRAVEL NOTES CALLOUT N/AONSITE: 4/29/02, 12/14/06

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	12-15-06
Laboratory Number:	39514	Date Sampled:	12-14-06
Chain of Custody No:	14721	Date Received:	12-14-06
Sample Matrix:	Soil	Date Extracted:	12-14-06
Preservative:	Cool	Date Analyzed:	12-15-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.4	0.1
Total Petroleum Hydrocarbons	0.4	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Roelofs B #2A Landfarm 5 Pt. Composite Sample**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	12-15-06
Lab ID#:	39514	Date Sampled:	12-14-06
Sample Matrix:	Soil	Date Received:	12-14-06
Preservative:	Cool	Date Analyzed:	12-15-06
Condition:	Cool and Intact	Chain of Custody:	14721


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

38.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Roelofs B #2A Landfarm 5 Pt. Composite Sample


Analyst


Review

District I
P O. Box 1980 Hobbs, NM

District II
P O. Box 1980 Hobbs, NM

District III
1000 Rio Brazo Rd., Aztec, NM

OIL CONSERVATION DIVISION
P.O. BOX 2088
SANTA FE, NEW MEXICO 87504-2088

**SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE**

Operator: BP AMOCO		Telephone: (505) 326-9200
Address: 200 AMOCO COURT, FARMINGTON, NM 87401		
Facility or Well Name: ROELOFS B #2A		
Location: Unit or Qtr/Qtr Sec 0 Sec 15 T 29N R 8W County San Juan		
Pit Type: Separator ☒ Dehydrator ☐ Other ☐		
Land Type: BLM ☒ , State ☐ , Fee ☐ , Other ☐		
Pit Location: (Attach diagram)	Pit dimensions: length 10', width 10', depth 3' Reference: wellhead X, other _____ Footage from reference: 150' Direction from reference: 15 Degrees ☒ East North _____ _____ West South ☒	
Depth To Groundwater: (Vertical distance from contaminants to seasonal high water elevation of groundwater)	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 points)	_____ 0
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes (20 points) No (0 points)	_____ 0
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 100 feet (20 points) 100 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)	_____ 0
RANKING SCORE (TOTAL POINTS):		
0		

revised: 03/12/01

bei1202 wpd

Date Remediation Started: _____

Date Completed: 11/26/01Remediation Method:
(check all appropriate sections)Excavation ☒Landfarmed ☒

Other _____

Approx. cubic yards 15

Insitu Bioremediation _____

Remediation Location:
(i.e. landfarmed onsite,
name and location of
offsite facility)Onsite ☒ Offsite _____General Description of Remedial Action: Excavation. BEDROCK BOTTOM.Groundwater Encountered: No ☒ Yes _____ Depth _____

Final Pit:

Closure Sampling:
(if multiple samples,
attach sample results
and diagram of sample
locations and depths)Sample location see Attached DocumentsSample depth 2' (WEST SIDEWALL)Sample date 11/25/01 Sample time 0949

Sample Results

Soil: Benzene (ppm) 0.254 Water: Benzene (ppb) _____Total BTEX (ppm) 4.630 Toluene (ppb) _____Field Headspace (ppm) 308 Ethylbenzene (ppb) _____TPH (ppm) 569 Total Xylenes (ppb) _____Groundwater Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 11/26/01PRINTED NAME Jeffrey C. BlaggSIGNATURE Jeffrey C. BlaggAND TITLE President P. E. # 11607

08489

Client / Project Name BLAGG/BP			Project Location ROELOFS 2A		ANALYSIS / PARAMETERS								
Sampler: J.C. BLAGG			Client No. 04034-060		No. of Containers 1	TPH 8015	BTEX 8021					Remarks	
Sample No./ Identification SEP W@2'	Sample Date 1/25/01	Sample Time 0949	Lab Number 19140	Sample Matrix SOIL									
Relinquished by: (Signature) J.C. Blagg			Date 1/25/01	Time 1117	Received by: (Signature) Dan L. Apurcu						Date 1-25-01	Time 1117	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	☒		
										Cool - Ice/Blue Ice	☒		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	01-26-TPH QA/QC	Date Reported:	01-26-01
Laboratory Number:	19140	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	01-26-01
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	12-20-00	2.7271E-002	2.7243E-002	0.10%	0 - 15%
Diesel Range C10 - C28	12-20-00	2.4288E-002	2.4240E-002	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	470	468	0.4%	0 - 30%
Diesel Range C10 - C28	98.9	98.6	0.3%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	470	250	719	100%	75 - 125%
Diesel Range C10 - C28	98.9	250	348	100%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for sample 19140.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	01-26-BTEX QA/QC	Date Reported:	01-26-01
Laboratory Number:	19140	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	01-26-01
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc.	Detect. Limit
		Accept. Range 0 - 15%			
Benzene	3.8333E-002	3.8425E-002	0.2%	ND	0.2
Toluene	3.7664E-002	3.7732E-002	0.2%	ND	0.2
Ethylbenzene	5.9685E-002	5.9810E-002	0.2%	ND	0.2
p,m-Xylene	5.4964E-002	5.5102E-002	0.3%	ND	0.2
o-Xylene	4.7339E-002	4.7420E-002	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	254	249	2.0%	0 - 30%	1.8
Toluene	1,470	1,430	2.7%	0 - 30%	1.7
Ethylbenzene	414	404	2.4%	0 - 30%	1.5
p,m-Xylene	1,250	1,220	2.4%	0 - 30%	2.2
o-Xylene	1,240	1,220	1.6%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	254	50.0	298	98%	39 - 150
Toluene	1,470	50.0	1,500	99%	46 - 148
Ethylbenzene	414	50.0	459	99%	32 - 160
p,m-Xylene	1,250	100	1,340	99%	46 - 148
o-Xylene	1,240	50.0	1,280	99%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for sample 19140.


Analyst


Review

14721

san juan reproduction 578-129

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	12-15-06 QA/QC	Date Reported:	12-15-06
Laboratory Number:	39470	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	12-15-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	07-11-05	1.0061E+003	1.0071E+003	0.10%	0 - 15%
Diesel Range C10 - C28	07-11-05	9.9255E+002	9.9454E+002	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 39470 - 39472, 39512 - 39516


Analyst


Review