Submit 3 Copies To Appropriate District Office District I	State of N Energy, Minerals a			Form C-103 Revised June 10, 2003		
1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION			WELL API NO. 30-045-34325		
District III	1220 South St. Francis Dr.			5. Indicate Type STATE	of Dease,	
1000 Rio Brazos Rd , Aztec, NM 87410 District IV	Santa Fe, NM 87505			6. State Oil & Gas Lease No.		
1220 S. St. Francis Dr , Santa Fe, NM 87505				SF 079010	DIA ALIVEN	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A				7. Lease Name of	or Unit Agreement N	ame
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)				Northeast Blanco Unit  8. Well Number		
1. Type of Well: Oil Well ☐ Gas Well ☒ Other				344		,
2. Name of Operator				9. OGRID Number		
Devon Energy Production Company, L.P.				6137		
3. Address of Operator				10. Pool name or Wildcat Basin Dakota / Blanco Mesaverde		
20 N. Broadway, Oklahoma City, OK 73102  4. Well Location				Basin Dakota / B	lanco Mesaverde	
, wen Escation						
Unit LetterH_:_1,335feet from theNorth line and1,050feet from theEastline						
Section 26 Township 31N Range 7W NMPM County San Juan						
11. Elevation (Show whether DR, RKB, RT, GR, etc.)						
12 Chack A	GR 6,319'	dicata N	ature of Notice	Penart or Other	r Data	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  NOTICE OF INTENTION TO:  SUBSEQUENT REPORT OF:						
PERFORM REMEDIAL WORK			REMEDIAL WOR		ALTERING CASIN	G 🗌
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DRI	LLING OPNS.□	PLUG AND ABANDONMENT	
PULL OR ALTER CASING	MULTIPLE COMPLETION		CASING TEST AN CEMENT JOB	ND 🗆		
OTHER: Down-hole Commingle			OTHER:			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.						
Approval is requested to down-ho	ala comminale productio	on from tl	ne Blanco Mesava	arde and Rasin D	lakota zones at an	
Approval is requested to down-hole commingle production from the Blanco Mesaverde and Basin Dakota zones at an unspecified future date. Please refer to the attached exhibits.						
RCVD AUG 29 °0 7						
					OIL CONS. DIV.	
					DIST. 3	
DHCLlele7AZ						
I hereby certify that the information above is true and complete to the best of my knowledge and belief.						
SIGNATURE MAT		TITLE _	Sr. Staff Operations	s Tech DA	ATE 8-23-	07
Type or print name: Melisa Castro E-mail address: Melisa.castro@dvn.com Telephone No.: (405)552-7917						
(This space for State use)						
APPPROVED BY TITLE District #3 DAMES 3 0 2007						
Conditions of approval, if any:	(V					

## ATTACHMENTS TO APPLICATION TO DOWNHOLE COMMINGLE

The following information is being provided as supporting data for application to down hole commingle production from the following well:

Well:

**NEBU 344** 

Location:

SE NW, Sec. 26, T31N, R7W San Juan County, New Mexico

- 1. Case # 12346, Order # R-11363 establishes the two subject pools as pre-approved for commingling.
- 2. The pools to be commingled are the Blanco-Mesaverde (72319) and the Basin Dakota (71599).
- 3. The subject well will be completed in both zones flowing and measured separately. The perforated interval in the Basin-Dakota pool is estimated at 8,278'- 8,409'. The perforated interval in the Blanco-Mesaverde pool is estimated at 5,806'- 6,350'.
- 4. Commingling will not reduce the value of the total remaining production in this well. Produced waters from both the Basin-Dakota and the Blanco-Mesaverde have been found to be compatible, with no evidence of scaling problems on tubules, or of precipitate fill in the well bore. The increased volume of gas flowing up the tubing will facilitate the well's ability to unload itself, thus increasing production and reducing potential operational problems.
- 5. Notice has been sent to all interest owners in the spacing unit by certified mail (return receipt) of Devon Energy's intent to down hole commingle production. A copy of this notice and a list of all working interest owners are attached.
- 6. A copy of this notice of intent to down hole commingle has been sent to the Bureau of Land Management.

## Method of Allocation

Devon Energy recommends the following procedure to allocate downhole commingled production between the Basin-Dakota and the Blanco-Mesaverde pools within the Northeast Blanco Unit:

- The Mesaverde and Basin-Dakota formations will be completed simultaneously.
- A single 2-3/8" tubing string will be run in the well, with a packer isolating the two horizons.
- The Dakota completion will be produced up the tubing string.
- The Mesaverde completion will be produced up the 2-3/8" x 4-1/2" annulus.
- Production from each zone will be measured separately using a 3 phase metering device prior to flowing through a mutual production separator. Total well stream gas will be measured using a conventional orifice plate meter tube located downstream of the production separator.
- The completions will be flow tested separately for approximately 90 days to establish a stabilized rate and trend.
- Following the testing period the packer will be removed and the two pools will be downhole commingled. Total well production will flow through common surface facilities and total produced gas will be measured using a conventional orifice plate meter tube.
- Production will be allocated between the Mesa Verde and Dakota intervals by applying the variable percentage schedule to the daily total well production.

The Variable Percentage Schedule was derived using Mesa Verde and Dakota production type curves. These type curves were generated by normalizing production data from surrounding wells. The variable percentage schedule is required due to the dissimilar decline trends exhibited by the Mesa Verde and Dakota. Figure 1 depicts a typical Mesa Verde – Dakota production allocation. The actual percentages will vary from well to well, depending on well productivity.

## Typical MV - DK Downhole Commingle Production % Schedule




Figure 1