

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1 2004


Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____		
Address: <u>200 Energy Ct, Farmington, NM 87401</u>		
Facility or well name: <u>GORDON, J. C. D #3</u> API #: <u>3004513044</u> U/L or Qtr/Qtr: <u>K</u> Sec: <u>23</u> T: <u>27N</u> R: <u>10W</u>		
County: <u>San Juan</u> Latitude: _____ Longitude: _____ NAD 1927 ☐ 1983 ☐		
Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☐		
Pit Type: Drilling ☐ Production ☐ Disposal ☒ Workover ☐ Emergency ☐ Lined ☐ Unlined ☐ Liner type: Synthetic ☐ Thickness: _____ mil Clay ☐ Pit Volume: _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes ☐ If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)	
Wellhead protection area. (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)	
Ranking Score (Total Points)		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility: _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered. No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments
See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title: Jeffrey C. Blagg, Agent

Signature: Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations


Approval: **Deputy Oil & Gas Inspector,
District #3**

Printed Name/Title: _____

Signature: Bob Hall

Date: _____

SEP 10 2007

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO. <u>A0083</u> COCR NO. <u>10486</u>																																				
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																				
LOCATION: NAME: <u>GORDON J.C.</u> D WELL#: <u>3</u> TYPE: <u>PROD. TANK</u> QUAD/UNIT: <u>K</u> SEC: <u>23</u> TWP: <u>27N</u> RNG: <u>10W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>2270'S / 1540'W</u> NE/SW CONTRACTOR: <u>HOTI (FERNANDO)</u>		DATE STARTED <u>11/21/03</u> DATE FINISHED _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																				
EXCAVATION APPROX. <u>14</u> FT. x <u>14</u> FT. x <u>3</u> FT. DEEP. CUBIC YARDAGE: <u>25</u>																																						
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARMED</u>																																						
LAND USE: <u>RANGE - Blm</u> LEASE: <u>SP077952</u> FORMATION: <u>DK</u>																																						
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>162</u> FT. <u>NISE</u> FROM WELLHEAD DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER <u>>1000'</u> NMOC D RANKING SCORE <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM																																						
SOIL AND EXCAVATION DESCRIPTION: SOIL TYPE <u>SAND</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u> SOIL COLOR <u>OLIVE TO DK. GRAY</u> <u>BEDROCK - LT. MED. GRAY</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): <u>NON PLASTIC</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT</u> / FIRM / STIFF / VERY STIFF / HARD MOISTURE: <u>DRY</u> / SLIGHTLY MOIST / <u>MOIST</u> / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>YES</u> / NO EXPLANATION - <u>PARAFFIN SOIL ABOVE BEDROCK & BEDROCK SURFACE.</u> HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION - <u>WITHIN PIT AREA & OUM SAMPLE.</u> SAMPLE TYPE <u>GRAB</u> COMPOSITE - # OF PTS. <u>1</u> ADDITIONAL COMMENTS: <u>LIQUID & PARAFFIN OBSERVED @ PIT DEPRESSION SURFACE. COLLECTED SAMPLE FROM BEDROCK. BEDROCK - SOFT TO HARD, FRIABLE.</u>		OVM CALIB. READ. = <u>53.0</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>7:20</u> @/pm DATE: <u>11/17/03</u>																																				
SCALE  0 FT FIELD 418.1 CALCULATIONS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																												
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																															
PIT PERIMETER 		PIT PROFILE OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 10</td><td>585</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>1 @ 10</td><td>TPH (8015B)</td><td>0815</td></tr> <tr><td>"</td><td>STEX (8021B)</td><td>"</td></tr> <tr><td colspan="3" style="text-align: center;"><u>BOTH PASSED</u></td></tr> </tbody> </table> NOT APPLICABLE	SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 10	585	2 @		3 @		4 @		5 @														SAMPLE ID	ANALYSIS	TIME	1 @ 10	TPH (8015B)	0815	"	STEX (8021B)	"	<u>BOTH PASSED</u>		
SAMPLE ID	FIELD HEADSPACE (ppm)																																					
1 @ 10	585																																					
2 @																																						
3 @																																						
4 @																																						
5 @																																						
SAMPLE ID	ANALYSIS	TIME																																				
1 @ 10	TPH (8015B)	0815																																				
"	STEX (8021B)	"																																				
<u>BOTH PASSED</u>																																						
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																						
TRAVEL NOTES: CALLOUT: <u>1/20/03 - MORN.</u> ONSITE: <u>1/21/03 - MORN.</u>																																						

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	01-22-03
Laboratory Number:	24613	Date Sampled:	01-21-03
Chain of Custody No:	10486	Date Received:	01-21-03
Sample Matrix:	Soil	Date Extracted:	01-22-03
Preservative:	Cool	Date Analyzed:	01-22-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	310	0.2
Diesel Range (C10 - C28)	806	0.1
Total Petroleum Hydrocarbons	1,120	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Gordon, J.C. D #3 Production Tank Pit Grab Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	01-22-03
Laboratory Number:	24613	Date Sampled:	01-21-03
Chain of Custody:	10486	Date Received:	01-21-03
Sample Matrix:	Soil	Date Analyzed:	01-22-03
Preservative:	Cool	Date Extracted:	01-22-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	5.1	1.8
Toluene	119	1.7
Ethylbenzene	91.9	1.5
p,m-Xylene	571	2.2
o-Xylene	235	1.0
Total BTEX	1,020	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Gordon, J.C. D #3 Production Tank Pit Grab Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

10486

Client / Project Name BLAGE / XTO ENERGY			Project Location PRODUCTION TANK PTT GORDON, J.C. D#3		ANALYSIS / PARAMETERS								
Sampler: NJV			Client No. 94034-010		No. of Containers	TPH (3015B)	BTEX (8021B)					Remarks PRESERVED COOL GRAB SAMPLE	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
① @ 10'	1/21/03	0815	24613	SOIL									
Relinquished by: (Signature) <i>[Signature]</i>			Date 1/21/03	Time 1019	Received by: (Signature) <i>[Signature]</i>			Date 1-21-03	Time 1019				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	☒		
										Cool - Ice/Blue Ice	☒		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	01-22-TPH QA/QC	Date Reported:	01-22-03
Laboratory Number:	24609	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	01-22-03
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	04-25-02	2.7355E-002	2.7328E-002	0.10%	0 - 15%
Diesel Range C10 - C28	04-25-02	2.4557E-002	2.4508E-002	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	249	99.4%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for samples 24609 - 24610, 24613 - 24614.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS QUALITY ASSURANCE REPORT

Client	N/A	Project #:	N/A
Sample ID:	01-22-BTEX QA/QC	Date Reported:	01-22-03
Laboratory Number	24615	Date Sampled:	N/A
Sample Matrix:	Water	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	01-22-03
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect Limit
		Accept. Range 0 - 15%			
Benzene	2.6914E-002	2.6968E-002	0.20%	ND	0.2
Toluene	3.3709E-002	3.3716E-002	0.02%	ND	0.2
Ethylbenzene	5.8262E-002	5.8379E-002	0.20%	ND	0.2
p,m-Xylene	7.1891E-002	7.1905E-002	0.02%	ND	0.2
o-Xylene	5.4522E-002	5.4686E-002	0.30%	ND	0.1


Duplicate Conc. (ug/L)	Sample	Duplicate	%Diff.	Accept Limit
Benzene	ND	ND	0.0%	0 - 30%
Toluene	ND	ND	0.0%	0 - 30%
Ethylbenzene	ND	ND	0.0%	0 - 30%
p,m-Xylene	ND	ND	0.0%	0 - 30%
o-Xylene	ND	ND	0.0%	0 - 30%


Spike Conc. (ug/L)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Limits
Benzene	ND	50.0	50.0	100.0%	39 - 150
Toluene	ND	50.0	50.0	100.0%	46 - 148
Ethylbenzene	ND	50.0	49.9	99.8%	32 - 160
p,m-Xylene	ND	100	99.9	99.8%	46 - 148
o-Xylene	ND	50.0	49.9	99.8%	46 - 148

ND - Parameter not detected at the stated detection limit.

References Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for samples 24613, 24615 - 24619.


Analyst


Review

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO <u>A0083</u> C.O.C NO <u>13402</u>
--------------------	---	---

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION NAME <u>GORDON JR D</u> WELL #: <u>3</u> PITS: <u>PROD. TANK</u> QUAD/UNIT: <u>K</u> SEC: <u>23</u> TWP: <u>27N</u> RNG: <u>10W</u> PM: <u>NM</u> CNTY: <u>ST</u> ST: <u>NM</u> QTR/FOOTAGE: <u>NW/SW</u> CONTRACTOR: <u>HDI (FERNANDO)</u>	DATE STARTED <u>3/31/05</u> DATE FINISHED _____ ENVIRONMENTAL SPECIALIST <u>NV</u>
--	--

SOIL REMEDIATION:

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: _____

LAND USE: RANGE - BLM

LIFT DEPTH (ft): 0.5 - 1

FIELD NOTES & REMARKS:

NMCD RANKING SCORE: 0 NMCD TPH CLOSURE STD: 5000 ppm

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK FRAGMENTS

SOIL COLOR: PALE YELLOW-ORANGE TO VARYING GRAY

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - VARYING GRAY IN ALL SAMPLE PTS.

HC ODOR DETECTED: YES / NO EXPLANATION - SLIGHTLY IN DISCOLORED PORTION

SAMPLING DEPTHS (LANDFARMS): 4-8 (INCHES)


SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. 3

ADDITIONAL COMMENTS: _____

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC ppm

SKETCH/SAMPLE LOCATIONS



OVM CALIB. READ. 53.3 ppm
 OVM CALIB. GAS = 100 ppm; RF = 0.52
 TIME: 9:10 am DATE: 3/31/05

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	1.3	LF-1	TPH (80158)	0850	

P.C. = 1/21/03

SCALE

0 1 FT

TRAVEL NOTES: CALLOUT: N/A

ONSITE: 3/31/05

revised: 07/16/01

bei1006A skd

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	04-04-05
Laboratory Number:	32490	Date Sampled:	03-31-05
Chain of Custody No:	13402	Date Received:	03-31-05
Sample Matrix:	Soil	Date Extracted:	04-01-05
Preservative:	Cool	Date Analyzed:	04-04-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	10.2	0.2
Diesel Range (C10 - C28)	3,610	0.1
Total Petroleum Hydrocarbons	3,620	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Gordon J.C. D #3 Landfarm 3 Pt. Composite Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	04-04-TPH QA/QC	Date Reported:	04-04-05
Laboratory Number:	32490	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-04-05
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	04-01-05	1.9097E-002	1.9078E-002	0.10%	0 - 15%
Diesel Range C10 - C28	04-01-05	2.2011E-002	2.1989E-002	0.10%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	10.2	10.1	1.0%	0 - 30%
Diesel Range C10 - C28	3,610	3,600	0.3%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	10.2	250	260	99.8%	75 - 125%
Diesel Range C10 - C28	3,610	250	3,850	99.7%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 32490 - 32493, 32495 - 32497.


Analyst


Review

CHAIN OF CUSTODY RECORD

13402

Client / Project Name BLAGG / XTO ENERGY			Project Location GORDON J.C. D # 3		ANALYSIS / PARAMETERS									
Sampler: NTV			Client No. 94034-010		No. of Containers TPH (80158)							Remarks		
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								PRESERVED COOL		
												3PT. COMPOSITE SAMPLE		
LF-1	3/31/05	0850	32490	SOIL	1	✓						LANDFARM		
Relinquished by: (Signature) [Signature]			Date 3/31/05	Time 1334	Received by: (Signature) [Signature]			Date 3/31/05	Time 1334					
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615											Sample Receipt			
												Y	N	N/A
											Received Intact	✓		
											Cool - Ice/Blue Ice	✓		