

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004


Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator <u>BP America Production Company</u> Telephone <u>(505)326-9200</u> e-mail address: _____		
Address <u>200 Energy Ct, Farmington, NM 87401</u>		
Facility or well name <u>RANDEL, O.H. #2E</u> API # <u>3004523985</u> U/L or Qtr/Qtr <u>J</u> Sec <u>10</u> T <u>26N</u> R <u>11W</u>		
County <u>San Juan</u> Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☐		
Surface Owner Federal ☐ State ☐ Private ☐ Indian ☐		
Pit Type: Drilling ☐ Production ☒ Disposal ☐ Workover ☐ Emergency ☐ Lined ☐ Unlined ☐ Liner type Synthetic ☐ Thickness _____ mil Clay ☐ Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes ☐ If not, explain why not _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)	
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)	
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)	
Ranking Score (Total Points)		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location. (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments
See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.


Approval:

**Deputy Oil & Gas Inspector,
District #3**

Printed Name/Title _____

Signature [Signature]

Date: SEP 10 2007

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>CT029</u> COCR NO: <u>11136</u>																																								
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																								
LOCATION: NAME: <u>O.H. LANDEL</u> WELL#: <u>2E</u> TYPE: <u>SEP</u> QUAD/UNIT: <u>J SEC: 10 TWP: 26N RNG: 11W PM: NM CNTY: SJ ST: NM</u> QTR/FOOTAGE: <u>17005/1800E</u> NW/SE CONTRACTOR: <u>HDI (FERNANDO)</u>		DATE STARTED <u>9/26/03</u> DATE FINISHED _____ ENVIRONMENTAL SPECIALIST <u>NV</u>																																								
EXCAVATION APPROX. <u>16</u> FT. x <u>14</u> FT. x <u>11</u> FT. DEEP. CUBIC YARDAGE: <u>90</u> DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARM</u> LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM 03153</u> FORMATION: <u>DIK</u>																																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>108</u> FT. <u>N41E</u> FROM WELLHEAD DEPTH TO GROUNDWATER <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u> NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																										
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>54.0</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>8:30</u> <u>am</u> pm DATE <u>9/26/03</u>																																								
SOIL TYPE: <u>(SAND)</u> SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u> SOIL COLOR <u>OK. YEL. ORANGE TO OK. GRAY</u> <u>BEDROCK - GREENISH TO OK GREENISH GRAY</u> COHESION (ALL OTHERS): <u>(NON COHESIVE)</u> SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>(LOOSE)</u> FIRM DENSE / VERY DENSE PLASTICITY (CLAYS) NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CLOSED MOISTURE DRY / <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED <u>(YES)</u> / NO EXPLANATION - <u>VARYING GRAY SET. 5'-11' BELOW GRADE & BEDROCK SURFACE</u> HC ODOR DETECTED <u>(YES)</u> / NO EXPLANATION - <u>TEST HOLE & OVM SAMPLE</u> SAMPLE TYPE <u>(GRAB)</u> COMPOSITE - # OF PTS. <u>1</u> ADDITIONAL COMMENTS: <u>COLLECTED SAMPLE FROM BEDROCK SURFACE. BEDROCK - HARD, SLIGHTLY FRIABLE.</u> BEDROCK BOTTOM <u>IMPACTED SOIL WITHIN PIT AREA APPROX. 6 FT. THICKNESS (5'-11' BELOW GRADE)</u> <u>LANDFARM WILL CONTAIN NON IMPACTED SOIL WITH IMPACTED.</u>																																										
FIELD 418.1 CALCULATIONS																																										
SCALE  0 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																	PIT PERIMETER 
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																			
OVM READING		PIT PROFILE																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 11'</td><td>533</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 11'	533	2 @		3 @		4 @		5 @														NOT APPLICABLE																
SAMPLE ID	FIELD HEADSPACE (ppm)																																									
1 @ 11'	533																																									
2 @																																										
3 @																																										
4 @																																										
5 @																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>12.11'</td><td>TPH (80158)</td><td>0847</td></tr> <tr><td>"</td><td>STEX (80218)</td><td>"</td></tr> <tr><td colspan="3" style="text-align: center;">(BOTH PASSED)</td></tr> </tbody> </table>		SAMPLE ID	ANALYSIS	TIME	12.11'	TPH (80158)	0847	"	STEX (80218)	"	(BOTH PASSED)																															
SAMPLE ID	ANALYSIS	TIME																																								
12.11'	TPH (80158)	0847																																								
"	STEX (80218)	"																																								
(BOTH PASSED)																																										
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																										
TRAVEL NOTES: CALLOUT: <u>9/26/03 - MORN.</u> ONSITE: <u>9/26/03 - MORN.</u>																																										

EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons


Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	1 @ 11'	Date Reported:	09-26-03
Laboratory Number:	26716	Date Sampled:	09-26-03
Chain of Custody No:	11130	Date Received:	09-26-03
Sample Matrix:	Soil	Date Extracted:	09-26-03
Preservative:	Cool	Date Analyzed:	09-26-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	843	0.2
Diesel Range (C10 - C28)	471	0.1
Total Petroleum Hydrocarbons	1,310	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: O. H. Randel #2E Separator Pit Grab Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	1 @ 11'	Date Reported:	09-26-03
Laboratory Number:	26716	Date Sampled:	09-26-03
Chain of Custody:	11130	Date Received:	09-26-03
Sample Matrix:	Soil	Date Analyzed:	09-26-03
Preservative:	Cool	Date Extracted:	09-26-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	376	1.8
Toluene	1,170	1.7
Ethylbenzene	916	1.5
p,m-Xylene	2,960	2.2
o-Xylene	1,540	1.0
Total BTEX	6,960	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.


Comments: O. H. Randel #2E Separator Pit Grab Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

11130

Client / Project Name BLAGG / XTO ENERGY			Project Location O.H. RANDEL #2E		ANALYSIS / PARAMETERS								
Sampler: NTV			Client No. 94034-010		No. of Containers	TPH (8015B)	BTEX (8011B)					Remarks PRESERVED COOL GRAB SAMPLE	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
① c 11'	9/26/03	0847	26716	SOIL	1	✓	✓					SEPARATOR PIT	
Relinquished by: (Signature) <i>[Signature]</i>			Date 9/26/03	Time 1051	Received by: (Signature) <i>Mistine M. Walters</i>			Date 9/26/03	Time 10:51				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC.  5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	09-26-TPH QA/QC	Date Reported:	09-26-03
Laboratory Number:	26715	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	09-26-03
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	04-29-03	1.8591E-002	1.8572E-002	0.10%	0 - 15%
Diesel Range C10 - C28	04-29-03	1.5507E-002	1.5492E-002	0.10%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for samples 26715 - 26716.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	09-26-BTEX QA/QC	Date Reported:	09-26-03
Laboratory Number:	26716	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	09-26-03
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff	Blank Conc	Detect. Limit
		Accept. Range 0 - 15%			
Benzene	4.2776E-002	4.2905E-002	0.3%	ND	0.2
Toluene	4.8966E-002	4.9064E-002	0.2%	ND	0.2
Ethylbenzene	7.4036E-002	7.4259E-002	0.3%	ND	0.2
p,m-Xylene	6.8275E-002	6.8480E-002	0.3%	ND	0.2
o-Xylene	5.5866E-002	5.5978E-002	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect. Limit
Benzene	376	380	0.9%	0 - 30%	1.8
Toluene	1,170	1,150	1.7%	0 - 30%	1.7
Ethylbenzene	916	897	2.0%	0 - 30%	1.5
p,m-Xylene	2,960	2,990	1.0%	0 - 30%	2.2
o-Xylene	1,540	1,560	1.3%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	376	50.0	425	99.8%	39 - 150
Toluene	1,170	50.0	1,210	99.2%	46 - 148
Ethylbenzene	916	50.0	964	99.8%	32 - 160
p,m-Xylene	2,960	100	3,050	99.7%	46 - 148
o-Xylene	1,540	50.0	1,580	99.4%	46 - 148

ND - Parameter not detected at the stated detection limit.

References Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments: QA/QC for sample 26716.


Analyst


Review

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO <u>CT029</u> COC NO <u>13404</u>
--------------------	--	---

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION NAME <u>RANDEL, O.H.</u> WELL #: <u>ZE</u> PITS: <u>SEP.</u>	DATE STARTED <u>3/31/05</u>
QUAD/UNIT <u>J</u> SEC: <u>10</u> TWP: <u>26N</u> RNG: <u>11W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u>	DATE FINISHED _____
QTR/FOOTAGE: <u>NW/SE</u> CONTRACTOR: <u>HDI (FERNANDO)</u>	ENVIRONMENTAL SPECIALIST <u>NV</u>

SOIL REMEDIATION:

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE _____

LAND USE RANGE - BLM

LIFT DEPTH (ft): 0.5-1

FIELD NOTES & REMARKS:

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 ppm

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'

SOIL TYPE SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____

SOIL COLOR: DK. YEL. ORANGE MINOR AMOUNT - OLIVE GRAY

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - OLIVE GRAY IN SAMP. PTS. ②, ④, & ⑤

HC ODOR DETECTED: YES / NO EXPLANATION - _____

SAMPLING DEPTHS (LANDFARMS): 4 - 12 (INCHES)


SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. 5

ADDITIONAL COMMENTS _____

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SKETCH/SAMPLE LOCATIONS



OVM CALIB. READ. 53.3 ppm
OVM CALIB. GAS = 100 ppm, RF = 0.52
TIME: 9:10 am DATE: 3/31/05

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (90158)	1110	ND

P.C. - 9/26/03.

SCALE



0 FT

TRAVEL NOTES: CALLOUT: N/A

ONSITE: 3/31/05

revised: 07/16/01

bei1006A skd

EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons


Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	04-04-05
Laboratory Number:	32492	Date Sampled:	03-31-05
Chain of Custody No:	13404	Date Received:	03-31-05
Sample Matrix:	Soil	Date Extracted:	04-01-05
Preservative:	Cool	Date Analyzed:	04-04-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Randel, O.H. #2E Landfarm 5 Pt. Composite Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	04-04-TPH QA/QC	Date Reported:	04-04-05
Laboratory Number:	32490	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-04-05
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	04-01-05	1.9097E-002	1.9078E-002	0.10%	0 - 15%
Diesel Range C10 - C28	04-01-05	2.2011E-002	2.1989E-002	0.10%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	10.2	10.1	1.0%	0 - 30%
Diesel Range C10 - C28	3,610	3,600	0.3%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	10.2	250	260	99.8%	75 - 125%
Diesel Range C10 - C28	3,610	250	3,850	99.7%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 32490 - 32493, 32495 - 32497.


Analyst


Review

CHAIN OF CUSTODY RECORD

13404

Client / Project Name BLAGG / XTO ENERGY			Project Location RANDEL, O.H. #2E		ANALYSIS / PARAMETERS								
Sampler: NJV			Client No. 94034-010		No. of Containers TPH (8015B)							Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								PRESERVED COOL	
												5 PT. COMPOSITE SAMPLE	
LF-1	3/31/05	1110	32492	SOIL	1	✓						LANDFARM	
Relinquished by: (Signature) <i>[Signature]</i>			Date 3/31/05	Time 1334	Received by: (Signature) <i>[Signature]</i>			Date 3/31/05	Time 1334				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		