

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: XTO ENERGY INC. Telephone: (505)-324-1090 e-mail address: _____
Address: 2700 FARMINGTON AVE.. BLDG. K. SUITE 1. FARMINGTON. NM 87401
Facility or well name: HUBBELL GC C #1 API #: 30-045- 07127 U/L or Qtr/Qtr N Sec 29 T 28N R 10W
County: SAN JUAN Latitude 36.62914 Longitude 107.92229 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling ☐ Production ☐ Disposal ☒ <u>SEPARATOR</u> Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness _____ mil Clay ☐ Pit Volume _____ bbl	Volume: _____ bbl Type of fluid <u>N/A</u> Construction material: _____ Double-walled, with leak detection? Yes ☐ No ☒ If no, explain why not: _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (10 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 0
Ranking Score (Total Points) 0	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____ (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results (5)

Attach soil sample results and a diagram of sample locations and excavations

Additional Comments: PIT LOCATED APPROXIMATELY 165 FT. S60W FROM WELL HEAD.
PIT EXCAVATION: WIDTH 17 ft., LENGTH 24 ft., DEPTH 6.5 ft.
PIT REMEDIATION: CLOSE AS IS: ☐, LANDFARM: ☒, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain)
Cubic yards: <u>100</u>
BEDROCK BOTTOM


I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date 11/08/04

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Deputy Oil & Gas Inspector,
District #3
Approval: _____ Signature B. D. Full Date: SEP 10 2007
Printed Name/Title _____

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>CT113</u> COCR NO: <u>12935</u>																																
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																
LOCATION: NAME: <u>HUBBELL GC C</u> WELL #: <u>1</u> TYPE: <u>SEP.</u> QUAD/UNIT: <u>N</u> SEC: <u>29</u> TWP: <u>28N</u> RNG: <u>10W</u> PM: <u>NM</u> CNTY: <u>ST</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1120'S/1660'W</u> SE/SW CONTRACTOR: <u>KEUO (THOMAS)</u>		DATE STARTED <u>11/4/04</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																
EXCAVATION APPROX. <u>17</u> FT. x <u>24</u> FT. x <u>6.5</u> FT. DEEP. CUBIC YARDAGE: <u>100</u>																																		
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARM</u>																																		
LAND USE: <u>RANGE-8Lm</u> LEASE: <u>SF 078715</u> FORMATION: <u>DK</u>																																		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>165</u> FT. <u>560W</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u> NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																		
SOIL AND EXCAVATION DESCRIPTION: SOIL TYPE: <u>SAND</u> SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u> SOIL COLOR: <u>OLIVE GRAY TO BLACK</u> <u>BEDROCK - LT. TO DK. GRAY</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE FIRM</u> DENSE / VERY DENSE PLASTICITY (CLAYS): <u>NON PLASTIC</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT / FIRM / STIFF / VERY STIFF / HARD</u> MOISTURE: <u>DRY / SLIGHTLY MOIST / MOIST</u> / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>YES</u> NO EXPLANATION - <u>ENTIRE PIT AREA.</u> HC ODOR DETECTED: <u>YES</u> NO EXPLANATION - <u>PIT AREA & OVM SAMPLE.</u> SAMPLE TYPE: <u>GRAB</u> / COMPOSITE - # OF PTS. <u>—</u> ADDITIONAL COMMENTS: <u>COLLECTED SAMPLE FROM SOIL ABOVE BEDROCK.</u> <u>BEDROCK BOTTOM</u>		OVM CALIB. READ. = <u>53.4</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>11:10</u> (am/pm) DATE: <u>11/4/04</u>																																
SCALE  0 FT <table border="1" style="width:100%; border-collapse: collapse;"> <caption>FIELD 418.1 CALCULATIONS</caption> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																								
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																											
PIT PERIMETER 	OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 8'</td><td>260</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 8'	260	2 @		3 @		4 @		5 @												PIT PROFILE NOT APPLICABLE										
SAMPLE ID	FIELD HEADSPACE (ppm)																																	
1 @ 8'	260																																	
2 @																																		
3 @																																		
4 @																																		
5 @																																		
LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>① 2.8'</td><td>TPH (80158)</td><td>1055</td></tr> <tr><td>"</td><td>BTEX (80218)</td><td>"</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> PASSED			SAMPLE ID	ANALYSIS	TIME	① 2.8'	TPH (80158)	1055	"	BTEX (80218)	"																							
SAMPLE ID	ANALYSIS	TIME																																
① 2.8'	TPH (80158)	1055																																
"	BTEX (80218)	"																																
TRAVEL NOTES: CALLOUT: <u>11/4/04 - MORN.</u> ONSITE: <u>11/4/04 - MORN.</u>																																		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	11-08-04
Laboratory Number:	31152	Date Sampled:	11-04-04
Chain of Custody No.	12935	Date Received:	11-05-04
Sample Matrix:	Soil	Date Extracted:	11-05-04
Preservative:	Cool	Date Analyzed:	11-08-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,740	0.2
Diesel Range (C10 - C28)	204	0.1
Total Petroleum Hydrocarbons	1,940	0.2

ND - Parameter not detected at the stated detection limit.

References. Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Hubbell GC C #1 Separator Pit Grab Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID	1 @ 8'	Date Reported:	11-08-04
Laboratory Number:	31152	Date Sampled:	11-04-04
Chain of Custody:	12935	Date Received:	11-05-04
Sample Matrix:	Soil	Date Analyzed:	11-08-04
Preservative:	Cool	Date Extracted:	11-05-04
Condition	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	3,170	1.8
Toluene	2,720	1.7
Ethylbenzene	1,730	1.5
p,m-Xylene	5,870	2.2
o-Xylene	3,790	1.0
Total BTEX	17,280	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

Comments: Hubbell GC C #1 Separator Pit Grab Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

129

Client / Project Name BLAGG / XTO ENERGY			Project Location HUBBELL GC C #1		ANALYSIS / PARAMETERS										
Sampler: NJV			Client No. 94634-010		No. of Containers	TPH (80.56)	BTEX (80.18)					Remarks			
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								PRESERVED COOL			
												GRAB SAMPLES			
① C 5.5'	11/4/04	1105	31151	SOIL	1	✓	✓					BLOW PIT			
① C 8'	11/4/04	1055	31152	SOIL	1	✓	✓					SEPARATOR PIT			
Relinquished by: (Signature) <i>Nelson V. J.</i>			Date 11/5/04	Time 12:25	Received by: (Signature) <i>Martine M. Walters</i>			Date 11/5/04	Time 1225						
Relinquished by: (Signature)					Received by: (Signature)										
Relinquished by: (Signature)					Received by: (Signature)										
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615											Sample Receipt				
												Y	N	N/A	
											Received Intact	✓			
											Cool - Ice/Blue Ice	✓			

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	11-08-TPH QA/QC	Date Reported:	11-08-04
Laboratory Number:	31130	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	11-08-04
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-19-04	1.8591E-002	1.8572E-002	0.10%	0 - 15%
Diesel Range C10 - C28	02-19-04	1.5507E-002	1.5492E-002	0.10%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	274	273	0.4%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	274	250	523	99.8%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 31130 - 31132, 31151 - 31155.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	N/A	Project #:	N/A
Sample ID	11-08-BTEX QA/QC	Date Reported	11-08-04
Laboratory Number	31130	Date Sampled	N/A
Sample Matrix	Soil	Date Received	N/A
Preservative	N/A	Date Analyzed	11-08-04
Condition	N/A	Analysis	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect. Limit
		Accept. Range	0 - 15%		
Benzene	8.1713E-002	8.1959E-002	0.3%	ND	0.2
Toluene	5.5302E-002	5.5413E-002	0.2%	ND	0.2
Ethylbenzene	8.4042E-002	8.4295E-002	0.3%	ND	0.2
p,m-Xylene	7.6479E-002	7.6710E-002	0.3%	ND	0.2
o-Xylene	8.6529E-002	8.6703E-002	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	874	894	2.3%	0 - 30%	1.8
Toluene	1,050	1,030	1.9%	0 - 30%	1.7
Ethylbenzene	729	715	2.0%	0 - 30%	1.5
p,m-Xylene	1,980	2,030	2.5%	0 - 30%	2.2
o-Xylene	1,030	1,050	1.9%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	874	50.0	922	99.8%	39 - 150
Toluene	1,050	50.0	1,090	99.1%	46 - 148
Ethylbenzene	729	50.0	778	99.8%	32 - 160
p,m-Xylene	1,980	100	2,070	99.5%	46 - 148
o-Xylene	1,030	50.0	1,070	99.1%	46 - 148

ND - Parameter not detected at the stated detection limit

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments: QA/QC for Samples 31130 - 31132, 31151 - 31155.


Analyst


Review

CLIENT: XTOBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: CT113C.O.C. NO: 14518

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: HUBBELL GC C WELL#: 1 PITS: SEP.DATE STARTED: 12/28/05QUAD/UNIT: N SEC: 29 TWP: 28N RNG: 10W PM: NM CNTY: ST ST: NM

DATE FINISHED:

QTR/FOOTAGE: SE/SW CONTRACTOR: KELCOENVIRONMENTAL
SPECIALIST: NV

SOIL REMEDIATION:


REMEDIATION SYSTEM: LANDFARMAPPROX. CUBIC YARDAGE: 120LAND USE: RANGE-BLMLIFT DEPTH (ft): 0.5-1

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: >100' NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000' NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5,000 PPMSOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHERSOIL COLOR: SEE SKETCH BELOWCOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSEPLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTICDENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARDMOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDCLOSEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - NORTH 1/2 OF LANDFARMHC ODOR DETECTED: YES / NO EXPLANATION - SLIGHTLY IN SAMPLE PTS. ① & ③ DEFINITELY IN ②SAMPLING DEPTHS (LANDFARMS): 6-8 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. 5ADDITIONAL COMMENTS: INCLUDES ~ 20 C.Y. FROM HUBBELL GC B #1 (M-30-28-10) BLOW PIT
CLOSED 10/26/04.

SKETCH/SAMPLE LOCATIONS

N

OVM CALIB. READ. = 53.4 ppm
OVM CALIB. GAS = 1.00 ppm RF = 0.52
TIME: 11:45 @pm DATE: 12/28/05

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (80158)	1140	1,410

SCALE



P.C. - 11/4/05

TRAVEL NOTES: CALLOUT: N/AONSITE: 12/28/05

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg Engr. / XTO Energy	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	01-02-06
Laboratory Number:	35583	Date Sampled:	12-28-05
Chain of Custody No:	14518	Date Received:	12-29-05
Sample Matrix:	Soil	Date Extracted:	12-30-05
Preservative:	Cool	Date Analyzed:	01-02-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	1,410	0.1
Total Petroleum Hydrocarbons	1,410	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Hubbell GC C #1 - Landfarm 5 Pt. Composite Sample.**


Analyst


Review

CHAIN OF CUSTODY RECORD

14518

Client / Project Name BLAGG GBR / XTO ENERGY			Project Location HUBBELL LEASE		ANALYSIS / PARAMETERS								
Sampler: NV			Client No. 94034-010		No. of Containers TPH (80158)						Remarks PRESERVED COOL 5 PT. COMPOSITE 25 GRAB SAMPLES		
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
LF-1	12/28/05	1140	35583	SOIL	1	✓					HUBBELL GC C#1 - LANDFARM		
LF-1	12/28/05	1305	35584	SOIL	1	✓					HUBBELL GC C#1E - LANDFARM		
Relinquished by: (Signature) <i>[Signature]</i>			Date 12/29/05	Time 0920	Received by: (Signature) <i>[Signature]</i>					Date 12/29/05	Time 0920		
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	01-02-06 QA/QC	Date Reported:	01-02-06
Laboratory Number:	35583	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	01-02-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-04-05	1.0013E+003	1.0023E+003	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	9.9803E+002	1.0000E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	1,410	1,420	0.7%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	1,410.0	250	1,650	99.4%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 35583 - 35590.


Analyst


Review