

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>XTO ENERGY INC.</u> Telephone: <u>(505)-324-1090</u> e-mail address: _____		
Address: <u>2700 FARMINGTON AVE.. BLDG. K. SUITE 1. FARMINGTON. NM 87401</u>		
Facility or well name: <u>DAVIDSON GC F #1E</u> API #: <u>30-045- 24113</u> U/L or Qtr/Qtr <u>F</u> Sec <u>28</u> T <u>28N</u> R <u>10W</u>		
County: <u>SAN JUAN</u> Latitude <u>36.63635</u> Longitude <u>107.90478</u> NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐		
Pit Type: Drilling ☐ Production ☐ Disposal ☒ <u>SEPARATOR</u> Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness _____ mil Clay ☐ Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: <u>N/A</u> Construction material: <u>N/A</u> Double-walled, with leak detection? Yes ☐ If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 0
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) 0
	1000 feet or more	(0 points)
Ranking Score (Total Points)		0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5)

Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: <u>PIT LOCATED APPROXIMATELY 135 FT. N59W FROM WELL HEAD.</u>
<u>PIT EXCAVATION: WIDTH 18 ft., LENGTH 18 ft., DEPTH 7 ft. .</u>
<u>PIT REMEDIATION: CLOSE AS IS: ☐, LANDFARM: ☒, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain)</u>
Cubic yards: <u>65</u>
BEDROCK BOTTOM

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 10/27/04

Printed Name/Title Jeff Blagg – P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Deputy Oil & Gas Inspector,
Printed Name/Title District #3 Signature B. Blagg Date: SEP 10 2007

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>CT101</u> COCR NO: <u>13217</u>																																								
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																								
LOCATION: NAME: <u>DAVIDSON GC F</u> WELL #: <u>1E</u> TYPE: <u>SEP</u> QUAD/UNIT: <u>F</u> SEC: <u>28</u> TWP: <u>28N</u> RNG: <u>10W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1520'N/1520'W</u> SE/NEW CONTRACTOR: <u>KELCO (THOMAS)</u>		DATE STARTED: <u>10/25/04</u> DATE FINISHED: <u>10/25/04</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																								
EXCAVATION APPROX. <u>18</u> FT. x <u>18</u> FT. x <u>7</u> FT. DEEP. CUBIC YARDAGE: <u>65</u>																																										
DISPOSAL FACILITY: <u>ONSITE</u> REMEDIATION METHOD: <u>LF</u>																																										
LAND USE: <u>RANGE - BLM</u> LEASE: <u>SF - 077383</u> FORMATION: <u>DK</u>																																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>135</u> FT. <u>N59W</u> FROM WELLHEAD.																																										
DEPTH TO GROUNDWATER <u>>100</u> NEAREST WATER SOURCE <u>>200</u> NEAREST SURFACE WATER <u>>100</u>																																										
NMOCD RANKING SCORE <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																										
SOIL AND EXCAVATION DESCRIPTION:																																										
OVM CALIB. READ. = <u>52.6</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1130</u> am/pm DATE: <u>10/25</u>																																										
SOIL TYPE: SAND / <u>SILTY SAND</u> / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK SHALESTONE @ 10'</u>																																										
SOIL COLOR: <u>GRAY</u>																																										
COHESION (ALL OTHERS) <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE																																										
CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / FIRM / DENSE / VERY DENSE																																										
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																																										
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD																																										
MOISTURE: DRY / <u>SLIGHTLY MOIST</u> / MOIST / WET / SATURATED / SUPER SATURATED																																										
DISCOLORATION/STAINING OBSERVED <u>YES</u> / NO EXPLANATION - <u>GRAY</u>																																										
HC ODOR DETECTED <u>YES</u> / NO EXPLANATION - <u>MODERATE</u>																																										
SAMPLE TYPE: <u>GRAB</u> / COMPOSITE - # OF PTS. <u>1</u>																																										
ADDITIONAL COMMENTS: <u>EARTHEN SEP AT. USE BACKHOE TO EXCAVATE TO BEDROCK SHALESTONE @ 10' BG. Will set 95 BBL steel tank here</u>																																										
FIELD 418.1 CALCULATIONS																																										
<table border="1" style="width:100%"><tr><th>SAMP. TIME</th><th>SAMP. ID</th><th>LAB NO.</th><th>WEIGHT (g)</th><th>mL FREON</th><th>DILUTION</th><th>READING</th><th>CALC. (ppm)</th></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																			
SCALE 0 FT N ↑ PIT PERIMETER Sample OVM READING <table border="1" style="width:100%"><tr><th>SAMPLE ID</th><th>FIELD HEADSPACE (ppm)</th></tr><tr><td>1 @ 10'</td><td>211</td></tr><tr><td>2 @</td><td> </td></tr><tr><td>3 @</td><td> </td></tr><tr><td>4 @</td><td> </td></tr><tr><td>5 @</td><td> </td></tr></table> LAB SAMPLES <table border="1" style="width:100%"><tr><th>SAMPLE ID</th><th>ANALYSIS</th><th>TIME</th></tr><tr><td>0010</td><td>TPH/BTEX</td><td>1125</td></tr><tr><td colspan="3" style="text-align: center;"><u>PASSED</u></td></tr></table> PIT PROFILE BEDROCK SHALESTONE			SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 10'	211	2 @		3 @		4 @		5 @		SAMPLE ID	ANALYSIS	TIME	0010	TPH/BTEX	1125	<u>PASSED</u>																					
SAMPLE ID	FIELD HEADSPACE (ppm)																																									
1 @ 10'	211																																									
2 @																																										
3 @																																										
4 @																																										
5 @																																										
SAMPLE ID	ANALYSIS	TIME																																								
0010	TPH/BTEX	1125																																								
<u>PASSED</u>																																										
D = PIT DEPRESSION, BG = BELOW GRADE; B = BELOW TH = TEST HOLE, ~ = APPROX, TB = TANK BOTTOM																																										
TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>10/25/04</u> <u>1100</u>																																										

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	10-27-04
Laboratory Number:	31053	Date Sampled:	10-25-04
Chain of Custody No:	13217	Date Received:	10-26-04
Sample Matrix:	Soil	Date Extracted:	10-26-04
Preservative:	Cool	Date Analyzed:	10-27-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	49.1	0.2
Diesel Range (C10 - C28)	3.0	0.1
Total Petroleum Hydrocarbons	52.1	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Davidson GC F #1E Separator.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	1 @ 10'	Date Reported:	10-27-04
Laboratory Number:	31053	Date Sampled:	10-25-04
Chain of Custody:	13217	Date Received:	10-26-04
Sample Matrix:	Soil	Date Analyzed:	10-27-04
Preservative:	Cool	Date Extracted:	10-26-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	35.8	1.8
Toluene	185	1.7
Ethylbenzene	145	1.5
p,m-Xylene	762	2.2
o-Xylene	200	1.0
Total BTEX	1,330	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Davidson GC F #1E Separator.


Analyst


Review

132

san juan reproduction 578-129

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	10-27-TPH QA/QC	Date Reported:	10-27-04
Laboratory Number:	31047	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	10-27-04
Condition:	N/A	Analysis Requested:	TPH

	Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	02-19-04	1.8591E-002	1.8572E-002	0.10%	0 - 15%
Diesel Range C10 - C28	02-19-04	1.5507E-002	1.5492E-002	0.10%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 31047 - 31053.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	N/A	Project #	N/A
Sample ID.	10-26-BTEX QA/QC	Date Reported:	10-27-04
Laboratory Number	31050	Date Sampled:	N/A
Sample Matrix	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	10-27-04
Condition	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff. Accept. Range 0 - 15%	Blank Conc	Detect Limit
Benzene	8.1713E-002	8.1959E-002	0.3%	ND	0.2
Toluene	5.5302E-002	5.5413E-002	0.2%	ND	0.2
Ethylbenzene	8.4042E-002	8.4295E-002	0.3%	ND	0.2
p,m-Xylene	7.6479E-002	7.6710E-002	0.3%	ND	0.2
o-Xylene	8.6529E-002	8.6703E-002	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	85.5	86.8	1.5%	0 - 30%	1.8
Toluene	438	429	2.0%	0 - 30%	1.7
Ethylbenzene	201	197	2.0%	0 - 30%	1.5
p,m-Xylene	782	793	1.5%	0 - 30%	2.2
o-Xylene	568	576	1.5%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	85.5	50.0	135	99.9%	39 - 150
Toluene	438	50.0	487	99.8%	46 - 148
Ethylbenzene	201	50.0	250	99.4%	32 - 160
p,m-Xylene	782	100	880	99.8%	46 - 148
o-Xylene	568	50.0	617	99.8%	46 - 148

ND - Parameter not detected at the stated detection limit

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments: QA/QC for Samples 31050, 31052 - 31053.


Analyst


Review

CLIENT: XTO**BLAGG ENGINEERING, INC.**
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: CT101C.O.C. NO: 14520**FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION**LOCATION: NAME: DAVIDSON GC F WELL#: 1E PITS: SEP.DATE STARTED 12/28/05

DATE FINISHED: _____


QUAD/UNIT: F SEC: 28 TWP: 28N RNG: 10W PM: NM CNTY: ST ST: NMQTR/FOOTAGE: SE/NW CONTRACTOR: KELCOENVIRONMENTAL
SPECIALIST: NV**SOIL REMEDIATION:**REMEDICATION SYSTEM: LANDFARMAPPROX. CUBIC YARDAGE: 100LAND USE: RANGE - BLMLIFT DEPTH (ft): 1**FIELD NOTES & REMARKS:**DEPTH TO GROUNDWATER: >100' NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000' NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5,000 PPMSOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____SOIL COLOR: PALE YELL. ORANGE TO MOD. BROWNCOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - MINOR AMT. (LT. MOD. GRAY) IN ALL SAMPLE PTS.HC ODOR DETECTED: YES / NO EXPLANATION - _____SAMPLING DEPTHS (LANDFARMS): 6-8 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. 5

ADDITIONAL COMMENTS: _____

CLOSED**SKETCH/SAMPLE LOCATIONS**OVM CALIB. READ. = 53.4 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 11:45 am/pm DATE: 12/28/05**OVM RESULTS****LAB SAMPLES**

SAMPLE ID	FIELD HEADSPACE (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (80158)	1450	37.2

SCALEP.C. - 10/21/05TRAVEL NOTES: CALLOUT: N/AONSITE: 12/28/05

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg Engr. / XTO Energy	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	01-02-06
Laboratory Number:	35586	Date Sampled:	12-28-05
Chain of Custody No:	14520	Date Received:	12-29-05
Sample Matrix:	Soil	Date Extracted:	12-30-05
Preservative:	Cool	Date Analyzed:	01-02-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	37.2	0.1
Total Petroleum Hydrocarbons	37.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Davidson GC F #1E Landfarm 5 Pt. Composite Sample.**


Analyst


Review

CHAIN OF CUSTODY RECORD

14520

Client / Project Name BLASS ENER / XTO ENERGY			Project Location DAVIDSON GC F #1E		ANALYSIS / PARAMETERS							
Sampler: NV			Client No. 94034-010		No. of Containers TPH (8015B)						Remarks PRESERVED COOL 5 PT. COMPOSITE SAMPLE	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								
LF - 1	12/28/05	1450	35586	SOIL	1	✓					LANDFARM	
Relinquished by: (Signature) [Signature]			Date 12/29/05	Time 0920	Received by: (Signature) [Signature]			Date 12/29/05	Time 0920			
Relinquished by: (Signature)					Received by: (Signature)							
Relinquished by: (Signature)					Received by: (Signature)							
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615							Sample Receipt					
								Y	N	N/A		
							Received Intact	✓				
							Cool - Ice/Blue Ice	✓				

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	01-02-06 QA/QC	Date Reported:	01-02-06
Laboratory Number:	35583	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	01-02-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-04-05	1.0013E+003	1.0023E+003	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	9.9803E+002	1.0000E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	1,410	1,420	0.7%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	1,410.0	250	1,650	99.4%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 35583 - 35590.


Analyst


Review