District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit	or below-grade tank L Closure of a pit or below-	grade tank 🗵			
Operator: XTO ENERGY INC.	Telephone: (505)-324-1090 e	-mail address			
Address: 2700 FARMINGTON AVE BLDG. K. S					
	API#: 30-045- 23037 U/L or Q	D 45	T 28N R 11W		
County: SAN JUAN Latitude 36.65764 Longitude 10	_		Private Indian		
		245679			
Pit	Below-grade tank	/,33	2.		
Type: Drilling Production Disposal COMPRESSOR	Volume. bbl Type of fluid:	<u>8</u> _ 2:			
Workover Emergency	Construction materia.	8 KECEIVED	23		
Lined Unlined FIBERGLASS TANK	Double-walled, with leak a tectron? Yes [1]	L explane Ray 2007	4		
Liner type: Synthetic Thicknessmil Clay [/	OIL CONS. DIV. DIST 3	15)		
Pit Volumebbl		S are polyor DIA' DI2F3	3		
Don't 4	Less than 50 feet	(20 points)	8 /		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	MESSEL SOC.	20		
mgn water elevation of ground water.)	100 feet or more	(0 points)			
	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)	0		
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	10		
	1000 feet or more	(0 points)			
	Ranking Score (Total Points)		30		
If this is a pit closure: (1) attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) In-	dicate disposal location: (ch	eck the onsite box if		
your are burying in place) onsite \(\square\) If offsite, name of facility (3) Attach a general description of remedial action taken including					
remediation start date and end date. (4) Groundwater encountered: No 🗵					
Attach soil sample results and a diagram of sample locations and excavation			ampie resums. (6)		
Additional Comments: PIT LOCATED APPROXIMATEL		VELL HEAD			
PIT EXCAVATION: WIDTH NA ft., LENGTH	BIA C	VELL HEAD.			
PIT REMEDIATION: CLOSE AS IS: ⊠, LANDFARM: □, O					
Cubic yards: NA	COM USI. E., STOCKI I.E. E., OTHER E.	(схріані)			
NO SAMPLING REQUIRED.					
NO SAMPLING REQUIRED.					
I hereby certify that the information above is true and complete to the best			or below-grade tank		
has been/will be constructed or closed according to NMOCD guideling	es 🗵, a general permit 🔲, or an alternative OC	D-approved plan ⊠.			
Date: 05/22/06					
Jeff Blagg – P.E. # 11607	Jeff C.	seg			
PrintedName/Title	Signature				
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.					
Deputy Oil & Gas Inspector,	1 011	CE) 1 A 2007		
Printed Name/Title S	ignature Ball ball	Date:	9 1 0 2007		
1 ************************************	Ignature U Lotto 1 1 TVVI	Date.			

	BLAGG ENGINEERING, INC.		LOCATION NO: CT/79		
CLIENT: XTO P.O. BO			COCR NO: NA		
	(505) 632-1199		COCR NO: /V/		
FIELD REPORT: PIT C	LOSURE VERIF	ICATION	PAGE No:/_ of/_		
LOCATION: NAME: OHIO GOUT	WELL#: 3 TYPI	compr.	DATE STARTED 5/19/06		
QUAD/UNIT: P SEC: (5 TWP: ZSN) R	NG: IIW PM: NM CNTY: 5	7 st: pm	DATE FINISHED 5/22/06		
QTR/FOOTAGE: 950 F66 x 990 FEL	SE/SE CONTRACTOR: HOI	(FERNANDO)	SPECIALIST NV QUS		
EXCAVATION APPROX <i>NA</i> _ FT.	x <u>NA</u> FT. x <u>N</u> A- F1	. DEEP. CUBIC	YARDAGE:		
DISPOSAL FACILITY:	DISPOSAL FACILITY:NA REMEDIATION METHOD: CLOSE AS (S				
LANDUSE: RANGE-BLM	LEASE: NM 020	9498 FOF	RMATION: PC		
	CATED APPROXIMATELY 13		E FROM WELLHEAD.		
DEPTH TO GROUNDWATER <50' NEAREST	WATER SOURCE: >/,000	NEAREST SURFAC	E WATER. < 1,000		
NMOCD RANKING SCORE ZO+ NMOCD TE	PH CLOSURE STD /00 P				
SOIL AND EXCAVATION DESCRIP	PTION:	OVM CALIB. READ			
		OVM CALIB. GAS =	ampm DATE: 5/18/06		
SOIL TYPE: (SAND) SILTY SAND / SILT / SILT	Y CLAY / CLAY / GRAVEL / OTH				
SOIL COLOR: ,'te fan COHESION (ALL OTHERS): (NON COHESIVE) SLIGHT	TIV COLLEGIVE / COLLEGIVE / DICKLY	COHECNIE	- 3/1/A		
CONSISTENCY (NON COHESIVE SOILS): LOOSE JFIR		CORESIVE	Son July		
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLA		/ HIGHLY PLASTIC	70 " Hor 1618		
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / MOISTURE:(DRY) SLIGHTLY MOIST / MOIST / WEL/ !			1 Ash /		
DISCOLORATION/STAINING OBSERVED: YES (NO E		ELESED.	\setminus		
HC ODOR DETECTED: YES / NO EXPLANATION -					
SAMPLE TYPE: GRAB COMPOSITE - # OF PTS	- 12 x12 x 7 Deep	wood lined	celler up Fiberglas		
Ank Sitting on Plastic my leak detection, Base visible.					
Use backflup to dig Mb AT KSAUPIE No evidence of Spille FIELD 418.1 CALCULATIONS					
SCALE SAMP. TIME SAMP. ID		1	TION READING CALC. (ppm)		
			(Par)		
0 FT					
PIT PERIMETER		Р	IT PROFILE		
was over	OVM READING		PRIVA		
RETAINING SOFT	SAMPLE FIELD HEADSPACE		TANK wasular Cellar		
12'	1D (ppm) 1@				
	2 @ 3 @				
T	4 @	A			
compR.	5@ C@10' 0.0	- IA i) [[[
(A) (TANK) 12' A'	0.0	d (B.)	<i> </i>		
WELL	LAB SAMPLES		Perstic lines		
LIFAD FIBERGLASS	SAMPLE ANALYSIS TIME		Pustic ("		
10' DIAM. T.B. ~ 7' B. 6.	Ceiu' 1531				
		\dashv			
P D = PIT DEPRESSION; B.G. = BELOW GRADE, B = BELOW T.H. = TEST HOLE, ~ = APPROX, T B = TANK BOTTOM					
TRAVEL NOTES: CALLOUT: 5/18/06 - AFTER. ONSITE: 5/19/06 - MORN. (SCHED.)					