

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: XTO ENERGY INC. Telephone: (505)-324-1090 e-mail address: _____		
Address: 2700 FARMINGTON AVE. BLDG. K. SUITE 1. FARMINGTON. NM 87401		
Facility or well name: PAN AM FEDERAL GC B #1E API #: 30-045- 24842 U/L or Qtr/Qtr G Sec 31 T 30N R 11W		
County: SAN JUAN Latitude 36.77132 Longitude 108.02864 NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> BLOW Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume _____ bbl Type of fluid: NA Construction material: NA Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) 0 (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) 0 (0 points)
Ranking Score (Total Points)		0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 200 FT. N70E FROM WELL HEAD.
PIT EXCAVATION: WIDTH NA ft., LENGTH NA ft., DEPTH NA ft. .
PIT REMEDIATION: CLOSE AS IS: <input type="checkbox"/>, LANDFARM: <input type="checkbox"/>, COMPOST: <input type="checkbox"/>, STOCKPILE: <input type="checkbox"/>, OTHER <input checked="" type="checkbox"/> (explain) Dilution / Aeration.
Cubic yards: NA
BEDROCK BOTTOM.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☐.

Date: **07/25/06**

Printed Name/Title

Jeff Blagg – P.E. # 11607

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.


Approval: **Deputy Oil & Gas Inspector,
District #3**

Printed Name/Title

Signature

Date:

SEP 10 2007



30045 24842

36.77132/108.02864

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO <u>CT184</u> COCR NO: <u>14639</u>
--------------------	---	---

FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>
LOCATION: NAME: <u>PAN AM. FED. GC B</u> WELL #: <u>1E</u> TYPE: <u>BLOW</u> QUAD/UNIT: <u>6</u> SEC: <u>31</u> TWP: <u>30N</u> RNG: <u>11W</u> PM: <u>NM</u> CNTY: <u>ST</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1710'N/1660'E</u> SW/NE CONTRACTOR: <u>HOI (FERNANDO)</u>		DATE STARTED <u>7/21/06</u> DATE FINISHED _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>		
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>		
LAND USE: <u>RANGE - BLM</u> LEASE: <u>5F 078144</u> FORMATION: <u>DK</u>		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>200</u> FT. <u>N70E</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>7100'</u> NEAREST WATER SOURCE: <u>71000'</u> NEAREST SURFACE WATER: <u>71000'</u> NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD. <u>5,000</u> PPM		
SOIL AND EXCAVATION DESCRIPTION: ELEV. - <u>5837'</u> SOIL TYPE <u>(SAND)</u> SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u> SOIL COLOR: <u>MED. GRAY TO BLACK</u> <u>BEDROCK - LT. GRAY</u> COHESION (ALL OTHERS): <u>(NON COHESIVE)</u> SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / <u>SLIGHTLY MOIST</u> / MOIST / WET / <u>(SATURATED)</u> SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>(YES)</u> / NO EXPLANATION - <u>ENTIRE TRENCH & BEDROCK SURFACE.</u> HC ODOR DETECTED: <u>(YES)</u> / NO EXPLANATION - <u>ENTIRE TRENCH ADVANCEMENT & OVM SAMPLE.</u> SAMPLE TYPE <u>(GRAB)</u> / COMPOSITE - # OF PTS <u>1</u> ADDITIONAL COMMENTS: <u>COLLECTED SAMPLE FROM BEDROCK SURFACE. BEDROCK - HARD TO VERY HARD, SLIGHTLY FRAGILE TO COMPETENT. INSTRUCTED OPERATOR TO DILUTE/AERATE IMPACTED SOIL W/IN PIT, LEAVE IN PLACE, & CAP (DONE) BACKFILL OVER PIT.</u>		
OVM CALIB READ. = <u>53.8</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>3:19</u> am/pm DATE: <u>7/20/06</u>		

SCALE

0 FT

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PERIMETER

PIT PROFILE

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 6'	905
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 6'	TPH (80158)	0945
"	STEX (80218)	"
"	CHLORIDE	"

TPH - FAILED

TO WELL HEAD

NOT APPLICABLE

TRAVEL NOTES:	CALLOUT: <u>7/20/06 - AFTER.</u>	ONSITE: <u>7/21/06 - MORN. (SCHED.)</u>
---------------	----------------------------------	---

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	07-25-06
Laboratory Number:	37948	Date Sampled:	07-21-06
Chain of Custody No:	14639	Date Received:	07-21-06
Sample Matrix:	Soil	Date Extracted:	07-24-06
Preservative:	Cool	Date Analyzed:	07-25-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,160	0.2
Diesel Range (C10 - C28)	7,400	0.1
Total Petroleum Hydrocarbons	8,560	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Pan American Federal GC B #1E Blow Pit Grab Sample


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 6	Date Reported:	07-25-06
Laboratory Number:	37948	Date Sampled:	07-21-06
Chain of Custody:	14639	Date Received:	07-21-06
Sample Matrix:	Soil	Date Analyzed:	07-25-06
Preservative:	Cool	Date Extracted:	07-24-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	767	1.8
Toluene	690	1.7
Ethylbenzene	2,690	1.5
p,m-Xylene	4,860	2.2
o-Xylene	1,880	1.0
Total BTEX	10,890	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Pan American Federal GC B #1E Blow Pit Grab Sample


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	07-25-06
Lab ID#:	37948	Date Sampled:	07-21-06
Sample Matrix:	Soil	Date Received:	07-21-06
Preservative:	Cool	Date Analyzed:	07-24-06
Condition:	Cool and Intact	Chain of Custody:	14639

Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

20.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Pan American Federal GC B #1E Blow Pit Grab Sample


Analyst


Review