

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <b>XTO ENERGY INC.</b>		Telephone: <b>(505)-324-1090</b>	e-mail address: _____
Address: <b>2700 FARMINGTON AVE. BLDG. K. SUITE 1. FARMINGTON. NM 87401</b>			
Facility or well name: <b>PIPKIN, P.O. #2E</b>		API #: <b>30-045- 25105</b>	U/L or Qtr/Qtr <b>E</b> Sec <b>8</b> T <b>27N</b> R <b>10W</b>
County: <b>SAN JUAN</b>		Latitude <b>36.59237</b>	Longitude <b>107.92471</b> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> <b>DEHYDRATOR</b> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl		<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: <b>N/A</b> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)		Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <b>0</b> ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		Yes No	(20 points) ( 0 points) <b>0</b>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)		Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) <b>0</b> ( 0 points)
		<b>Ranking Score (Total Points)</b>	<b>0</b>

**If this is a pit closure:** (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: <b>PIT LOCATED APPROXIMATELY 144 FT. N82E FROM WELL HEAD.</b>
<b>PIT EXCAVATION: WIDTH NA ft., LENGTH NA ft., DEPTH NA ft.</b>
<b>PIT REMEDIATION: CLOSE AS IS: <input checked="" type="checkbox"/>, LANDFARM: <input type="checkbox"/>, COMPOST: <input type="checkbox"/>, STOCKPILE: <input type="checkbox"/>, OTHER <input type="checkbox"/> (explain)</b>
<b>Cubic yards: <input type="checkbox"/> NA</b>

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

05/31/06

Date: \_\_\_\_\_

Jeff Blagg - P.E. # 11607

PrintedName/Title

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Deputy Oil & Gas Inspector,  
Printed Name/Title District #3

Signature

SEP 10 2007  
Date:

CLIENT: <u>XTO</u>	<b>BLAGG ENGINEERING, INC.</b> <b>P.O. BOX 87, BLOOMFIELD, NM 87413</b> <b>(505) 632-1199</b>	LOCATION NO: <u>CT180</u> COCR NO: <u>14651</u>
--------------------	---	--

## FIELD REPORT: PIT CLOSURE VERIFICATION

LOCATION: NAME: <u>P.O. PPKIN</u> WELL#: <u>ZE</u> TYPE: <u>DEHY</u> QUAD/UNIT: <u>E</u> SEC: <u>8</u> TWP: <u>27N</u> RNG: <u>10W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1680 FNL &amp; 810 FUL SW1/4 NW</u> CONTRACTOR: <u>KELCO</u>	PAGE No: <u>1</u> of <u>1</u> DATE STARTED: <u>5-23-06</u> DATE FINISHED: <u>5-23-06</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>
---	--

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: SF-077875 FORMATION: DK

**FIELD NOTES & REMARKS:** PIT LOCATED APPROXIMATELY 144 FT. N 82 E FROM WELLHEAD.  
 DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000  
 NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

**SOIL AND EXCAVATION DESCRIPTION:**

OVM CALIB. READ. = 520 ppm  
 OVM CALIB. GAS = 100 ppm RF = 0.52  
 TIME: 0630 am/pm DATE: 5/23

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER  
 SOIL COLOR: light tan  
 COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE  
 CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE  
 PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC  
 DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD  
 MOISTURE DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED  
 DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION - Glycol odor, minor staining  
 HC ODOR DETECTED: YES NO EXPLANATION - Moderate  
 SAMPLE TYPE: GRAB/COMPOSITE # OF PTS. -14  
 ADDITIONAL COMMENTS: 12'x12'x3'± Deep Unlined Pit. Use Backhoe to dig into Pit for Samples

CLOSED

FIELD 418.1 CALCULATIONS							
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

**SCALE**

0 1 FT

**PIT PERIMETER**

**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
COT	139
4-PLOT	185

**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
COT	T/B/CL	1015
4PLOT	"	1030

PASSED

**PIT PROFILE**

P.D = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW TH = TEST HOLE, ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: \_\_\_\_\_ ONSITE: 5/23/06

**EPA METHOD 8015 Modified**  
**Nonhalogenated Volatile Organics**  
**Total Petroleum Hydrocarbons**


Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	4-Pt @ 7'	Date Reported:	05-31-06
Laboratory Number:	37238	Date Sampled:	05-23-06
Chain of Custody No:	14651	Date Received:	05-24-06
Sample Matrix:	Soil	Date Extracted:	05-25-06
Preservative:	Cool	Date Analyzed:	05-31-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	11.3	0.2
Diesel Range (C10 - C28)	57.6	0.1
Total Petroleum Hydrocarbons	68.9	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: P. O. Pipkin 2E Dehy Pit.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	4-Pt @ 7'	Date Reported:	05-31-06
Laboratory Number:	37238	Date Sampled:	05-23-06
Chain of Custody:	14651	Date Received:	05-24-06
Sample Matrix:	Soil	Date Analyzed:	05-31-06
Preservative:	Cool	Date Extracted:	05-25-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	69.3	1.5
p,m-Xylene	901	2.2
o-Xylene	88.9	1.0
Total BTEX	1,060	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: P. O. Pipkin 2E Dehy Pit.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	4-Pt @ 7'	Date Reported:	05-31-06
Lab ID#:	37238	Date Sampled:	05-23-06
Sample Matrix:	Soil	Date Received:	05-24-06
Preservative:	Cool	Date Analyzed:	05-25-06
Condition:	Cool and Intact	Chain of Custody:	14651

Parameter


Concentration (mg/Kg)


Total Chloride

68.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: P. O. Pipkin 2E Dehy Pit.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	C @ 7'	Date Reported:	05-31-06
Laboratory Number:	37237	Date Sampled:	05-23-06
Chain of Custody No:	14651	Date Received:	05-24-06
Sample Matrix:	Soil	Date Extracted:	05-25-06
Preservative:	Cool	Date Analyzed:	05-31-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	1.2	0.1
Total Petroleum Hydrocarbons	1.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: P. O. Pipkin 2E Dehy Pit.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	C @ 7'	Date Reported:	05-31-06
Laboratory Number:	37237	Date Sampled:	05-23-06
Chain of Custody:	14651	Date Received:	05-24-06
Sample Matrix:	Soil	Date Analyzed:	05-31-06
Preservative:	Cool	Date Extracted:	05-25-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	4.2	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	15.0	2.2
o-Xylene	5.5	1.0
Total BTEX	24.7	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: P. O. Pipkin 2E Dehy Pit.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## Chloride

Client:	Blagg / XTO	Project #:	94034-010
Sample ID:	C @ 7'	Date Reported:	05-31-06
Lab ID#:	37237	Date Sampled:	05-23-06
Sample Matrix:	Soil	Date Received:	05-24-06
Preservative:	Cool	Date Analyzed:	05-25-06
Condition:	Cool and Intact	Chain of Custody:	14651

Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

46.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: P. O. Pipkin 2E Dehy Pit.

  
Analyst

  
Review