

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT(Other instructions on
reverse side)

Expires: February 28, 1995

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1 a TYPE OF WELL

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

5 LEASE DESIGNATION AND SERIAL NO

NM-96799

6 IF INDIAN, ALLOTTEE OR TRIBE NAME

7 UNIT AGREEMENT NAME

8 FARM OR LEASE NAME, WELL NO.

Cartwright Com #90

9 API Well No

30-045-33349 - 0051

10 FIELD AND POOL, OR WILDCAT

Basin Fruitland Coal

11 SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Unit A

Sec. 19, T23N, R10W

12 COUNTY OR PARISH

San Juan

13 STATE

NM

b TYPE OF COMPLETION

NEW ☒
Well ☒WORK ☐
OVER ☐DEEP- ☐
EN ☐PLUG ☐
BACK ☐DIFF ☐
CENTR ☐ RECEIVED
OTHER ☐

2 Name of Operator

Dugan Production Corp.

3 Address and Telephone No.

P.O. Box 420, Farmington, NM 87499 (505) 325-1821 Bureau of Land Management
Farmington Field Office

4 LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 900' FNL & 1105' FEL (NE/4 NE/4)

At top prod. interval reported below same

At total depth same

14. PERMIT NO.

DATE ISSUED

SEP 04 2007

15 DATE SPUDDED

2/3/2006

16 DATE T.D. REACHED

2/8/2006

17 DATE COMPL. (Ready to prod.)

8/27/2007

18 ELEVATIONS (DF, RKB, RT, GR, ETC)*

6451' GL

19 ELEV CASINGHEAD

20 TOTAL DEPTH, MD & TVD

900'

21. PLUG BACK T.D., MD & TVD

854'

22. IF MULTIPLE COMPL.,
HOW MANY*23 INTERVALS
DRILLED BY

TD

CABLE TOOLS

24 PRODUCING INTERVAL(S), OF THIS COMPLETION - TOP, BOTTOM, NAME (MD AND TVD)*

618'-683' (Fruitland Coal)

25 WAS DIRECTIONAL SURVEY MADE

no

26 TYPE ELECTRIC AND OTHER LOGS RUN

GR-CNL-CCL

27 WAS WELL CORED

no

28 CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8-5/8" J-55	24#	131'	12-1/4"	90 sx Class "B" neat w/2% CaCl2 w/1/4# celloflake/sx	
5-1/2" J-55	15.5#	896'	7"	45 sx Type 5 cement w/2% Lodense, 3# Gilsonite/sx & 1/4# celloflake/sx.	
				Tail w/50 sx Type 5 cement w/3# Gilsonite/sx & 1/4# celloflake/sx (159 cu ft)	

29 LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SBT (MD)
					2-3/8"	762'	N/A

30 TUBING RECORD

31 PERFORATION RECORD (Interval, size and number)

618'-650' & 675'-683' w/4 spf (total 160 holes)

32 ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC

DEPTH INTERVAL (MD)

618'-683'

AMOUNT AND KIND OF MATERIAL USED

RCUD SEP 14 '07
OIL CONS. DIV.
DIST. 3

33 * PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping - size and type of pump)					WELL STATUS (Producing or shut in)	
N/A		Pumping					Shut in	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL - BBL	GAS - MCF	WATER - BBL		GAS - OIL RATIO
			→					
FLOW TUBING PRESS	CASING PRESSURE	CALCULATED 24 - HOUR RATE	OIL - BBL	GAS - MCF	WATER - BBL		OIL GRAVITY - API (CORR)	
		→						

34 DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)


Vented - to be sold - a sundry notice of well test will be submitted in the future

TEST WITNESSED BY

35 LIST OF ATTACHMENTS

36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED



John Alexander

Vice-President

Date

8/29/2007

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

NMOC

B 9/4

ACCEPTED FOR RECORD

SEP 12 2007

FARMINGTON FIELD OFFICE
BY T. Salyers

15 20/10/03

37 SUMMARY OF POROUS ZONES (Show all important zones of porosity and contents thereof: cored intervals; and all drill-stem, tests, including depth interval tested on used, time tool open, flowing and shut-in pressures, and recoveries)

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC	NAME	TOP	
					MEAS DEPTH	TRUE VERT DEPTH
				Kirtland	surface	
				Fruitland	364'	
				Pictured Cliffs	690'	
				TOTAL DEPTH	900'	