District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🗵			
Operator:			
Address: P.O. Box 420, Farmington, New Mexico 87401	11/1 - O. 10: D. C	0117	
Facility or well name: Okie No. 1 API #: 30-045-22307			
County: San Juan Latitude 36.32459 Longitude 10	7.69816 NAD: 1927   1983   Surface Owner		
	D.L.	RCVD SEP 19 '07	
Pit	Below-grade tank	OIL CONS. DIV.	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	DIST. 3	
Workover	Construction material:		
Lined Unlined	Double-walled, with leak detection? Yes If not	t, explain why not.	
Liner type: Synthetic Thicknessmil Clay _			
Pit Volume 80 ± bbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 0	
	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0	
water source, or less than 1000 feet from an other water sources.)			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 0	
	1000 feet or more	( 0 points)	
	Ranking Score (Total Points)	0	
Catalan and Catala			
f this is a pit closure: (1) attach a diagram of the facility showing the pit's			
our are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility			
emediation start date and end date. (4) Groundwater encountered: No 🛛 Y	es If yes, show depth below ground surface	ft. and attach sample results. (5)	
ttach soil sample results and a diagram of sample locations and excavations	5.		
Additional Comments:			
15' x 15' x 2'± deep unlined separator pit, center located at approximately 51 Feet North 61° East of wellhead			
Use backhoe to dig into pit and sample. Submit 5-point composite sidewall/base sample for lab testing.			
The state of the s			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .			
Date: September 17, 2007			
Printed Name/Title			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Deputy Oil & Gas Inspector,			
District #3	District #3 SEP 2.1.2007		
Printed Name/Title	Signature //7 // // //	Date: OLI & 1 2001	

Form C-144 June 1, 2004



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Okie #1	Date Reported:	07-26-07
Laboratory Number:	42510	Date Sampled:	07-18-07
Chain of Custody No:	2017	Date Received:	07-20-07
Sample Matrix:	Soil	Date Extracted:	07-24-07
Preservative:	Cool	Date Analyzed:	07-26-07
Condition:	Cool & Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Pit Sampling

Sep - 5 Point @ 6'

Analyst C. Open

Christine m Waters Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Okie #1	Date Reported:	07-26-07
Laboratory Number:	42510	Date Sampled:	07-18-07
Chain of Custody:	2017	Date Received:	07-20-07
Sample Matrix:	Soil	Date Analyzed:	07-26-07
Preservative:	Cool	Date Extracted:	07-24-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	2.2	1.7	
Ethylbenzene	ND	1.5	
p,m-Xylene	ND	2.2	
o-Xylene	ND	1.0	
Total BTEX	2.2		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Pit Sampling

Sep - 5 Point @ 6'

Analyst Color

Review Walter