

submitted in lieu of Form 3160-5

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well  
GAS

2. Name of Operator  
**Burlington Resources**

3. Address & Phone No. of Operator  
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

Surf: Unit O (SWSE), 390' FSL & 1680' FEL, Section 24, T30N, R12W, NMPM  
BH: Unit O (SWSE), 1300' FSL & 2460' FEL, Section 24, T30N, R12W, NMPM

5. Lease Number  
NMSF-077482
6. If Indian, All. or  
Tribe Name
7. Unit Agreement Name
8. Well Name & Number  
Jaquez Jose 1S
9. API Well No.  
30-045-33602
10. Field and Pool  
Basin Fruitland Coal
11. County and State  
San Juan Co., NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

| Type of Submission                                   | Type of Action                           |                                                     |
|------------------------------------------------------|------------------------------------------|-----------------------------------------------------|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Abandonment     | <input checked="" type="checkbox"/> Change of Plans |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Plugging        | <input type="checkbox"/> Non-Routine Fracturing     |
| <input type="checkbox"/> Final Abandonment           | <input type="checkbox"/> Casing Repair   | <input type="checkbox"/> Water Shut off             |
|                                                      | <input type="checkbox"/> Altering Casing | <input type="checkbox"/> Conversion to Injection    |

☒ Other - Change to Directional Drill

13. Describe Proposed or Completed Operations

Want to change this well from a vertical drill to a directional drill well. Want to add the BH Unit O (SWSE), 1300' FSL & 2460' FEL, Section 24, T30N, R12W, NMPM.

Attached is a new plat C-102, directional drill plan and directional drill survey.

RCVD SEP 19 '07  
OIL CONS. DIV.  
DIST. 3

14. I hereby certify that the foregoing is true and correct.

Signed Rhonda Rogers Title Regulatory Technician Date 9/14/07

(This space for Federal or State Office use)

APPROVED BY Troy L. Salvors Title Petroleum Engineer Date 9/17/2007

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

HOLD 0404 FOR directional survey  
as drilled C-102 Form

NMOC

# RECEIVED

SEP 14 2007

DISTRICT I  
1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Bureau of Land Management Form C-102  
Energy, Minerals & Natural Resources Department Farmington Field Office Revised August 15, 2000

DISTRICT II  
811 South First, Artesia, N.M. 88210

Submit to Appropriate District Office  
State Lease - 4 Copies  
Fee Lease - 3 Copies

DISTRICT III  
1000 Rio Brazos Rd., Aztec, N.M. 87410

## OIL CONSERVATION DIVISION

2040 South Pacheco  
Santa Fe, NM 87505

DISTRICT IV  
2040 South Pacheco, Santa Fe, NM 87505

☐ AMENDED REPORT

### WELL LOCATION AND ACREAGE DEDICATION PLAT

|                         |  |                                                               |  |                                    |                     |
|-------------------------|--|---------------------------------------------------------------|--|------------------------------------|---------------------|
| *API Number<br>30-045   |  | *Pool Code<br>71629                                           |  | *Pool Name<br>Basin Fruitland Coal |                     |
| *Property Code<br>35520 |  | *Property Name<br>JAQUEZ JOSE                                 |  |                                    | *Well Number<br>1S  |
| *OGRID No.<br>14538     |  | *Operator Name<br>BURLINGTON RESOURCES OIL AND GAS COMPANY LP |  |                                    | *Elevation<br>5753' |

#### <sup>10</sup> Surface Location


| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County   |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|----------|
| 0             | 24      | 30-N     | 12-W  |         | 390'          | SOUTH            | 1680'         | EAST           | SAN JUAN |

#### <sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County   |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|----------|
| 0             | 24      | 30-N     | 12-W  |         | 1300'         | SOUTH            | 2460'         | EAST           | SAN JUAN |

| *Dedicated Acres | *Joint or Infill | *Consolidation Code | *Order No. |
|------------------|------------------|---------------------|------------|
| 320 S/2          |                  |                     |            |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### 17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief

*Rhonda Rogers*  
Signature  
Rhonda Rogers  
Printed Name  
Regulatory Technician  
Title  
9/14/07  
Date

#### 18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief

2-15-06  
Date of Survey  
*Calvin W. Russell*  
Signature  
Calvin W. Russell  
Printed Name  
15703  
Certificate Number

# PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

JOSE JAQUEZ 1S

DEVELOPMENT

|                             |  |                     |  |                    |                  |
|-----------------------------|--|---------------------|--|--------------------|------------------|
| Lease:                      |  | AFE #: WAN.CDR.7187 |  | AFE \$: 613,401.00 |                  |
| Field Name: hBR_SAN JUAN    |  | Rig: Aztec Rig 777  |  | State: NM          | County: SAN JUAN |
| Geologist:                  |  | Phone:              |  | Geophysicist:      |                  |
| Geoscientist: Clark, Dave D |  | Phone: 505-326-9762 |  | Prod. Engineer:    |                  |
| Res. Engineer:              |  | Phone:              |  | Proj. Field Lead:  |                  |
|                             |  |                     |  | Phone:             |                  |

## Primary Objective (Zones):

| Zone | Zone Name                  |
|------|----------------------------|
| JCV  | BASIN FRUITLAND COAL (GAS) |

|                          |                        |                           |      |                 |             |
|--------------------------|------------------------|---------------------------|------|-----------------|-------------|
| <b>Location:</b> Surface |                        | <b>Datum Code:</b> NAD 27 |      | <b>Deviated</b> |             |
| Latitude: 36.791687      | Longitude: -108.045953 | X:                        | Y:   | Section: 24     | Range: 012W |
| Footage X: 1680 FEL      | Footage Y: 390 FSL     | Elevation: 5765           | (FT) | Township: 030N  |             |
| Tolerance:               |                        |                           |      |                 |             |

|                              |                        |                           |      |                 |             |
|------------------------------|------------------------|---------------------------|------|-----------------|-------------|
| <b>Location:</b> Bottom Hole |                        | <b>Datum Code:</b> NAD 27 |      | <b>Deviated</b> |             |
| Latitude: 36.794187          | Longitude: -108.048596 | X:                        | Y:   | Section: 24     | Range: 012W |
| Footage X: 2460 FEL          | Footage Y: 1300 FSL    | Elevation:                | (FT) | Township: 030N  |             |
| Tolerance:                   |                        |                           |      |                 |             |

|                                             |                             |                  |                    |
|---------------------------------------------|-----------------------------|------------------|--------------------|
| Location Type: Year Round                   | Start Date (Est.): 1/1/2008 | Completion Date: | Date In Operation: |
| Formation Data: Assume KB = 5765 Units = FT |                             |                  |                    |

| Formation Call & Casing Points | Depth (TVD in Ft) | SS (Ft) | Depletion (Yes/No)       | BHP (PSIG) | BHT | Remarks                                                                                    |
|--------------------------------|-------------------|---------|--------------------------|------------|-----|--------------------------------------------------------------------------------------------|
| Surface Casing                 | 200               | 5565    | <input type="checkbox"/> |            |     | 8-3/4 hole. 7" 20 ppf, J-55, STC casing. Circulate cement to surface. Cement with 60 cuft. |
| OJO ALAMO                      | 567               | 5198    | <input type="checkbox"/> |            |     | Possible water flows.                                                                      |
| KIRTLAND                       | 685               | 5080    | <input type="checkbox"/> |            |     |                                                                                            |
| FRUITLAND                      | 1770              | 3995    | <input type="checkbox"/> |            |     | Gas                                                                                        |
| PICTURED CLIFFS                | 2020              | 3745    | <input type="checkbox"/> |            |     |                                                                                            |
| Total Depth                    | 2220              | 3545    | <input type="checkbox"/> | 325        |     | 6-1/4" hole. 4 1/2" 11.6 ppf, J-55 LTC. Circulate cement to surface. Cement with 380 cuft. |

| Reference Wells: |                |              |
|------------------|----------------|--------------|
| Reference Type   | Well Name      | Comments     |
| Production       | Jose Jaquez 1  | SW24-30N-12W |
| Production       | Blancett FC 2A | NW24-30N-12W |

|                         |                                           |                                 |                                       |
|-------------------------|-------------------------------------------|---------------------------------|---------------------------------------|
| <b>Logging Program:</b> |                                           |                                 |                                       |
| Intermediate Logs:      | <input type="checkbox"/> Log only if show | <input type="checkbox"/> GR/ILD | <input type="checkbox"/> Triple Combo |

|                   |                                       |                                   |                              |                                |                              |                              |                                           |
|-------------------|---------------------------------------|-----------------------------------|------------------------------|--------------------------------|------------------------------|------------------------------|-------------------------------------------|
| TD Logs:          | <input type="checkbox"/> Triple Combo | <input type="checkbox"/> Dipmeter | <input type="checkbox"/> RFT | <input type="checkbox"/> Sonic | <input type="checkbox"/> VSP | <input type="checkbox"/> TDT | <input checked="" type="checkbox"/> Other |
| Cased Hole GR/CBL |                                       |                                   |                              |                                |                              |                              |                                           |

| Additional Information: |       |           |         |                |         |
|-------------------------|-------|-----------|---------|----------------|---------|
| Log Type                | Stage | From (Ft) | To (Ft) | Tool Type/Name | Remarks |

Comments: Location/Tops/Logging - 30N12W24SE FTC 160 AC SHL at 390' FSL & 1680 FEL with BHL at 1300' FSL & 2460' FEL.

**PROJECT PROPOSAL - New Drill / Sidetrack****JOSE JAQUEZ 1S****DEVELOPMENT**

---

Zones - 30N12W24SE FTC 160 AC

General/Work Description - Ashworth; location moved and on-sited-3/9/06 BACK IN PROGRESS - SURFACE RESOLVED AND APD APPROVED-3/14/06 RECV'D NEW AOR NEED TO RE-PKG-3/14/06 re-pkg'd;3/22/06 XTO will not approve NSL DEFERRED.  
5/4/07 - project in progress - APD is approved and we have SOA, is economic as DD, we need DD plan & file sundry. wfp (is economic as directional)

# **ConocoPhillips Lower 48**

**San Juan Basin**

**Monty's Site for directional MV/DK wells**

**Jose Jaquez #1S**

**Jose Jaquez #1S**

**Plan: Plan #1**

## **Standard Survey Report**

**06 August, 2007**

**ConocoPhillips or its affiliates**  
Survey Report

|           |                                          |                              |                                      |
|-----------|------------------------------------------|------------------------------|--------------------------------------|
| Company:  | ConocoPhillips Lower 48                  | Local Co-ordinate Reference: | Well Jose Jaquez #1S                 |
| Project:  | San Juan Basin                           | TVD Reference:               | WELL @ 5768.0ft (Original Well Elev) |
| Site:     | Monty's Site for directional MV/DK wells | MD Reference:                | WELL @ 5768.0ft (Original Well Elev) |
| Well:     | Jose Jaquez #1S                          | North Reference:             | True                                 |
| Wellbore: | Jose Jaquez #1S                          | Survey Calculation Method:   | Minimum Curvature                    |
| Design:   | Plan #1                                  | Database:                    | EDM Central Planning                 |

|             |                                      |               |                             |
|-------------|--------------------------------------|---------------|-----------------------------|
| Project:    | San Juan Basin, Mid-Continent Area   |               |                             |
| Map System: | US State Plane 1927 (Exact solution) | System Datum: | Mean Sea Level              |
| Geo Datum:  | NAD 1927 (NADCON CONUS)              |               |                             |
| Map Zone:   | New Mexico West 3003                 |               | Using geodetic scale factor |

|                       |        |                                          |    |                   |        |
|-----------------------|--------|------------------------------------------|----|-------------------|--------|
| Site                  |        | Monty's Site for directional MV/DK wells |    |                   |        |
| Site Position:        |        | Northing:                                | m  | Latitude:         |        |
| From:                 | None   | Easting:                                 | m  | Longitude:        |        |
| Position Uncertainty: | 0.0 ft | Slot Radius:                             | in | Grid Convergence: | 0.00 d |

|                      |                 |        |                     |        |                          |
|----------------------|-----------------|--------|---------------------|--------|--------------------------|
| Well                 | Jose Jaquez #1S |        |                     |        |                          |
| Well Position        | +N-S            | 0 0 ft | Northing:           | 0.00 m | Latitude:                |
|                      | +E-W            | 0 0 ft | Easting:            | 0.00 m | Longitude:               |
| Position Uncertainty |                 | 0 0 ft | Wellhead Elevation: | ft     | Ground Level: 5,753 0 ft |

|           |                 |             |                 |               |                     |
|-----------|-----------------|-------------|-----------------|---------------|---------------------|
| Wellbore: | Jose Jaquez #1S |             |                 |               |                     |
| Magnetics | Model Name      | Sample Date | Declination (d) | Dip Angle (d) | Field Strength (nT) |
|           | BGGM2006        | 8/6/2007    | -6.41           | -28.78        | 31,503              |

|                   |                          |              |               |                  |
|-------------------|--------------------------|--------------|---------------|------------------|
| Design:           | Plan #1                  |              |               |                  |
| Audit Notes:      |                          |              |               |                  |
| Version:          | Phase:                   | PROTOTYPE    | Tie On Depth: | 0.0              |
| Vertical Section: | Depth From (TVD)<br>(ft) | +N-S<br>(ft) | +E-W<br>(ft)  | Direction<br>(d) |
|                   | 0.0                      | 0.0          | 0.0           | 319.40           |

|                     |               |                           |           |                |
|---------------------|---------------|---------------------------|-----------|----------------|
| Survey Tool Program | Date 8/6/2007 |                           |           |                |
| From (ft)           | To (ft)       | Survey (Wellbore)         | Tool Name | Description    |
| 0.0                 | 350.0         | Plan #1 (Jose Jaquez #1S) | MWD       | MWD - Standard |

| Planned Survey            |                    |                |                           |               |               |                             |                             |                            |                           |  |
|---------------------------|--------------------|----------------|---------------------------|---------------|---------------|-----------------------------|-----------------------------|----------------------------|---------------------------|--|
| Measured<br>Depth<br>(ft) | Inclination<br>(d) | Azimuth<br>(d) | Vertical<br>Depth<br>(ft) | +N/-S<br>(ft) | +E/-W<br>(ft) | Vertical<br>Section<br>(ft) | Dogleg<br>Rate<br>(d/100ft) | Build<br>Rate<br>(d/100ft) | Turn<br>Rate<br>(d/100ft) |  |
| 0.0                       | 0.00               | 0.00           | 0.0                       | 0.0           | 0.0           | 0.0                         | 0.00                        | 0.00                       | 0.00                      |  |
| 100.0                     | 0.00               | 0.00           | 100.0                     | 0.0           | 0.0           | 0.0                         | 0.00                        | 0.00                       | 0.00                      |  |
| 200.0                     | 0.00               | 0.00           | 200.0                     | 0.0           | 0.0           | 0.0                         | 0.00                        | 0.00                       | 0.00                      |  |
| 300.0                     | 5.50               | 319.40         | 299.8                     | 3.6           | -3.1          | 4.8                         | 5.50                        | 5.50                       | 0.00                      |  |
| 400.0                     | 11.00              | 319.40         | 398.8                     | 14.5          | -12.5         | 19.1                        | 5.50                        | 5.50                       | 0.00                      |  |
| 500.0                     | 16.50              | 319.40         | 495.9                     | 32.6          | -27.9         | 42.9                        | 5.50                        | 5.50                       | 0.00                      |  |
| 575.0                     | 20.63              | 319.40         | 567.0                     | 50.7          | -43.5         | 66.8                        | 5.50                        | 5.50                       | 0.00                      |  |
| Ojo Alamo                 |                    |                |                           |               |               |                             |                             |                            |                           |  |
| 600.0                     | 22.00              | 319.40         | 590.2                     | 57.6          | -49.4         | 75.9                        | 5.50                        | 5.50                       | 0.00                      |  |
| 700.0                     | 27.50              | 319.40         | 681.0                     | 89.4          | -76.6         | 117.7                       | 5.50                        | 5.50                       | 0.00                      |  |
| 704.5                     | 27.75              | 319.40         | 685.0                     | 90.9          | -78.0         | 119.8                       | 5.50                        | 5.50                       | 0.00                      |  |
| Kirtland                  |                    |                |                           |               |               |                             |                             |                            |                           |  |

# ConocoPhillips or its affiliates

## Survey Report

|           |                                          |                              |                                      |
|-----------|------------------------------------------|------------------------------|--------------------------------------|
| Company:  | ConocoPhillips Lower 48                  | Local Co-ordinate Reference: | Well Jose Jaquez #1S                 |
| Project:  | San Juan Basin                           | TVD Reference:               | WELL @ 5768.0ft (Original Well Elev) |
| Site:     | Monty's Site for directional MV/DK wells | MD Reference:                | WELL @ 5768.0ft (Original Well Elev) |
| Well:     | Jose Jaquez #1S                          | North Reference:             | True                                 |
| Wellbore: | Jose Jaquez #1S                          | Survey Calculation Method:   | Minimum Curvature                    |
| Design:   | Plan #1                                  | Database:                    | EDM Central Planning                 |

| Planned Survey             |                 |             |                     |           |           |                       |                       |                      |                     |
|----------------------------|-----------------|-------------|---------------------|-----------|-----------|-----------------------|-----------------------|----------------------|---------------------|
| Measured Depth (ft)        | Inclination (d) | Azimuth (d) | Vertical Depth (ft) | +N-S (ft) | +E-W (ft) | Vertical Section (ft) | Dogleg Rate (d/100ft) | Build Rate (d/100ft) | Turn Rate (d/100ft) |
| 800.0                      | 33.00           | 319.40      | 767.4               | 127.6     | -109.4    | 168.1                 | 5.50                  | 5.50                 | 0.00                |
| 900.0                      | 38.50           | 319.40      | 848.5               | 171.9     | -147.4    | 226.5                 | 5.50                  | 5.50                 | 0.00                |
| 1,000.0                    | 44.00           | 319.40      | 923.7               | 222.0     | -190.3    | 292.4                 | 5.50                  | 5.50                 | 0.00                |
| 1,058.3                    | 47.21           | 319.40      | 964.4               | 253.6     | -217.4    | 334.0                 | 5.50                  | 5.50                 | 0.00                |
| 1,100.0                    | 47.21           | 319.40      | 992.8               | 276.8     | -237.3    | 364.6                 | 0.00                  | 0.00                 | 0.00                |
| 1,200.0                    | 47.21           | 319.40      | 1,060.7             | 332.6     | -285.1    | 438.0                 | 0.00                  | 0.00                 | 0.00                |
| 1,300.0                    | 47.21           | 319.40      | 1,128.6             | 388.3     | -332.8    | 511.4                 | 0.00                  | 0.00                 | 0.00                |
| 1,400.0                    | 47.21           | 319.40      | 1,196.6             | 444.0     | -380.6    | 584.8                 | 0.00                  | 0.00                 | 0.00                |
| 1,500.0                    | 47.21           | 319.40      | 1,264.5             | 499.7     | -428.3    | 658.1                 | 0.00                  | 0.00                 | 0.00                |
| 1,600.0                    | 47.21           | 319.40      | 1,332.4             | 555.4     | -476.1    | 731.5                 | 0.00                  | 0.00                 | 0.00                |
| 1,700.0                    | 47.21           | 319.40      | 1,400.4             | 611.1     | -523.8    | 804.9                 | 0.00                  | 0.00                 | 0.00                |
| 1,781.2                    | 47.21           | 319.40      | 1,455.6             | 656.4     | -562.6    | 864.5                 | 0.00                  | 0.00                 | 0.00                |
| 1,800.0                    | 46.17           | 319.40      | 1,468.4             | 666.8     | -571.5    | 878.2                 | 5.50                  | -5.50                | 0.00                |
| 1,900.0                    | 40.67           | 319.40      | 1,541.0             | 718.9     | -616.2    | 946.9                 | 5.50                  | -5.50                | 0.00                |
| 2,000.0                    | 35.17           | 319.40      | 1,619.9             | 765.6     | -656.2    | 1,008.3               | 5.50                  | -5.50                | 0.00                |
| 2,100.0                    | 29.67           | 319.40      | 1,704.3             | 806.3     | -691.1    | 1,061.9               | 5.50                  | -5.50                | 0.00                |
| 2,174.2                    | 25.59           | 319.40      | 1,770.0             | 832.4     | -713.5    | 1,096.3               | 5.50                  | -5.50                | 0.00                |
| Fruitland                  |                 |             |                     |           |           |                       |                       |                      |                     |
| 2,200.0                    | 24.17           | 319.40      | 1,793.4             | 840.6     | -720.5    | 1,107.2               | 5.50                  | -5.50                | 0.00                |
| 2,300.0                    | 18.67           | 319.40      | 1,886.5             | 868.4     | -744.3    | 1,143.7               | 5.50                  | -5.50                | 0.00                |
| 2,400.0                    | 13.17           | 319.40      | 1,982.6             | 889.2     | -762.2    | 1,171.1               | 5.50                  | -5.50                | 0.00                |
| 2,438.3                    | 11.07           | 319.40      | 2,020.0             | 895.3     | -767.4    | 1,179.2               | 5.50                  | -5.50                | 0.00                |
| Pict. Cliffs               |                 |             |                     |           |           |                       |                       |                      |                     |
| 2,500.0                    | 7.67            | 319.40      | 2,080.9             | 902.9     | -773.9    | 1,189.2               | 5.50                  | -5.50                | 0.00                |
| 2,600.0                    | 2.17            | 319.40      | 2,180.5             | 909.4     | -779.5    | 1,197.8               | 5.50                  | -5.50                | 0.00                |
| 2,639.5                    | 0.00            | 0.00        | 2,220.0             | 910.0     | -780.0    | 1,198.5               | 5.50                  | -5.50                | 0.00                |
| TD - Jose Jaquez #1S - PCP |                 |             |                     |           |           |                       |                       |                      |                     |

| Targets              |               |             |          |           |           |              |             |                   |                    |
|----------------------|---------------|-------------|----------|-----------|-----------|--------------|-------------|-------------------|--------------------|
| Target Name          | Dip Angle (d) | Dip Dir (d) | TVD (ft) | +N-S (ft) | +E-W (ft) | Northing (m) | Easting (m) | Latitude          | Longitude          |
| Jose Jaquez #1S - PC | 0.00          | 0.00        | 2,220.0  | 910.0     | -780.0    | 280.81       | -233.79     | 30° 59' 33.519" N | 109° 25' 53.055" W |
| - hit/miss target    |               |             |          |           |           |              |             |                   |                    |
| - Shape              |               |             |          |           |           |              |             |                   |                    |
| - Point              |               |             |          |           |           |              |             |                   |                    |

| Formations          |                     |              |           |         |                   |  |
|---------------------|---------------------|--------------|-----------|---------|-------------------|--|
| Measured Depth (ft) | Vertical Depth (ft) | Name         | Lithology | Dip (d) | Dip Direction (d) |  |
| 575.0               | 567.0               | Ojo Alamo    |           | 0.00    |                   |  |
| 704.5               | 685.0               | Kirtland     |           | 0.00    |                   |  |
| 2,174.2             | 1,770.0             | Fruitland    |           | 0.00    |                   |  |
| 2,438.3             | 2,020.0             | Pict. Cliffs |           | 0.00    |                   |  |
| 2,639.5             | 2,220.0             | TD           |           | 0.00    |                   |  |

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_