

260-30045-27135

3 - 30-045-09276

#2

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

9 30-045-20491

Operator MERIDIAN OIL CO. Location: Unit N Sec. 34 Twp. 30 Rng. 9

Name of Well/Wells or Pipeline Serviced RIDDLE A COM # 260, # 3, # 9

cps 54w

Elevation 5716' Completion Date 8/20/90 Total Depth 65 Land Type N/A

Casing Strings, Sizes, Types & Depths 47ft. 8" PVC Casing

If Casing Strings are cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water: Fresh, Clear  
Salty, Sulphur, Etc. 30 ft. to 40 ft.

Depths gas encountered: N/A

Ground bed depth with type & amount of coke breeze used:

65 ft. with 500 lbs Ashbury Petroleum Coke

Depths anodes placed: 60ft., 53 ft.

Depths vent pipes placed: 65 ft.

Vent pipe perforations: 20'

Remarks: qb #3 Well #2

RECEIVED

MAY 31 1991

OIL CON. DIV.  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

260- 30-045-27135

3 - 30-045-09276

**DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO**

9 - 30-045-20491

Operator MERIDIAN OIL CO. Location: Unit N Sec. 34 Twp. 30 Rng. 0

Name of Well/Wells or Pipeline Serviced RIDDLE A COM # 260, # 3, # 9

cps 54w

Elevation 5716' Completion Date 8/20/90 Total Depth 102 Land Type N/A

Casing Strings, Sizes, Types & Depths 50 ft. 8" PVC Casing

If Casing Strings are cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water: Fresh, Clear

Salty, Sulphur, Etc. 30 to 40 ft., 102 artesian

Depths gas encountered: 102 ft.

Ground bed depth with type & amount of coke breeze used: N/A 500 lbs

Depths anodes placed: 60', 53'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: Well # 1 Abandoned- cemented/ redrilled/ cemented - drilled with mud

gb #3

**RECEIVED**

MAY 31 1991

OIL CON. DIST.

DIST. 2

If any of the above data is unavailable, please indicate so. Copies of a logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Pee.

If Federal or Indian, add Lease Number.

260 - 30-045-27135

3 30-045-09276

#3

DATA SHEET FOR DEEP GROUND-BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

9 30-045-20491

Operator MERIDIAN OIL CO. Location: Unit N Sec. 34 Twp. 30 Rng. 9

Name of Well/Wells or Pipeline Serviced RIDDLE A COM # 260, #3, #9  
cps 54w

Elevation 5716' Completion Date 8/20/90 Total Depth 65ft. Land Type N/A

Casing Strings, Sizes, Types & Depths 47 ft. 8" PVC Casing

If Casing Strings are cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water: Fresh, Clear,  
Salty, Sulphur, Etc. 30 to 40 ft.

Depths gas encountered: N/A

Ground bed depth with type & amount of coke breeze used: 65 ft. with 500 lbs Ashbury Petroleum Coke

Depths anodes placed: 53 ft. 45 ft.

Depths vent pipes placed: 65 ft.

Vent pipe perforations: 20'

Remarks: gb #3 Well #3

RECEIVED  
MAY 31 1991  
OIL CON. DIV  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

260 - 30-045-27135  
3 30-045-09276

#4

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

9 30-045-20491

Operator MERIDIAN OIL CO.

Location: Unit N Sec. 34 Twp. 30 Rng. 9

Name of Well/Wells or Pipeline Serviced RIDDLE A COM # 260, #3, #9

CDS 54w

Elevation 5716 Completion Date 8/20/90 Total Depth 65 ft. Land Type N/A

Casing Strings, Sizes, Types & Depths 47 ft. 8" PVC Casing

If Casing Strings are cemented, show amounts & types used. N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts use

N/A

Depths & thickness of water zones with description of water: Fresh, Clear  
Salty, Sulphur, Etc. 30 to 40 ft.

Depths gas encountered: N/A

Ground bed depth with type & amount of coke breeze used:

65 ft. with 500 lbs Ashbury Petroleum Coke

Depths anodes placed: 58ft, 50 ft.

Depths vent pipes placed: 65 ft.

Vent pipe perforations: 20'

Remarks: qb #3 Well #4

RECEIVED  
MAY 31 1991

OIL CON. DIV.  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

260 30-045-27135  
3 30-045-09276

#57

**DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO**

9-30045-20491

Operator MERIDIAN OIL CO. Location: Unit N Sec. 34 Twp. 30 Rng. 9

Name of Well/Wells or Pipeline Serviced RIDDLE A COM # 260, # 3, # 9

cps 54w

Elevation 5716 Completion Date 8/20/90 Total Depth 65 Land Type N/A

Casing Strings, Sizes, Types & Depths 27 ft. 8" PVC Casing

If Casing Strings are cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water: Fresh, Clear

Salty, Sulphur, Etc. 30 to 40 ft.

Depths gas encountered: N/A

Ground bed depth with type & amount of coke breeze used:                     

65 ft. 500 lbs Ashbury Petroleum Coke

Depths anodes placed: 55 ft. & 48 ft.

Depths vent pipes placed: 65 ft.

Vent pipe perforations: 20'

Remarks: qb #3 Well #5 Well #6 CAVED AT 65' LOST 1 ANODE.

**D**  
MAY 31 1991  
OIL CON. DIV.  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of a logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.