10 - 30-039-07/31 176-30-039-20812

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO

Operator MERIDIAN OIL CO. L	ocation: Unit G Sec. 8 Twp 27 Rng 5
Name of Well/Wells or Pipeline Service	d SAN JUAN 27-5 # 70 & 176
·	cps 744w
Elevation 6617 Completion Date 10/2/90	Total Depth 360 Land Type N/A
Casing Strings, Sizes, Types & Depths_	20 ft. 8" PVC Casing
If Casing Strings are cemented, show a	mounts & types used N/A
If Cement or Bentonite Plugs have been	placed, show depths & amounts used
Depths & thickness of water zones with	description of water: Fresh, Clear,
Salty, Sulphur, Etc. Water at 100 ft. got	a water sample DEGETVE
Depths gas encountered: N/A	MAY 3 1 1991
Ground bed depth with type & amount of 355 ft. with 5500 lbs Ashbury Petroleum Co	
Depths anodes placed: 335, 305, 295, 285,	
Depths vent pipes placed: 360 ft.	
Vent pipe perforations: 260 ft. perfor	ated
Remarks: gb #3	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

70-30-039-07/31 176-30-039-20812

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDAIN OIL Location: Unit NE Sec. 8 Twp 27 Rng 5		
Name of Well/Wells or Pipeline Serviced SAN JUAN 27-5 UNIT #70, #176		
cps 744w		
Elevation 6617' Completion Date 10/8/76 Total Depth 350' Land Type* N/A		
Casing, Sizes, Types & Depths N/A		
If Casing is cemented, show amounts & types used N/A		
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A		
Depths & thickness of water zones with description of water when possible:		
Fresh, Clear, Salty, Sulphur, Etc. WET AT 60' DECEMBED		
Depths gas encountered: N/A OIL CON. DIV		
Type & amount of coke breeze used: 55 SACKS DIST. 3		
Depths anodes placed: 350', 335', 305', 295', 285', 275', 205'		
Depths vent pipes placed: N/A		
Vent pipe perforations: 255'		
Remarks: gb #2		

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

70-30-039-07131 176-30-039-20812

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: UnitNE Sec. 8 Twp 27 Rng 5	
Name of Well/Wells or Pipeline Servi	ced <u>SAN JUAN 27-5 UNIT #70, #176</u>	
	cps 744w	
Elevation 6617 Completion Date 4/13/66	Total Depth <u>320'</u> Land Type* N/A	
Casing, Sizes, Types & Depths N/A		
If Casing is cemented, show amounts	& types used <u>N/A</u>	
If Cement or Bentonite Plugs have be	en placed, show depths & amounts used	
Depths & thickness of water zones wi	th description of water when possible:	
Fresh, Clear, Salty, Sulphur, Etc	70'	
Denths are engountered.	DECENTE	
Depths gas encountered: N/A	1001	
Type & amount of coke breeze used:	5125 lbs. MAY 31 100.	
Depths anodes placed: 290', 284', 278'	, 272', 166', 160' OIL CON, DIST.	
Depths vent pipes placed: 290' OF 3/4" PLASTIC HOSE		
Vent pipe perforations: 290'		
Remarks: gb #1		

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.