

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐


Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Chevron Production Co.</u> Telephone: <u>(505) 334-7117</u> e-mail address: <u>MArcher@chevron.com</u>		
Address: <u>322 County Road 3100, Aztec, NM 87410</u>		
Facility or well name: <u>Rincon #49</u>	API #: <u>30-039-06834</u>	U/L or Qtr/Qtr <u>B</u> Sec <u>31</u> T <u>26N</u> R <u>6W</u>
County: <u>Rio Arriba</u>	Latitude <u>36.535635</u>	Longitude <u>-107.50553</u> NAD: 1927 <input checked="" type="checkbox"/> 1983 <input type="checkbox"/>
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u>2</u> Layers of <u>6mil plastic with thin fiberglass layer between</u> Clay <input type="checkbox"/> Pit Volume <u>8</u> bbl	Below-grade tank Volume: <u> </u> bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) 10
Ranking Score (Total Points)		10

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
Soil passed TPH standard of 1000 ppm using USEPA Method 418.1 and the 100ppm OVM standard inside the liner and 3 feet below lowest layer of liner.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

Date: 10-10-07

Printed Name/Title Mr. Michael W. Archer - HES Specialist

Signature Michael W. Archer

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:
DEPUTY OIL & GAS INSPECTOR, DIST. 3
Printed Name/Title Deputy Oil & Gas Inspector, Dist. 3 Signature [Signature]

Date: OCT 29 2007

CLIENT: <u>92270-170</u> <u>012</u>	ENVIROTECH INC. <small>ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615</small>	LOCATION NO: _____ C.O.C. NO: _____
--	---	--

FIELD REPORT: CLOSURE VERIFICATION	PAGE No: <u>1</u> of _____
---	----------------------------

LOCATION: NAME: <u>Rincon</u> WELL #: <u>49</u> PIT: _____	DATE STARTED <u>7-4-07</u> DATE FINISHED <u>09/24/07</u>
QUAD/UNIT: <u>B</u> SEC: <u>31</u> TWP: <u>27N</u> RNG: <u>6W</u> PM: <u>44PM</u> CNTY: <u>ST. ANTONIO</u>	ENVIRONMENTAL SPECIALIST: <u>dmj</u>
QTR/FOOTAGE: <u>719' FNL</u> <u>1652' FEL</u> CONTRACTOR: _____	

EXCAVATION APPROX _____ FT. x _____ FT. x _____ FT. DEEP. CUBIC YARDAGE: _____
DISPOSAL FACILITY: _____ REMEDIATION METHOD: _____
LAND USE: <u>RANGE</u> <u>API</u> LEASE: <u>30-039-06834</u> FORMATION: _____

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>76</u> FT. <u>375° 15'</u> FROM WELLHEAD.
DEPTH TO GROUNDWATER: <u>7100</u> NEAREST WATER SOURCE: <u>71000</u> NEAREST SURFACE WATER: <u>250ft</u>
NMDCD RANKING SCORE: <u>10</u> NMDCD TPH CLOSURE STD: <u>1000</u> PPM
SOIL AND EXCAVATION DESCRIPTION:

CHECK ONE:
<input checked="" type="checkbox"/> PIT ABANDONED
<input type="checkbox"/> STEEL TANK INSTALLED

12X6X2
WATER B/W LINERS

pit reset already with new tank and enclosure 9/24/07

09/24 200STD = 189 FIELD 418.1 CALCULATIONS


TIME	SAMPLE ID	LAB No	WEIGHT (g)	mL FREON	DILUTION	READING	CALC ppm
	<u>200 Standard</u>					<u>226</u>	
<u>12:49</u>	<u>Pit</u>	<u>1</u>	<u>5</u>	<u>20</u>	<u>4</u>	<u>8</u>	<u>32</u>
	<u>3' BLOW</u>	<u>2</u>	<u>5</u>	<u>20</u>	<u>4</u>	<u>7</u>	<u>28</u>

SCALE
0 FT

PIT PERIMETER


OVM
RESULTS

PIT PROFILE



SAMPLE ID	FIELD HEADSPACE PID (ppm)
<u>1</u>	<u>28.3</u>
<u>2</u>	<u>0.0</u>
<u>3</u>	
<u>4</u>	
<u>5</u>	

SAMPLE ID	ANALYSIS	TIME



TRAVEL NOTES.	CALLOUT: _____	ONSITE: _____
---------------	----------------	---------------

12:15 - 13:00

36.535635 - 107.50553

EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Client:	Chevron Production	Project #:	92270-170-042
Sample No.:	1	Date Reported:	9/28/2007
Sample ID:	Composite, Inside Lined Pit	Date Sampled:	9/4/2007
Sample Matrix:	Soil	Date Analyzed:	9/4/2007
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	32	5.0

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Rincon #49**


Instrument calibrated to 200 ppm standard. Zeroed before each sample



Analyst

David Young

Printed



Review

Nicole Hayworth

Printed

CONTINUOUS CALIBRATION
EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Cal. Date: 4-Sep-07

Parameter	Standard Concentration mg/L	Concentration Reading mg/L
TPH	100	226
	200	
	500	
	1000	

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Analyst

David Young

Printed

Review

Nicole Hayworth

Printed

Date

Date

EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Client:	Chevron Production	Project #:	92270-170-042
Sample No.:	2	Date Reported:	9/28/2007
Sample ID:	Discrete, 3' below Pit	Date Sampled:	9/24/2007
Sample Matrix:	Soil	Date Analyzed:	9/24/2007
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------


Total Petroleum Hydrocarbons	28	5.0
------------------------------	----	-----

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Rincon #49**


Instrument calibrated to 200 ppm standard. Zeroed before each sample



Analyst

David Young

Printed



Review

Nicole Hayworth


Printed

CONTINUOUS CALIBRATION
EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Cal. Date: 24-Sep-07

Parameter	Standard Concentration mg/L	Concentration Reading mg/L
TPH	100	189
	200	
	500	
	1000	


The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.



Analyst

David Young

Printed



Review

Nicole Hayworth

Printed

10-2-07

Date

10/02/07

Date