District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🛛 No 🗌 Type of action Registration of a pit or below-grade tank \(\Boxed{\Boxesia}\) Closure of a pit or below-grade tank \(\Boxed{\Boxesia}\) Operator: Chevron Production Co. Telephone: (505) 334-7117 e-mail address: MArcher@chevron.com Address: 322 County Road 3100, Aztec, NM 87410 Facility or well name: Rincon #24 API #. 30-039-06773 ______U/L or Qtr/Qtr <u>M</u> Sec <u>32</u> T <u>27 N</u> R <u>6W</u> County: Rio Arriba Latitude 36.525676 Longitude __-107.49643_____ NAD: 1927 🛛 1983 🔲 Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐ Pit Pit Below-grade tank Type: Drilling ☐ Production ☐ Disposal ☐ Volume: ___bbl Type of fluid: Construction material: Lined Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness 2 Layers of 6mil plastic with thin fiberglass layer between Clay Pit Volume _5_bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water) 100 feet or more 0 (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No 0 (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 10 10 Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite offsite, name of facility ____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛮 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Soil passed TPH standard of 1000 ppm using USEPA Method 418.1 and the 100ppm OVM standard inside the pit and 3 feet below lowest layer I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pto plelow grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit , or an (attached) alternative OCD-approved plan ... Date: 10-10-04 Printed Name/Title ____Mr Michael W. Archer - HES Specialist __ Signature _ Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations Date: OCT 2 9 2007 Approval:

Printed Name/Title Signature

Signature

			·					<u></u>
CLIENT: chevrn		ĽNV	IROTEC	1		LOC	ATION I	ND:
		5796	NTAL SCIENTIST US HIGHWAY	64-3014			0.0.0	VD:
92270-170-036		FARMIN	NGTON, NEW MI ONE (505) 632	EXICO 87401				
FIELD REPOR	T:	CLOSU	RE V	ERIFIC	CATION			of
LOCATION: NAME. Rinco	m_	WELL	#: 24	PIT:		DATE	STARTED	9-19-07
QUAD/UNIT: M SEC			60 PM	· NA CNT	Y: RA ST'N	m		09114107
QTR/FOOTAGE: 990'S 9	90'w	CONT	RACTOR:			SPECI	ONMENTAL ALIST	dnez
EXCAVATION APPROX FT. x FT. DEEP. CUBIC YARDAGE:								
DISPOSAL FACILITY:			I	REMEDIATI	ON METI	HOD:		
LAND USE:	 -	LEASI	E: <u>E-29</u>	0-28	F	'ORMATI	ON:	·
FIELD NOTES & REMAR	KS: P	IT LOCATED	APPROXI	MATELY _/	21' FT.	270	FRON	4 WELLHEAD.
DEPTH TO GROUNDWATER: 2/00	NEAR	EST WATER SI	OURCE: >/6	000	IEAREST SURF	ACE WATE	ERI40	νο ′
NMOCD RANKING SCORE: 10	NMOC	D TPH CLOSUR	E STD:	1000 PPM		<u>CH</u>	ECK D	VE :
SOIL AND EXCAVATIO	N DESC	CRIPTION			-		ABANDO	NED (INSTALLED
lined pix						<u> </u>		NSTALLED
Tag								
,								Ì
•	T11.45	CAMPLE		LD 418.1 CAI		DULITION	Toeanine	10410
CCALE	70:45	SAMPLE I.D	LAB No	WEIGHT (g)	JO.O	DILUTION /	22	CALC. ppm
SCALE	11:00	3'below	2	6.0	20.0	4	00	00
O FT								
PIT PERIME	CTER		OVM RESULT	S	Pľ	T PR	OFILI	+
		SAMPL		HEADSPACE (ppm)				
		1 cm 2 3'	p 2.	2				
		3 4						
		5						
						1	, 1	
MI - 270°								
LAB SAMPLES SAMPLE ANALYSIS TIME								
						4	ka sir.	
TRAVEL NOTES. CALLOUT:			0	NSITE.				

10:30-11:15

30-039-06773

36.625676 -107.49643



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Chevron Production

Project #:

92270-170-036

Sample No.:

- 1

Date Reported:

9/21/2007

Sample ID:

Composite, Inside Lined Pit

Date Sampled:

9/19/2007

Sample Matrix:

Soil

Date Analyzed:

9/19/2007

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

88

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Rincon #24

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Analyst

Review

David M. Young

Printed

Nicole Hayworth

Printed



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Chevron Production

Project #:

92270-170-036

Sample No.:

2

Date Reported:

9/21/2007

Sample ID:

Discrete, 3' below Pit

Date Sampled:

9/19/2007

Sample Matrix:

Soil

Date Analyzed:

9/19/2007

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

ND

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Rincon # 24

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Analyst

Review

David M. Young

Printed

Nicole Hayworth

Printed



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

		_		
Cal		ിവ	tο	•
Vai	. 1	Ja	ווכ	

19-Sep-07

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
ТРН	100		
	200	203	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Analyst

//

David M. Young

Printed

Review

09/21/07

Nicole Hayworth

Printed