District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

## Pit or Below-Grade Tank Registration or Closure


Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Type of action: Registration of a pit or below-grade tank \( \subseteq \) Closure of a pit or below-grade tank \( \subseteq \)

Operator: Williams Production Co., LLC Telephone:	505-634-4219 e-mail address: myke	a.lane@williams.com
Address: POB 640, Aztec, NM 87410		
Facility or well name:Rosa 160AAPI #:30-039-	<b>25</b> 818 U/L or Qtr/Qtr N Sec <b>25</b>	T <b>31N</b> R <b>06W</b>
County:Rio Arriba Latitude36	· ·	NAD: 1927 ☐ 1983 🏻
Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐		RCVD OCT 29 '07
<u>Pit</u>	Below-grade tank	OIL COMS. DIV.
Type: Drilling ☐ Production ☒ Disposal ☐	Volume: _120_bbl Type of fluid:Produced	Water
Workover ☐ Emergency ☐	Construction material:Fiberglass with Plas	etic Liner
Lined Unlined U	Double-walled, with leak detection? Yes 🛛 If not,	, explain why not.
Liner type: Synthetic Thicknessmil Clay		
Pit Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
mgi water elevation of ground water.)	✓ 100 feet or more	✓ ( 0 points)
Wellhood quotostica case. (Less then 200 feet feet a minute demostic	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	✓ No	✓ ( 0 points)
water source, or less than 1000 feet from all other water sources.)	T 1 200 C	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	✓ 200 ft or more, but less than 1000 feet	✓ (10 points)
	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	10
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if
your are burying in place) onsite \( \square\) offsite \( \square\) If offsite, name of facility_	(3) Attach a general de	escription of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 🛛	Yes I If yes, show depth below ground surface	ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excava		
Additional Comments:		
Replace Fiberglass BGT with SGT steel tank. Composite soil s	sample collected following removal of tank and	d liner 05/01/07.
See attached site diagram and soil sample results.		
Therefore agrif that the information 1	of multiple and ballion T.C. (1)	
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that the $\boxtimes$ , a general permit $\bowtie$ , or an (attached) alternat	ie above-described pit or below-grade tank live OCD-approved plan .
Date: 10/29/07		
Printed Name/TitleMichael K. Lane/EH&S Specialist S	ignature	00
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.		
Approval: Deputy Oil & Gas Inspector Printed Name/Title District #3	or, Signature Bol Fell	NOV 2 8 2007

11/4/2002

Williams Production Company Rosa 160A 25 31N 6W Rio Arriba County N.M.





## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Williams Production	Project #:	04108-003-2576
Sample ID:	Former BGT	Date Reported:	05-03-07
Laboratory Number:	41328	Date Sampled:	05-01-07
Chain of Custody:	2576	Date Received:	05-02-07
Sample Matrix:	Soil	Date Analyzed:	05-03-07
Preservative:	Cool	Date Extracted:	05-02-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	ND	1.7	
Ethylbenzene	ND	1.5	
p,m-Xylene	ND	2.2	
o-Xylene	ND	1.0	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Rosa 160A - BGT

Analyst C. Open

Christian Walters
Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A		Project #:		N/A
Sample ID:	05-03-BTEX QA/QC	;	Date Reported:		05-03-07
Laboratory Number:	41328		Date Sampled:		N/A
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	N/A		Date Analyzed:		05-03-07
Condition:	N/A		Analysis:		BTEX
Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF: Accept. Ran	%Diff. ge 0 - 15%	Blank Conc	Detect. Limit
Benzene	1.1123E+007	1.1146E+007	0.2%	ND	0.2
Toluene	1.8484E+007	1.8521E+007	0.2%	ND	0.2
Ethylbenzene	1.8472E+007	1.8509E+007	0.2%	ND	0.2
p,m-Xylene	4.5769E+007	4.5861E+007	0.2%	ND	0.2
o-Xylene	2.0865E+007	2 0906E+007	0.2%	ND	0.1
Duplicate Conc. (ug/Kg)  Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	Sample ND ND ND ND ND ND ND	Duplicate ND ND ND ND ND ND	%Diff. 0.0% 0.0% 0.0% 0.0% 0.0%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Spike Conc. (ug/Kg)  Benzene Toluene	ND ND	50.0 50.0	Spiked Sample 49.9 50.0	99.8% 100.0%	Accept Range 39 - 150 46 - 148
Ethylbenzene	ND	50.0	49.9	99.8%	32 - 160
p,m-Xylene	ND	100	99.9	99.9%	46 - 148
o-Xylene	ND	50.0	50.0	100.0%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

 $\label{lem:method-solution} \mbox{Method-8021B, Aromatic and Halogenated Volatiles by $Gas$\ Chromatography Using}$ 

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 41328 - 41330, 41332 - 41335

Analyst



# EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Williams Production	Project #:	04108-003-2576
Sample ID:	Former BGT	Date Reported:	05-03-07
Laboratory Number:	41328	Date Sampled:	05-01-07
Chain of Custody No:	2576	Date Received:	05-02-07
Sample Matrix:	Soil	Date Extracted:	05-02-07
Preservative:	Cool	Date Analyzed:	05-03-07
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Rosa 160A - BGT

Analyst

Review Wasters



### EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

### **Quality Assurance Report**

Musteren Water

Client:	QA/QC		Project #:		N/A				
Sample ID:	05-03-07 QA/Q	С	Date Reported:		05-03-07				
Laboratory Number:	41328		Date Sampled:		N/A				
Sample Matrix:	Methylene Chlori	de	Date Received:		N/A				
Preservative:	N/A		Date Analyzed:		05-03-07				
Condition:	N/A		Analysis Reque		TPH				
	I-Cal Date	l≟Cal RF:	C-Cal RF:	% Difference	Accept Range				
Gasoline Range C5 - C10	07-11-05	9.9870E+002	9.9970E+002	0.10%	0 - 15%				
Diesel Range C10 - C28	07-11-05	1.0015E+003	1.0036E+003	0.20%	0 - 15%				
•									
Blank Conc. (mg/L - mg/Kg)		Concentration		Detection Limit					
Gasoline Range C5 - C10	Kalanda S., madadhidhan deer to S	ND	***************************************	0.2	•				
Diesel Range C10 - C28		ND		0.1					
Total Petroleum Hydrocarbons		ND		0.2					
•									
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range	**				
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%	**				
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%					
· -									
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range				
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%				
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%				
<b>0</b> - 377									

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 41328 - 41330, 41332 - 41336

Δnalvet

# CHAIN OF CUSTODY RECORD 2576

Client / Project Name Project Location		ANALYSIS / PARAMETERS																	
MILLIAMS P	22002	Chor	Rash	ROSA 160A - BGT			ANALI GIG /						ANAIVIETENS .						
Sampler:	رعالات	,,,,,	Client No.	1001	43-45		"								Re	marks			
STERNA GILF			04100 -	~ a a c	:ae		No. of Containers	, -	7	ĭ									
Sample No./	Sample	Sample	04108-	205-22	Sample		No. of ontaine	BITEX	产	45108 45108									
Identification	Date	Time	Lab Number		Matrix		ŏ	10 Q	<b>3</b>  }-	8					,				
	5/1						,			-									
FORMER BLAT	1	12115	41328		ماد				-			_							
																	*		
														8)					
									-										
Relinquished by: 131gratus	re)	· _		Date	Time		ed by:		ture)	_ ,	4	1			9	ate -/07	T	ime	Э
and the				9/2/07	9:07A	(IX	lu	uli	- 7	Va	U				3/2	107	090	27	7_
Relinquished by: (Signatur	re)					Receiv	ved by:	(Signa	ture)	·									
			÷														-		
Relinquished by: (Signatu	re)					Receiv	ed by:	(Signa	ture)										
			=						<del></del> -				<del></del>						
				FOV	'IRO	rf <i>(</i>	$\mathcal{H}$		C					S	Sample Re	eceipt			
					. *				(J. 15)							Υ	N	N	N/A
					5796 U.S	. Hiah	ıwav	64						D	1-4			+	
					ington, N				)1					Received	intact	V		+	
					(505)								C	ool - Ice/E	Blue Ice	/			