District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No
of action Registration of a pit or below-grade tank Closure of a pit or below-grade tank X

	receive grade tank - Closure of a pit of below-gre	
Operator XTO Energy Inc. Telephon	e <u>505-333-3100</u> e-mail address <u>kir</u>	m_champlin@xtoenergy com
Address #382 County Road 3100, Aztec, NM 87410		
Facility or well nameGallegos #13EAPI #	30-045-34008 U/L or Qtr/Qtr	Sec 35L T 26N R 11W
County San Juan Latitude	36.802222 Longitude 107.8	67500 NAD: 1927 🔲 1983 🔀
Surface Owner. Federal X State Private Indian ROVD OCT 25 '07		
Pit	Below-grade tank	OIL CONS. DIV.
Type Drilling X Production Disposal	Volumebbl Type of fluid	DIST. 3
Workover ☐ Emergency ☐	Construction material	
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not	
Liner type Synthetic Thickness 12 mil Clay		
Pit Volumebbi		
Doubleton de la constant de la const	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water)	100 feet or more	(0 points) 0 Points
1	Yes	(20 points)
Wellhead protection area (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources)		0 Points
Distance to surface water (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
inigation canals, diches, and perennial and epitemetal watercoarses.)	1000 feet or more	0 points 0 Points
	Ranking Score (Total Points)	0 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if		
your are burying in place) onsite \(\mathbb{Z}\) offsite \(\mathbb{I}\) of \(\mathbb{I}		
remediation start date and end date (4) Groundwater encountered. No 🖾 Yes 🗌 If yes, show depth below ground surface ft and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations		
Additional Comments The drilling reserve pit associtated with the subject well was closed per NMOCD and BLM guidelines and in accordance with XTO's		
drilling pit closure plan.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines \(\sqrt{\pi}\), a general permit \(\sqrt{\pi}\), or an (attached) alternative OCD-approved plan \(\sqrt{\pi}\).		
- 10/03/0007		
Date 10/23/2007 Printed Name/Title Kim Champlin/Environmental Assistant Signature Kim Champlin		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or		
regulations		
Danutu Oil 9 O- 1		
Approval Deputy Oil & Gas Inspector,		
Approval Deputy Off & Gas Inspector, Printed Name/Title District #3 Signature S Date NOV 2 8 2007		

XTO ENERGY INC. GALLEGOS No. 13E, 1890 FSL 1020 FWL SECTION 35, T26N, R11W, N.M.P.M., SAN JUAN COUNTY, N. M. **GROUND ELEVATION: 6269'** DATE: MARCH 13, 2006

NAD 83 LAT. = 36.44248° N LONG. = 107.97903° W NAD 27 LAT. = 36'26'32.9" N LONG. = 107'58'42.3" W


Jaggett Enterprises,

ᅙ


• Farmington, NI 1772 • Fax (505) 3

Box 1

ö



RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE). BLOW PIT: OVERFLOW PIPE HALFWAY BETWEEN TOP AND BOTTOM AND TO EXTEND OVER PLASTIC LINER AND INTO BLOW PIT.



NOTE: CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.