

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires July 31, 1996

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. ☐ Oil Well ☒ Gas Well ☐ Other
2. Name of Operator
Elm Ridge Exploration Co., LLC
3a. Address
PO Box 156 Bloomfield, NM 87413
3b. Phone No. (include area code)
(505) 632-3476 ext. 201
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NOV 28 2007

Bureau of Land Management
Farmington Field Office

5. Lease Serial No.
Jicarilla Contract 398
6. If Indian, Allottee or Tribe Name
Jicarilla Apache Tribe
7. If Unit or CA/Agreement, Name and/or N
8. Well Name and No.
Jicarilla 398 B #2
9. API Well No.
30-039-23967
10. Field and Pool, or Exploratory Area
Ballard Pictured Cliffs
11. County or Parish, State
Rio Arriba, NM

750 FSL X 790 FWL
"M" - Sec. 15-T23N-R4W

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans <input checked="" type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once Testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Elm Ridge Exploration has plugged and abandoned this well as of November 20, 2007 as follows.
Plug # 1) Set balance plug from 2812' to 2267'. Pumped 20 sks of cement.
Plug #2) Tubing parted. We filled hole with 100 sks of cement down 2 7/8" casing to surface.
Plugs witnessed by Bryce Hammond with the BLM.

RCVD DEC 4 '07
OIL CONS. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)	Title
Amy Mackey	Administrative Manager
Signature	Date
<i>Amy Mackey</i>	November 26, 2007

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED FOR RECORD

DEC 03 2007

FARMINGTON FIELD OFFICE

NMOCD

CEMENT JOB SUMMARY SHEET

Job Type

PLUG TO ABANDON

				<i>Measure</i>	
Casing	Size	Weight	Grade	d Depth	Total Casing
Surface	5 1/2"	14#		93'	93'
Intermediate					
Production	2 7/8"	6.5#		2894'	2894'
Tubing					2815"
Drill Pipe	1.66"	2.4#		2815"	
Open Hole	4 3/4"			2900'	

CEMENT DATA

Spacer	0 Bbls H2O				
Cement 1	TYPE V				20 Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Cement 2	TYPE V				100 Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Cement 3	TYPE V				Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Cement 4	TYPE V				Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Cement 5	TYPE V				Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Cement 6	TYPE V				Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Cement 7	TYPE V				Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Cement 8	TYPE V				Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Cement 9	TYPE V				Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Cement 10	TYPE V				Sacks
Additives	NEAT				
	Weight (lb/gal)	15.60	Yield (cuft/sk)	1.18	Water (gal/sk) 5.20
Displacement	H2O		8.33 (lb/gal)		

CEMENTING EQUIPMENT

Provider			
Guide Shoe	ea.	Centralizers	ea.
Float Shoe	ea.	Plug Type	ea.
Float Collar	ea.	Packer	ft.
DV Tool	ft.	Retainer	ft.

[illegible]

Terms: Net 30 days. Finance charge 1.5% per month on past due accounts. Applicable taxes will be added on invoice.