

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
811 South First, Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Artec, N.M. 87410

DISTRICT IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 15, 2000

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, NM 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

DIST 3
RCVD DEC 11 2007

¹ API Number 30-039-29853	² Pool Code 72319/71599	³ Pool Name Blanco Mesaverde / basin Dakota OIL CONS. DIV.
⁴ Property Code 7460	⁵ Property Name SAN JUAN 28-5 UNIT	⁶ Well Number 31M
⁷ GRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL AND GAS COMPANY LP	⁹ Elevation 7305'


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	12	28-N	5-W		765'	SOUTH	2335'	EAST	RIO ARriba

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	12	28-N	5-W		1176'	SOUTH	1050'	EAST	RIO ARriba
¹² Dedicated Acres			¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Tamra Sessions 12/03/2007
Signature Date

Tamra Sessions
Printed Name
Regulatory Technician

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

2/2/06
Date of Survey

Signature and Seal of Professional Surveyor:

Bo Russell 15703
Certificate Number

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
811 South First, Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Artesia, N.M. 87410

DISTRICT IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 15, 2000

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, NM 87505

☐ AMENDED REPORT

AS DRILLED PLAT

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30-039-29853		*Pool Code 72319/71599		*Pool Name Blanco Mesaverde / basin Dakota	
*Property Code 7460		*Property Name SAN JUAN 28-5 UNIT			*Well Number 31M
*GRID No. 14538		*Operator Name BURLINGTON RESOURCES OIL AND GAS COMPANY LP			*Elevation 7305'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	12	28-N	5-W		765'	SOUTH	2335'	EAST	RIO ARRIBA


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	12	28-N	5-W		1176'	SOUTH	1050'	EAST	RIO ARRIBA

*Dedicated Acres		*Joint or Infill		*Consolidation Code		*Order No. RCVD DEC 5 '07 OIL CONS. DIV.	
------------------	--	------------------	--	---------------------	--	--	--

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

DIST. 3



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Tamra Sessions
Signature
Tamra Sessions
Printed Name
Regulatory Technician
Title
12/3/2007
Date

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey 12/3/06

Signature and Seal of Professional Surveyor

Calvin A. Russell
Certificate Number 15703

ConocoPhillips

COP Deviation Report
SAN JUAN 28-5 UNIT #31B

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
8/24/2007	5,021.00	15.54	MWD	Scientific Drilling
8/24/2007	5,082.00	14.75	MWD	Scientific Drilling
8/24/2007	5,146.00	13.70	MWD	Scientific Drilling
8/24/2007	5,209.00	12.40	MWD	Scientific Drilling
8/24/2007	5,272.00	11.33	MWD	Scientific Drilling
8/24/2007	5,334.00	9.66	MWD	Scientific Drilling
8/25/2007	5,397.00	7.81	MWD	Scientific Drilling
8/25/2007	5,461.00	5.98	MWD	Scientific Drilling
8/25/2007	5,524.00	5.17	MWD	Scientific Drilling
8/25/2007	5,585.00	3.91	MWD	Scientific Drilling
8/25/2007	5,618.00	3.73	MWD	Scientific Drilling
8/25/2007	5,680.00	2.80	MWD	Scientific Drilling
10/2/2007	8,971.00	1.00	FINAL BHS	PHOENIX

MD
TVL 6758

RCVD DEC 5 '07
OIL CONS. DIV.

DIST. 3

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

SLD K

Subscribed and sworn to me this 12-3-07

Charles S. Bogus

Notary Public in and for San Juan County, New Mexico

My Commission expires January 10, 2011

COP Deviation Report

SAN JUAN 28-5 UNIT #31B

Survey Data

Date	MD (ftKB)	Incl (")	Method	Survey Company
8/22/2007	2,570.00	19.92	MWD	Scientific Drilling
8/22/2007	2,631.00	20.03	MWD	Scientific Drilling
8/22/2007	2,695.00	20.85	MWD	Scientific Drilling
8/22/2007	2,756.00	21.17	MWD	Scientific Drilling
8/22/2007	2,819.00	21.65	MWD	Scientific Drilling
8/22/2007	2,883.00	21.35	MWD	Scientific Drilling
8/22/2007	2,945.00	21.60	MWD	Scientific Drilling
8/22/2007	3,006.00	21.00	MWD	Scientific Drilling
8/22/2007	3,070.00	21.08	MWD	Scientific Drilling
8/22/2007	3,134.00	20.70	MWD	Scientific Drilling
8/22/2007	3,197.00	20.32	MWD	Scientific Drilling
8/22/2007	3,259.00	20.24	MWD	Scientific Drilling
8/22/2007	3,323.00	19.65	MWD	Scientific Drilling
8/22/2007	3,387.00	19.29	MWD	Scientific Drilling
8/22/2007	3,449.00	19.13	MWD	Scientific Drilling
8/23/2007	3,512.00	19.74	MWD	Scientific Drilling
8/23/2007	3,574.00	19.59	MWD	Scientific Drilling
8/23/2007	3,636.00	20.22	MWD	Scientific Drilling
8/23/2007	3,699.00	20.82	MWD	Scientific Drilling
8/23/2007	3,762.00	20.12	MWD	Scientific Drilling
8/23/2007	3,826.00	20.23	MWD	Scientific Drilling
8/23/2007	3,889.00	20.00	MWD	Scientific Drilling
8/23/2007	3,952.00	19.94	MWD	Scientific Drilling
8/23/2007	4,016.00	19.66	MWD	Scientific Drilling
8/23/2007	4,078.00	18.93	MWD	Scientific Drilling
8/23/2007	4,141.00	18.60	MWD	Scientific Drilling
8/23/2007	4,204.00	18.08	MWD	Scientific Drilling
8/23/2007	4,267.00	18.32	MWD	Scientific Drilling
8/23/2007	(p) 4,330.00	17.90	MWD	Scientific Drilling
8/23/2007	4,393.00	17.71	MWD	Scientific Drilling
8/23/2007	4,457.00	17.45	MWD	Scientific Drilling
8/23/2007	4,521.00	18.36	MWD	Scientific Drilling
8/23/2007	4,584.00	20.23	MWD	Scientific Drilling
8/24/2007	4,646.00	20.90	MWD	Scientific Drilling
8/24/2007	4,707.00	20.63	MWD	Scientific Drilling
8/24/2007	4,770.00	19.42	MWD	Scientific Drilling
8/24/2007	4,833.00	18.52	MWD	Scientific Drilling
8/24/2007	4,896.00	17.46	MWD	Scientific Drilling
8/24/2007	4,957.00	16.69	MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



COP Deviation Report
SAN JUAN 28-5 UNIT #31B

Operator BURLINGTON RESOURCES OIL & GAS CO	Legal WellName SAN JUAN 28-5 UNIT #31B	API / UWI 3003927823	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location NMPM, 012O-028N-005W	N/S Dist (ft) 785.00	N/S Ref S	E/W Dist (ft) 2,380.00	E/W Ref E


Survey Data					Survey Company
Date	MD (ftKB)	Incl (")	Method		
8/20/2007	0.00	0.00	MWD		Scientific Drilling
8/21/2007	419.00	1.07	MWD		Scientific Drilling
8/21/2007	511.00	0.64	MWD		Scientific Drilling
8/21/2007	602.00	3.94	MWD		Scientific Drilling
8/21/2007	664.00	5.13	MWD		Scientific Drilling
8/21/2007	724.00	6.35	MWD		Scientific Drilling
8/21/2007	755.00	7.12	MWD		Scientific Drilling
8/21/2007	816.00	8.66	MWD		Scientific Drilling
8/21/2007	879.00	10.01	MWD		Scientific Drilling
8/21/2007	941.00	11.67	MWD		Scientific Drilling
8/21/2007	1,005.00	13.48	MWD		Scientific Drilling
8/21/2007	1,069.00	15.30	MWD		Scientific Drilling
8/21/2007	1,132.00	16.71	MWD		Scientific Drilling
8/21/2007	1,195.00	17.97	MWD		Scientific Drilling
8/21/2007	1,258.00	19.23	MWD		Scientific Drilling
8/21/2007	1,320.00	20.43	MWD		Scientific Drilling
8/21/2007	1,381.00	20.43	MWD		Scientific Drilling
8/21/2007	1,443.00	20.40	MWD		Scientific Drilling
8/21/2007	1,505.00	20.03	MWD		Scientific Drilling
8/21/2007	1,567.00	19.68	MWD		Scientific Drilling
8/21/2007	1,630.00	20.15	MWD		Scientific Drilling
8/21/2007	1,691.00	20.58	MWD		Scientific Drilling
8/21/2007	1,755.00	20.16	MWD		Scientific Drilling
8/21/2007	1,818.00	20.18	MWD		Scientific Drilling
8/21/2007	1,880.00	20.28	MWD		Scientific Drilling
8/22/2007	1,943.00	20.10	MWD		Scientific Drilling
8/22/2007	2,007.00	19.90	MWD		Scientific Drilling
8/22/2007	2,068.00	20.08	MWD		Scientific Drilling
8/22/2007	2,130.00	20.83	MWD		Scientific Drilling
8/22/2007	2,193.00	20.94	MWD		Scientific Drilling
8/22/2007	2,257.00	20.80	MWD		Scientific Drilling
8/22/2007	2,320.00	20.49	MWD		Scientific Drilling
8/22/2007	2,381.00	20.27	MWD		Scientific Drilling
8/22/2007	2,445.00	20.23	MWD		Scientific Drilling
8/22/2007	2,507.00	20.15	MWD		Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



Scientific Drilling

RCVD DEC 5 '07

OIL CONS. DIV.

CONOCOPHILLIPS

DIST. 3

12-10-07

Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 28-5 #31M
Wellpath: DH - Job #33D0807746
Survey: 09/06/07-09/10/07


This survey is correct to the best of my knowledge
and is supported by actual field data.

Luhart.....Company Representative

Notorized this date *8th* of *October*, 2007.

Deborah Sue Bynum

Notary Signature
County of Midland
State of Texas





Scientific
Drilling

Scientific Drilling International Survey Report

Company: CONOCOPHILLIPS	Date: 10/08/2007	Time: 10:53:29	Page: 1
Field: San Juan	Co-ordinate(NE) Reference:	Site: Rio Arriba County, NM, Grid North	
Site: Rio Arriba County, NM	Vertical (TVD) Reference:	SITE 0.0	
Well: San Juan 28-5 #31M	Section (VS) Reference:	Well (0.00N,0.00E,72.88Azi)	
Wellpath: DH - Job #33D0807746	Survey Calculation Method:	Minimum Curvature	
		Db:	Sybase

Survey: 09/06/07-09/10/07	Start Date: 09/06/2007
E-field 0'-5514'	
Company: Scientific Drilling Internatio	Engineer: Vestal/Gillespie/Geiser/Flemin
Tool: E-field;E-field MWD	Tied-to: From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
387.00	0.14	229.58	387.00	-0.43	-0.31	-0.36	0.04	0.47	229.58
448.00	0.64	70.30	448.00	-0.16	-0.24	-0.10	1.27	0.26	201.79
509.00	1.64	66.00	508.99	1.04	0.23	1.02	1.64	1.05	77.33
570.00	2.39	64.29	569.95	3.17	1.14	2.97	1.23	3.18	69.03
631.00	3.96	70.15	630.85	6.53	2.40	6.09	2.62	6.55	68.47
693.00	5.26	73.97	692.65	11.51	3.92	10.84	2.15	11.52	70.14
754.00	6.07	70.48	753.35	17.53	5.77	16.57	1.44	17.54	70.81
816.00	7.52	73.23	814.92	24.86	8.03	23.54	2.40	24.87	71.16
879.00	8.19	73.51	877.32	33.47	10.49	31.79	1.07	33.48	71.73
942.00	9.40	69.30	939.58	43.09	13.59	40.91	2.17	43.10	71.63
1005.00	11.09	69.54	1001.58	54.28	17.52	51.40	2.68	54.30	71.17
1069.00	12.10	70.48	1064.27	67.12	21.92	63.49	1.61	67.16	70.95
1131.00	13.11	71.04	1124.77	80.65	26.37	76.26	1.64	80.69	70.92
1193.00	14.14	72.90	1185.03	95.25	30.88	90.15	1.81	95.29	71.09
1256.00	15.15	73.00	1245.98	111.17	35.55	105.38	1.60	111.21	71.36
1317.00	16.86	73.14	1304.61	127.99	40.45	121.47	2.80	128.03	71.58
1378.00	18.27	71.45	1362.77	146.40	46.06	139.00	2.46	146.43	71.67
1441.00	19.37	71.83	1422.40	166.72	52.46	158.29	1.76	166.75	71.66
1502.00	19.12	71.75	1479.99	186.82	58.74	177.39	0.41	186.86	71.68
1565.00	19.31	71.64	1539.48	207.55	65.25	197.07	0.31	207.59	71.68
1626.00	20.11	72.52	1596.91	228.12	71.58	216.65	1.40	228.17	71.72
1690.00	19.53	73.67	1657.12	249.82	77.89	237.41	1.09	249.86	71.84
1753.00	19.62	73.54	1716.47	270.92	83.85	257.66	0.16	270.96	71.97
1814.00	20.45	73.65	1773.78	291.82	89.75	277.70	1.36	291.85	72.09
1878.00	20.40	73.13	1833.76	314.15	96.14	299.11	0.29	314.18	72.18
1941.00	19.77	73.94	1892.93	335.79	102.27	319.85	1.09	335.81	72.27
2004.00	20.07	72.56	1952.16	357.25	108.46	340.41	0.89	357.27	72.33
2065.00	19.99	72.44	2009.47	378.14	114.74	360.33	0.15	378.16	72.34
2127.00	20.88	72.35	2067.57	399.79	121.29	380.96	1.44	399.81	72.34
2190.00	21.85	72.03	2126.24	422.74	128.31	402.82	1.55	422.76	72.33
2254.00	22.28	71.31	2185.55	446.77	135.87	425.64	0.79	446.80	72.30
2317.00	22.45	71.51	2243.81	470.74	143.51	448.36	0.30	470.77	72.25
2380.00	22.76	71.50	2301.97	494.95	151.20	471.32	0.49	494.98	72.21
2444.00	22.45	71.13	2361.05	519.54	159.08	494.63	0.53	519.58	72.17
2506.00	22.23	71.28	2418.40	543.09	166.67	516.94	0.37	543.14	72.13
2570.00	22.05	70.69	2477.68	567.20	174.53	539.74	0.45	567.26	72.08
2633.00	20.59	72.44	2536.37	590.10	181.78	561.46	2.53	590.16	72.06
2696.00	20.04	73.12	2595.45	611.97	188.26	582.35	0.95	612.03	72.09
2759.00	19.29	72.72	2654.77	633.17	194.48	602.62	1.21	633.23	72.11
2820.00	18.73	73.72	2712.45	653.04	200.22	621.64	1.06	653.09	72.15
2885.00	18.11	73.34	2774.12	673.57	206.04	641.34	0.97	673.62	72.19
2947.00	17.49	72.62	2833.15	692.53	211.59	659.46	1.06	692.57	72.21
3008.00	16.90	73.12	2891.42	710.56	216.90	676.69	1.00	710.61	72.23
3070.00	16.92	73.62	2950.74	728.59	222.06	693.97	0.24	728.64	72.26
3133.00	16.06	74.46	3011.15	746.47	226.98	711.17	1.42	746.51	72.30
3196.00	16.23	72.87	3071.67	763.99	231.91	727.97	0.75	764.02	72.33
3258.00	16.42	72.87	3131.17	781.41	237.04	744.63	0.31	781.45	72.34
3322.00	16.66	71.94	3192.52	799.63	242.55	762.00	0.56	799.67	72.34




Scientific Drilling International Survey Report

Company: CONOCOPHILLIPS	Date: 10/08/2007	Time: 10:53:29	Page: 2
Field: San Juan	Co-ordinate(NE) Reference:	Site: Rio Arriba County, NM, Grid: North	
Site: Rio Arriba County, NM	Vertical (TVD) Reference:	SITE: 0.0	
Well: San Juan 28-5 #31M	Section (VS) Reference:	Well: (0.00N, 0.00E, 72.88Azi)	
Wellpath: DH- Job #33D0807746	Survey Calculation Method:	Minimum Curvature Db: Sybase	


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
3384.00	17.49	73.35	3251.78	817.84	247.98	779.37	1.50	817.87	72.35
3447.00	19.01	71.28	3311.61	837.56	253.98	798.16	2.62	837.60	72.35
3509.00	20.09	71.95	3370.04	858.30	260.52	817.85	1.78	858.34	72.33
3573.00	20.23	70.68	3430.12	880.35	267.59	838.74	0.72	880.39	72.31
3636.00	20.11	71.35	3489.26	902.06	274.66	859.28	0.41	902.11	72.27
3698.00	20.46	72.09	3547.41	923.55	281.40	879.69	0.70	923.60	72.26
3761.00	21.24	72.68	3606.28	945.97	288.18	901.06	1.28	946.03	72.26
3824.00	21.94	74.49	3664.86	969.15	294.73	923.30	1.53	969.20	72.30
3886.00	23.20	73.86	3722.11	992.94	301.22	946.19	2.07	992.98	72.34
3949.00	23.57	74.38	3779.94	1017.94	308.06	970.24	0.67	1017.98	72.39
4011.00	22.56	73.94	3836.98	1042.22	314.69	993.61	1.65	1042.25	72.43
4074.00	21.35	73.57	3895.41	1065.77	321.27	1016.23	1.93	1065.80	72.46
4136.00	19.39	74.16	3953.53	1087.35	327.28	1036.95	3.18	1087.37	72.48
4198.00	17.81	72.96	4012.29	1107.12	332.86	1055.92	2.62	1107.14	72.50
4261.00	17.27	71.39	4072.36	1126.10	338.67	1074.00	1.14	1126.13	72.50
4325.00	15.77	68.99	4133.72	1144.28	344.82	1091.12	2.57	1144.31	72.46
4386.00	15.40	66.41	4192.48	1160.60	351.04	1106.28	1.29	1160.64	72.40
4450.00	14.11	67.59	4254.37	1176.81	357.41	1121.28	2.07	1176.87	72.32
4514.00	15.02	69.31	4316.31	1192.85	363.31	1136.25	1.57	1192.92	72.27
4577.00	16.07	70.45	4377.00	1209.71	369.12	1152.11	1.74	1209.79	72.24
4639.00	15.53	70.32	4436.66	1226.58	374.78	1168.01	0.87	1226.66	72.21
4703.00	14.65	71.58	4498.45	1243.23	380.23	1183.75	1.47	1243.32	72.19
4768.00	13.13	73.02	4561.55	1258.83	384.98	1198.61	2.40	1258.92	72.19
4829.00	11.68	69.72	4621.13	1271.93	389.14	1211.03	2.65	1272.02	72.19
4892.00	9.97	72.41	4683.00	1283.75	393.00	1222.21	2.83	1283.85	72.17
4956.00	8.49	72.24	4746.17	1294.01	396.12	1232.00	2.31	1294.11	72.18
5018.00	7.57	72.92	4807.57	1302.67	398.71	1240.26	1.49	1302.77	72.18
5081.00	6.97	74.79	4870.06	1310.64	400.94	1247.91	1.02	1310.74	72.19
5144.00	6.37	74.65	4932.63	1317.96	402.86	1254.97	0.95	1318.05	72.20
5206.00	6.27	75.43	4994.26	1324.78	404.63	1261.57	0.21	1324.87	72.22
5270.00	5.53	75.71	5057.92	1331.35	406.27	1267.94	1.16	1331.43	72.23
5333.00	4.95	72.87	5120.65	1337.10	407.82	1273.48	1.01	1337.18	72.24
5397.00	4.02	74.38	5184.46	1342.10	409.23	1278.27	1.46	1342.18	72.25
5458.00	3.20	81.40	5245.33	1345.92	410.06	1282.02	1.52	1346.00	72.26
5514.00	2.81	80.13	5301.26	1348.83	410.53	1284.92	0.71	1348.90	72.28



Scientific
Drilling

Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 28-5 #31M
Wellpath: DH - Job #33D0807746
Survey: 09/06/07-09/10/07



Azimuths to Grid North
True North: 0.00°
Magnetic North: 0.00°

Magnetic Field
Strength: 0nT
Dip Angle: 0.00°
Date: 10/07/2007
Model: igrf2000

