Submit 3 Copies To Appropriate District Office	State of New Mexico			Form C-103	
Energy, Minerals and Natural Resources 1625 N. French Dr , Hobbs, NM 88240				Revised June 6, 2003 WELL API NO.	
1301 W. Grand Ave., Artesia, NM 88210				30-039-30149 5. Indicate Type of Lease	
District III 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410				STATE FEE	
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505				6. State Oil & Gas Lease No. SF-079010	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A				7. Lease Name or Unit Agreement Name	
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				Northeast Blanco Unit	
Type of Well: Oil Well				8. Well Number NEBU 344M	
2. Name of Operator				9. OGRID Number 6137	
Devon Energy Production Company, L.P. 3. Address of Operator				10. Pool name or Wildcat	
20 N. Broadway, Oklahoma City, OK 73102				MV/DK	
4. Well Location					Į.
Unit Letter:	feet from the		line and	feet from th	eline
Section 25	Γownship 31N R				nty San Juan
	11. Elevation (Show wh GR	ether DR,	RKB, RT, GR, etc.)		
<u>La la la</u>	Appropriate Box to Inc	dicate Na	ature of Notice.	Report or Other	Data
NOTICE OF IN				SEQUENT RE	
PERFORM REMEDIAL WORK	PLUG AND ABANDON		REMEDIAL WOR	K 🗆	ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DRI	LLING OPNS.□	PLUG AND ABANDONMENT
PULL OR ALTER CASING	MULTIPLE COMPLETION		CASING TEST AN CEMENT JOB	ND 🗆	
OTHER: Down-hole Commingle			OTHER:		
13. Describe proposed or comp of starting any proposed we or recompletion.					es, including estimated date ram of proposed completion
•					
Devon Energy Production Compa Mesaverde and Basin Dakota zo					
					CVD DEC 20 '07
					IL CONS. DIV.
	,			·	
	Ω / c_{2}	2~	iAZ		DIST. 3
I hereby certify that the information					
SIGNATURE / Color	entro-	ΓITLE <u>S</u>	Sr. Staff Operations	s Tech DA	TE 12/19/2007
Type or print name: Melisa Castro	E-mail address: Melisa.c	castro@dv	n.com Telepho	ne No.: (405)552-	7917
(This space for State use)	\mathcal{A}				
APPPROVED BYConditions of approval, if any:	AL T	TITLE	eputy Oil & (Distric	Gas Inspector	DEC 3 1 200?
•• • •					K
					U

ATTACHMENTS TO APPLICATION TO DOWNHOLE COMMINGLE

The following information is being provided as supporting data for application to down hole commingle production from the following well:

Well:

NEBU 344M

Location:

SW SE, Sec. 25, T31N, R7W San Juan County, New Mexico

- 1. Case # 12346, Order # R-11363 establishes the two subject pools as pre-approved for commingling.
- 2. The pools to be commingled are the Blanco-Mesaverde (72319) and the Basin Dakota (71599).
- 3. The subject well is presently completed in both zones flowing and measured separately. The perforated interval in the Basin-Dakota pool being 5897'- 6308'. The perforated interval in the Blanco-Mesaverde pool being 8357'- 8468'.
- 4. Commingling will not reduce the value of the total remaining production in this well. Produced waters from both the Basin-Dakota and the Blanco-Mesaverde have been found to be compatible, with no evidence of scaling problems on tubules, or of precipitate fill in the well bore. The increased volume of gas flowing up the tubing will facilitate the well's ability to unload itself, thus increasing production and reducing potential operational problems.
- 5. Notice has been sent to all interest owners in the spacing unit by certified mail (return receipt) of Devon Energy's intent to down hole commingle production. A copy of this notice and a list of all working interest owners are attached.
- 6. A copy of this notice of intent to down hole commingle has been sent to the Bureau of Land Management.

Method of Allocation

Devon Energy recommends the following procedure to allocate downhole commingled production between the Basin-Dakota and the Blanco-Mesaverde pools within the Northeast Blanco Unit:

- The Mesaverde and Basin-Dakota formations will be completed simultaneously.
- A single 2-3/8" tubing string will be run in the well, with a packer isolating the two horizons.
- The Dakota completion will be produced up the tubing string.
- The Mesaverde completion will be produced up the 2-3/8" x 4-1/2" annulus.
- Production from each zone will be measured separately using a 3 phase metering device prior to flowing through a mutual production separator. Total well stream gas will be measured using a conventional orifice plate meter tube located downstream of the production separator.
- The completions will be flow tested separately for approximately 90 days to establish a stabilized rate and trend.
- Following the testing period the packer will be removed and the two pools will be downhole commingled. Total well production will flow through common surface facilities and total produced gas will be measured using a conventional orifice plate meter tube.
- Production will be allocated between the Mesa Verde and Dakota intervals by applying the variable percentage schedule to the daily total well production.

The Variable Percentage Schedule was derived using Mesa Verde and Dakota production type curves. These type curves were generated by normalizing production data from surrounding wells. The variable percentage schedule is required due to the dissimilar decline trends exhibited by the Mesa Verde and Dakota. Figure 1 depicts a typical Mesa Verde – Dakota production allocation. The actual percentages will vary from well to well, depending on well productivity.

Typical MV - DK Downhole Commingle Production % Schedule




Figure 1