

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Williams Production Co., LLC Telephone: 505-634-4219 e-mail address: myke.lane@williams.com
Address: POB 640, Aztec, NM 87410
Facility or well name: Rosa 021 API #: 30-039-07951 U/L or Qtr/Qtr M Sec 23 T 31N R 06W
County: Rio Arriba Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☒
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: <u>120</u> bbl Type of fluid: <u>Produced Water</u> Construction material: <u>Fiberglass with Plastic Liner</u> Double-walled, with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not. _____ _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) ✓ 100 feet or more ✓ (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) ✓ No ✓ (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) ✓ 200 ft or more, but less than 1000 feet ✓ (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points) 10	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Replace Fiberglass BGT with SGT steel tank. Composite soil sample collected following removal of tank and liner 8/25/2005.

See attached site diagram and soil sample results.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 12/2/07


Printed Name/Title Michael K. Lane/EH&S Specialist Signature _____

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Deputy Oil & Gas Inspector,
Printed Name/Title District #3

Signature Bob Bell

Date: MAN 04 2008



ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Williams Production
Sample ID: Rosa #21MV
Laboratory Number: 34250
Chain of Custody: 14767
Sample Matrix: Soil
Preservative: Cool
Condition: Cool & Intact

Project #: 04108-003
Date Reported: 09-05-05
Date Sampled: 08-25-05
Date Received: 09-02-05
Date Analyzed: 09-05-05
Date Extracted: 09-02-05
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	20.4	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	37.3	2.2
o-Xylene	8.0	1.0
Total BTEX	65.7	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: BGT Replacements.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Williams Production	Project #:	04108-003
Sample ID:	Rosa #21M	Date Reported:	09-05-05
Laboratory Number:	34250	Date Sampled:	08-25-05
Chain of Custody No:	14767	Date Received:	09-02-05
Sample Matrix:	Soil	Date Extracted:	09-02-05
Preservative:	Cool	Date Analyzed:	09-05-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	27.9	0.1
Total Petroleum Hydrocarbons	27.9	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **BGT Replacements.**


Analyst


Review

14767


san juan reproduction 578-129

Williams Production Company
Rosa 21
23 31N 6W
Rio Arriba County N.M.

☐ Rectifier

North




Drainage 400' to Dry Wash


Wellhead





PC
Prod
Unit



MV
Meter



Pit



Road