District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Type of action: Registration of a pit or below-grade tank \( \subseteq \) Closure of a pit or below-grade tank \( \subseteq \)

Type of action. Registration of a pit of	or below-grade tank [ Closure of a pit or below-grad	ic tank 🔼					
Operator:Williams Production Co., LLCTelephone:505-634-4219e-mail address:myke.lane@williams.com							
Address: POB 640, Aztec, NM 87410							
Facility or well name:Rosa 032AAPI#:30-039-	-25417U/L or Qtr/QtrF Sec21	T <b>31N</b> R <b>06W</b>					
County:Rio Arriba Latitude	Longitude NAD: 1927 🗌 1983	<b>⊠</b>					
Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐							
Pit	Below-grade tank						
Type: Drilling Production Disposal	Volume: 120_bbl Type of fluid: Produced Water						
Workover  Emergency	Construction material: Fiberglass with Plastic Liner						
Lined [] Unlined []	Double-walled, with leak detection? Yes  If not.						
Liner type: Synthetic  Thickness mil Clay		, ork-man may non					
Pit Volumebbl							
TR Volume	Less than 50 feet	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet						
high water elevation of ground water.)	<i>'</i>	(10 points)					
	✓ 100 feet or more	✓ ( 0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)					
water source, or less than 1000 feet from all other water sources.)	✓ No	✓ ( 0 points)					
water goulder, or read than 1000 reet from an oard water courses,)	Less than 200 feet	(20 maints)					
Distance to surface water: (horizontal distance to all wetlands, playas,		(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	✓ 200 ft or more, but less than 1000 feet	✓ (10 points)					
	1000 feet or more	( 0 points)					
	Ranking Score (Total Points)	10					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks (2) Indica	te disposal location: (check the onsite box if					
your are burying in place) onsite ⊠ offsite □ If offsite, name of facility_	• •	·					
remediation start date and end date. (4) Groundwater encountered: No 🖾 Y		π. and attach sample results.					
(5) Attach soil sample results and a diagram of sample locations and excaval	tions.						
Additional Comments:							
Replace Fiberglass BGT with SGT steel tank. Composite soil s	sample collected following removal of tank and	d liner 9/21/2005. 23456					
See attached site diagram and soil sample results.		<b>A A</b>					
/A RECEIVED							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . DIV DIST 3							
has been/will be constructed or closed according to NMOCD guidelines \( \triangle \), a general permit \( \triangle \), or an (attached) alternative OCD-approved plan \( \triangle \). Div. DIST 3  Date: \( \frac{12}{2} \)/2  Printed Name/Title \( \triangle \) Michael K. Lane/EH&S Specialist \( \triangle \) Signature \( \triangle							
Printed Name/TitleMichael K. Lane/EH&S Specialist Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: Deputy Oil & Gas Inspector, Printed Name/Title District #3	Signature BM BM	Date: JAN 0 4 2008					
	• • •						



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Williams Production	Project #:	04108-003
Sample ID:	Rosa 32A - BGT	Date Reported:	09-29-05
Laboratory Number:	34474	Date Sampled:	09-21-05
Chain of Custody No:	14836	Date Received:	09-27-05
Sample Matrix:	Soil	Date Extracted:	09-27-05
Preservative:	Cool	Date Analyzed:	09-29-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)		
Gasoline Range (C5 - C10)	ND	0.2		
Diesel Range (C10 - C28)	ND	0.1		
Total Petroleum Hydrocarbons	ND	0.2		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Rosa 32A.

Analyst C. O

Christine m Wastles
Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Williams Production	Project #:	04108-003
Sample ID:	Rosa 32A - BGT	Date Reported:	09-29-05
Laboratory Number:	34474	Date Sampled:	09-21-05
Chain of Custody:	14836	Date Received:	09-27-05
Sample Matrix:	Soil	Date Analyzed:	09-29-05
Preservative:	Cool	Date Extracted:	09-27-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	16.9	1.7
Ethylbenzene	2.2	1.5
p,m-Xylene	27.0	2.2
o-Xylene	6.0	1.0
Total BTEX	52.1	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Rosa 32A.

Analyst P. Querra


Mister m Walles
Review


# CHAIN OF CUSTODY RECORD

Client / Project Name			Project Location	on						ANAL	YSIS / PAF	RAMETERS				
Williams Passe	C767	_	Rosa 3	ZA												
Sampler:			Client No.				S						Ren	narks		
JAMES			04 108	04 108-003 -14834			No. of Containers	J	K							
Sample No./ Identification	Sample Date	Sample Time	Lab Numbe	er	Sample Matrix		Cont	<u>F</u>	NO E							
Rosa 52A - BGT	4/21	11100	34474	Se			Ì	·	<u></u>					4		
								-								
							A BERT STATE OF THE STATE OF TH									
							1									
					<del></del> , -										•	
					* * ***											
						-								•		
							-									
Relinquished by: (Signatur		·	Be	Date	Time	I /	ived by:	- 1			l		1./	ate/		me
and			2	9/2/05	9:32				and	<i></i>			9/2	7/05	9:	30
Relinquished by: (Signatur	e)					Rece	ived by:	(Signatu	ıre)							
Relinquished by: (Signatur	re)		· · · · · · · · · · · · · · · · · · ·			Recei	ived by:	(Signatu	ıre)							
			***	EOV		re/	~LI	10/				Sam	ole Re	ceint		
				<b>ENY</b>	IKU	ן בי		11 1	<u>⊿</u> .			Cum	1	Y	N	N/A
					796 U.S							Received Inta	ıct			, 4,, (
Farmington, New M (505) 632-0					87401	1			Cool - Ice/Blue		-					
					(555)	JUE 1										

Location: RosA # 32A PC/MV	Site Diagram:
Footages: /77/ FNL 1558 FWL	
Unit Letter: F Sec. 21 Twn 31N Rng (ou	
Lat: 36°53,244 N Long: 107°28,3081	
Lease Num. E - 289 Land Type:	T -N-
Pit Type:	
Pit Reference	
Reference: Wellhead Footage: 多つ「	
Direction: $\bigcirc$ or S $\bigcirc$ Degrees E or W	1   P, T
Initial size:	
Final Size:	1   \ \ \ \ \ \ \ \ \
Total Cubic Yards:	<del>                                     </del>
Distanes from (ft): points	
Groundwater:	
Wellhead Protection Area:	29°/80'
Nearest Surface Water:	
Distance to ephemeral stream:	1
(Navajo/Jicarilla only)	
Ranking Score (points):	
Sample ID Description Field Reading	
1	
2	Weichard
3	
4	
5	
6	
7	
8	
Comments:	a
Tests:	
1 ests.	

### **ROSA 32A PC/MV**





Rosa 32A Well head Well Head 32C