

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Williams Production Co., LLC</u> Telephone: <u>505-634-4219</u> e-mail address: <u>myke.lane@williams.com</u>		
Address: <u>POB 640, Aztec, NM 87410</u>		
Facility or well name: <u>Rosa 051</u> API #: <u>30-039-20289</u> U/L or Qtr/Qtr <u>C</u> Sec <u>23</u> T <u>31N</u> R <u>06W</u>		
County: <u>Rio Arriba</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/>		
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	<b>Below-grade tank</b> Volume: <u>100</u> bbl Type of fluid: <u>Produced Water</u> Construction material: <u>Fiberglass with Plastic Liner</u> Double-walled, with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet ✓ 100 feet or more	(20 points) (10 points) ✓ ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes ✓ No	(20 points) ✓ ( 0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet ✓ 200 ft or more, but less than 1000 feet 1000 feet or more	(20 points) ✓ (10 points) ( 0 points)
<b>Ranking Score (Total Points)</b>		10

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
Replace Fiberglass BGT with SGT steel tank. Composite soil sample collected following removal of tank and liner 4/25/2007.
See attached site diagram and soil sample results.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 12/2/07

Printed Name/Title Michael K. Lane/EH&S Specialist Signature \_\_\_\_\_

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.


Approval:

Printed Name/Title \_\_\_\_\_

Deputy Oil & Gas Inspector,  
District #3

Signature \_\_\_\_\_

Date: JAN 07 2008



# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Williams Production	Project #:	04108-003-2578
Sample ID:	Former BGT	Date Reported:	05-03-07
Laboratory Number:	41330	Date Sampled:	04-25-07
Chain of Custody:	2578	Date Received:	05-02-07
Sample Matrix:	Soil	Date Analyzed:	05-03-07
Preservative:	Cool	Date Extracted:	05-02-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	23.0	1.7
Ethylbenzene	2.4	1.5
p,m-Xylene	8.8	2.2
o-Xylene	10.9	1.0
Total BTEX	45.1	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Rosa 51 - BGT

Analyst

Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Williams Production	Project #:	04108-003-2578
Sample ID:	Former BGT	Date Reported:	05-03-07
Laboratory Number:	41330	Date Sampled:	04-25-07
Chain of Custody No:	2578	Date Received:	05-02-07
Sample Matrix:	Soil	Date Extracted:	05-02-07
Preservative:	Cool	Date Analyzed:	05-03-07
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.3	0.1
Total Petroleum Hydrocarbons	0.3	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.



Comments: **Rosa 51 - BGT**

  
Analyst

  
Review

# CHAIN OF CUSTODY RECORD

2578

Client / Project Name <b>Williams Production</b>			Project Location <b>ROAD 51 - BGT</b>		ANALYSIS / PARAMETERS									
Sampler: <b>SIERRA OILFIELD</b>			Client No. <b>04108-003-2578</b>		No. of Containers <b>1</b>	BTEX <b>✓</b>	SO2 <b>✓</b>	TPH <b>✓</b>	SO4 <b>✓</b>					Remarks
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix										
<b>FORMER BGT</b>	<b>9/25</b>	<b>15:41</b>	<b>41330</b>	<b>SOIL</b>										
Relinquished by: (Signature) 			Date <b>9/26/07</b>	Time <b>9:10</b>	Received by: (Signature) 			Date <b>9/26/07</b>	Time <b>0910</b>					
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									
<b>ENVIROTECH INC.</b> 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt				
											Y	N	N/A	
										Received Intact	✓			
										Cool - Ice/Blue Ice	✓			

Williams Production  
Rosa #51DK  
Section: 23 Township: 31-N Range: 6-W  
County: Rio Arriba

Rectifier

