District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

regulations.

Printed Name/Title

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

JAN 0 8 2008

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Gra	de Tank Registration or Closur	<u>'e</u>								
Is pit or below-grade tank covered by a "general plan"? Yes \[\] No \[\]										
Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔯										
Operator:Williams Production Co., LLCTelephone: _	505-634-4219 e-mail address: myke	e.lane@williams.com								
Address: POB 640, Aztec, NM 87410										
Facility or well name:Rosa 88 API #:30-045-2514	0U/L or Qtr/QtrE Sec _8 T _3	31N R06W								
County:SAN JUANLatitude	Longitude NAD: 1927 🗌 1983									
Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐		RCVD DEC 20 '07								
<u>Pit</u>	Below-grade tank	OIL CONS. DIV.								
Type: Drilling Production Disposal	Volume: _120_bbl Type of fluid:Produced \	vvater								
Workover ☐ Emergency ☐	Construction material:Fiberglass with Plas	tic Liner DIST. 3								
Lined Unlined	Double-walled, with leak detection? Yes 🛛 If not,	explain why not.								
Liner type: Synthetic Thicknessmil Clay										
Pit Volumebbl										
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)								
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)								
	✓ 100 feet or more	✓ (0 points)								
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)								
water source, or less than 1000 feet from all other water sources.)	✓ No	✓ (0 points)								
	Less than 200 feet	(20 points)								
Distance to surface water: (horizontal distance to all wetlands, playas,	✓ 200 ft or more, but less than 1000 feet	✓ (10 points)								
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)								
		10								
	Ranking Score (Total Points)	10								
<u>If this is a pit closure:</u> (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if								
your are burying in place) onsite \square offsite \square If offsite, name of facility_	. (3) Attach a general de	escription of remedial action taken including								
remediation start date and end date. (4) Groundwater encountered: No \boxtimes Y	es 🔲 If yes, show depth below ground surface	ft. and attach sample results.								
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.									
Additional Comments:										
Replace Fiberglass BGT with SGT steel tank. Composite soil	I sample collected following removal of tank a	nd liner 11/6/2007.								
See attached site diagram and soil sample results.										
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline										
	<u> </u>	·• .• —								
Date:										
Printed Name/TitleMichael K. Lane/EH&S Specialist Si	ignature									

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

Deputy Oil & Gas Inspector,

District #3



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

		<u> </u>	
Client:	Williams Prod	Project #:	04108-003-3577
Sample ID:	BGT Exc.	Date Reported:	11-13-07
Laboratory Number:	43606	Date Sampled:	11-06-07
Chain of Custody No:	3577	Date Received:	11-07-07
Sample Matrix:	Soil	Date Extracted:	11-09-07
Preservative:	Cool	Date Analyzed:	11-12-07
Condition:	Cool & Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Rosa 88 - BGT Close.

Analyst Molter

Stuh Will

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Williams Prod.	Project #:	04108-003-3577
Sample ID:	BGT Exc.	Date Reported:	11-13-07
Laboratory Number:	43606	Date Sampled:	11-06-07
Chain of Custody:	3577	Date Received:	11-07-07
Sample Matrix:	Soil	Date Analyzed:	11-12-07
Preservative:	Cool	Date Extracted:	11-09-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
_	,	
Benzene	ND	0.9
Toluene	8.2	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	1.2	1.2
o-Xylene	1.1	0.9
Total BTEX	10.5	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Rosa 88 - BGT Close.

(Instrum Walters Analyst

Review



Chloride

Client: Williams Prod Project #: 04108-003-3577 Sample ID: Date Reported: **BGT Exc** 11-12-07 Lab ID#: 43606 Date Sampled: 11-06-07 Date Received: 11-07-07 Sample Matrix: Soil Preservative: Cool Date Analyzed: 11-12-07 Condition: Cool and Intact Chain of Custody: 3577

Parameter Concentration (mg/Kg)

Total Chloride 28.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Rosa 115 - Pit Closures.

Analyst Analyst Review

CHAIN OF CUSTODY RECORD

Client WILLIAMS F	PAP.	Р	Project Name / Location: Rosa 88 - BGT Cose										ANA	LYSIS	/ PAF	RAME	ΓERS				
Client Address:		S	Rosa 86 - BGT Cose Sampler Name. CHRIS LUCERO				3015)	8021)	3260)	(0											
Client Phone No.: 330 - 3/98	hone No.: Client No.:					,		ethod 8	Method	lethod 8	3 Metals	, Anion		TCLP with H/P		18.1)				Cool	Intact
Sample No /	Sample Date	Sample Time			No./Volume	Prese	rvative	TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	P.C.I	TCLP w	PAH	TPH (418.1)	CI			Sample Cool	Sample Intact
BGT EXC.	11/4/07	150	43606	Soil	/		N	v	v								~				
											}										
																				-	
Relinquished by: (Sign	ature)			11,	Date /1/67	Time	F Æ /	Receive	ed by: Oug ed by:	(Signa (Signa	ature) <u> </u>	γ	ωa	et	tre				0ate 7/67		me 20
Relinquished by: (Sign	ature)						F	Receive	ed by:	(Signa	ature)							 			
												•								<u> </u>	

5796 U.S. Highway 64 • Farmington, New Mexico 87401 • (505) 632-0615

REMOVED 11/6/07 ROSA UNIT #88 MV 8561501 ROSA UNIT #88 PC 8564901 (seperator) comp well head glycol storage tank sdo