District 1625 N French Dr , Hobbs, NM 88240 District II

1301 W Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Form C-144 June 1, 2004


For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

## Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator. Koch Exploration Company, LLC Telephone. 505-334-9111 e-mail address clark23j@kochind.com or johnso4d@kochind.com		
Address: PO Box 489, Aztec, NM 87410		Shakochina com of Johnso4a(a/Kochina.com
Facility or well name: Quinn 341T API # 30	)-045-34422 U/L or Otr/Otr C	Sec. 19 T. 31N. R. 8W
	36 887845 N Longitude 107 720734 W	,
Surface Owner Federal State Private Indian		
<u>Pit</u>	Below-grade tank	
Type Drilling ⊠ Production □ Disposal □	Volume bbl Type of fluid	OIL CONS. DIV.
Workover  Emergency	Construction material	in the second se
Lined ☑ Unlined □	Double-walled, with leak detection? Yes  If not, explain why not.	
Liner type. Synthetic Thickness 12 mil Clay		
Prt Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water )	X 50 feet or more, but less than 100 feet	(10 points) 10 points
ingli water elevation of ground water)	100 feet or more	( 0 points) >
Wallhard gratesting area (I and they 200 feet from a gratest description	Yes	(20 points)
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	X No	( 0 points) 0 points
water source, or less than 1000 feet from an other water sources.)	Less than 200 feet	(20 marrier)
Distance to surface water (horizontal distance to all wetlands, playas,		(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	X 200 feet or more, but less than 1000 feet	(10 points) 10 points
	1000 feet or more	
	Ranking Score (Total Points)	20 points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if		
your are burying in place) onsite 🖂 offsite 🗌 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date (4) Groundwater encountered No 🗵 Yes 🗌 If yes, show depth below ground surfaceft and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations		
Additional Comments. CLOSURE		
		,
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
has been win be constructed or closed according to twitocd guidennes , a general permit , or an (attached) after native ocd-approved plan .		
Date <u>01/11/2008</u>		
Printed Name/Title John Clark, District Superintendent Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations		
Approval Deputy Oil & Gas Inspector,		
District #2		
Printed Name/Title District #3	Signature / / V V' o VV	Date Date

## KOCH EXPLORATION COMPANY LLC Quinn 341T S19, T31N, R8W 1065' FNL & 665' FWL - ELEVATION 6041'



## Quinn 341T

S19, T31N, R08W, 1065' FNL & 665' FWL San Juan Co., New Mexico API No. 30-045-34422 Lease SF078511

Upon completion of drilling/completion remaining liquids were removed from pit by truck to an approved disposal facility.

Prior to closing the pit, liner was cut off at mud level. The excess liner was hauled to a licensed disposal.

December 18 through December 19, 2007 the remaining waste in pit was encapsulated. This was accomplished by covering the remaining waste and liner with earthen materials. Surface area where pit was located was contoured according to BLM requirements, and will be reseeded at a later date with recommended BLM seed mixture.