

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-039-30447
5. Indicate Type of Lease	STATE ☐ FEE ☒
6. State Oil & Gas Lease No.	RECEIVED JAN 24 '08 OIL CONSV. DIV.
7. Lease Name or Unit Agreement Name	San Juan 29-6 Unit DIST. 3
8. Well Number	#65B
9. OGRID Number	217817
10. Pool name or Wildcat	Blanco Mesaverde

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other	2. Name of Operator CONOCOPHILLIPS COMPANY
3. Address of Operator 3401 E. 30TH STREET, FARMINGTON, NM 87402	4. Well Location Unit Letter I : 1390 feet from the South line and 1300 feet from the East line Section 19 Township 29N Rng 6W NMPM County Rio Arriba
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6257' GL	

Pit or Below-grade Tank Application	☐ or Closure ☐
Pit type New Drill Depth to Groundwater >100' Distance from nearest fresh water well >1000' Distance from nearest surface water <1000'	
Pit Liner Thickness: 12 mil Below-Grade Tank: Volume bbls; Construction Material	

DENIED

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK	☐	PLUG AND ABANDON	☐
TEMPORARILY ABANDON	☐	CHANGE PLANS	☐
PULL OR ALTER CASING	☐	MULTIPLE COMPL	☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK	☐	ALTERING CASING	☐
COMMENCE DRILLING OPNS.	☐	P AND A	☐
CASING/CEMENT JOB	☐		

OTHER: New Drill Pit	☒	OTHER:	☐
----------------------	-------------------------------------	--------	--------------------------

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

New Drill, Lined:

Burlington Resources proposes to construct a new drilling pit, an associated vent/flare pit and a pre-set mud pit (if required). Based on Burlington's interpretation of the Ecosphere's risk ranking criteria, the new drilling pit and pre-set mud pit will be lined pits as detailed in Burlington's Revised Drilling / Workover Pit Construction / Operation Procedures dated November 11, 2004 on file at the NMOCD office. A portion of the vent/flare pit will be designed to manage fluids and that portion will be lined as per the risk ranking criteria. Burlington Resources anticipates closing these pits according to the Drilling / Workover Pit Closure Procedure dated August 2, 2004 on file at the NMOCD office.

* See APD, also incorrect distances

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Patsy Clugston TITLE Regulatory Specialist DATE 1/2/2008

Type or print name Patsy Clugston BP E-mail address: clugspl@conocophillips.com Telephone No. 505-326-9518
For State Use Only

DENIED

APPROVED BY _____ TITLE _____ DATE _____

Conditions of Approval (if any):

* See Above + APD

ConocoPhillips SJBU

San Juan Basin

Russell's Site for Directional MV/DK wells

SJ 29-6 #65B

SJ 29-6 #65B

RCVD JAN 24 '08

OIL CONS. DIV.

Plan: APD Directional Plan

DIST. 3

Standard Planning Report

03 November, 2007

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 29-6 #65B
Company:	ConocoPhillips SJB	TVD Reference:	Generic Rig RKB @ 6272 0ft
Project:	San Juan Basin	MD Reference:	Generic Rig RKB @ 6272 0ft
Site:	Russell's Site for Directional MV/DK wells	North Reference:	True
Well:	SJ 29-6 #65B	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 29-6 #65B		
Design:	APD Directional Plan		

Project	San Juan Basin, Mid-Continent Area		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site	Russell's Site for Directional MV/DK wells		
Site Position:		Northing:	629,052 40 m
From:	Lat/Long	Easting:	199,338 08 m
Position Uncertainty:	0 0 ft	Slot Radius:	in
		Latitude:	36° 40' 14 586 N
		Longitude:	107° 18' 29 658 W
		Grid Convergence:	0 31 °

Well	SJ 29-6 #65B		
Well Position	+N/-S	0 0 ft	Northing: 633,087 60 m
	+E/-W	0 0 ft	Easting: 182,252 59 m
Position Uncertainty	15 0 ft	Wellhead Elevation:	ft
		Latitude:	36° 42' 27 984 N
		Longitude:	107° 29' 57 168 W
		Ground Level:	6,257 0 ft

Wellbore	SJ 29-6 #65B		
Magnetics	Model Name	Sample Date	Declination
	BGGM2006	11/2/2007	(°)
			(°)
			Dip Angle
			(°)
			Field Strength
			(nT)
			63 61
			51,132

Design	APD Directional Plan		
Audit Notes:			
Version:	Phase:	PROTOTYPE	Tie On Depth: 0 0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(ft)	(ft)	(ft)
	0 0	0 0	0 0
			Direction
			(°)
			51 21

Plan Sections										
Measured	Inclination	Azimuth	Vertical	+N/-S	+E/-W	Dogleg	Build	Turn	TFO	Target
Depth	(°)	(°)	Depth	(ft)	(ft)	Rate	Rate	Rate	(°)	
(ft)			(ft)			(°/100ft)	(°/100ft)	(°/100ft)		
0 0	0 00	0 00	0 0	0 0	0 0	0 00	0 00	0 00	0 00	
350 0	0 00	0 00	350 0	0 0	0 0	0 00	0 00	0 00	0 00	
1,193 7	25 31	51 21	1,166 5	114 9	142 9	3 00	3 00	0 00	51 21	
2,982 4	25 31	51 21	2,783 5	593 9	739 0	0 00	0 00	0 00	0 00	
3,826 1	0 00	0 00	3,600 0	708 7	881 9	3 00	-3 00	0 00	180 00	SJ 29-6 #65B ICP
5,826 1	0 00	0 00	5,600 0	708 7	881 9	0 00	0 00	0 00	0 00	SJ 29-6 #65B PCP

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 29-6 #65B
Company:	ConocoPhillips SJB	TVD Reference:	Generic Rig RKB @ 6272 0ft
Project:	San Juan Basin	MD Reference:	Generic Rig RKB @ 6272 0ft
Site:	Russell's Site for Directional MV/DK wells	North Reference:	True
Well:	SJ 29-6 #65B	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 29-6 #65B		
Design:	APD Directional Plan		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0 0	0 00	0 00	0 0	0 0	0 0	0 0	0 00	0 00	0 00
100 0	0 00	0 00	100 0	0 0	0 0	0 0	0 00	0 00	0 00
200 0	0 00	0 00	200 0	0 0	0 0	0 0	0 00	0 00	0 00
215 0	0 00	0 00	215 0	0 0	0 0	0 0	0 00	0 00	0 00
9 5/8"									
300 0	0 00	0 00	300 0	0 0	0 0	0 0	0 00	0 00	0 00
350 0	0 00	0 00	350 0	0 0	0 0	0 0	0 00	0 00	0 00
400 0	1 50	51 21	400 0	0 4	0 5	0 7	3 00	3 00	0 00
500 0	4 50	51 21	499 8	3 7	4 6	5 9	3 00	3 00	0 00
600 0	7 50	51 21	599 3	10 2	12 7	16 3	3 00	3 00	0 00
700 0	10 50	51 21	698 0	20 0	24 9	32 0	3 00	3 00	0 00
800 0	13 50	51 21	795 8	33 1	41 1	52 8	3 00	3 00	0 00
900 0	16 50	51 21	892 4	49 3	61 3	78 6	3 00	3 00	0 00
1,000 0	19 50	51 21	987 5	68 6	85 4	109 5	3 00	3 00	0 00
1,100 0	22 50	51 21	1,080 9	91 1	113 3	145 4	3 00	3 00	0 00
1,193 7	25 31	51 21	1,166 5	114 9	142 9	183 3	3 00	3 00	0 00
1,200 0	25 31	51 21	1,172 2	116 5	145 0	186 0	0 00	0 00	0 00
1,300 0	25 31	51 21	1,262 6	143 3	178 3	228 8	0 00	0 00	0 00
1,400 0	25 31	51 21	1,353 0	170 1	211 7	271 5	0 00	0 00	0 00
1,500 0	25 31	51 21	1,443 4	196 9	245 0	314 3	0 00	0 00	0 00
1,600 0	25 31	51 21	1,533 8	223 7	278 3	357 0	0 00	0 00	0 00
1,700 0	25 31	51 21	1,624 2	250 5	311 6	399 8	0 00	0 00	0 00
1,800 0	25 31	51 21	1,714 6	277 2	345 0	442 6	0 00	0 00	0 00
1,900 0	25 31	51 21	1,805 0	304 0	378 3	485 3	0 00	0 00	0 00
2,000 0	25 31	51 21	1,895 4	330 8	411 6	528 1	0 00	0 00	0 00
2,100 0	25 31	51 21	1,985 8	357 6	444 9	570 8	0 00	0 00	0 00
2,200 0	25 31	51 21	2,076 2	384 4	478 3	613 6	0 00	0 00	0 00
2,300 0	25 31	51 21	2,166 6	411 1	511 6	656 3	0 00	0 00	0 00
2,396 7	25 31	51 21	2,254 0	437 0	543 8	697 6	0 00	0 00	0 00
Ojo									
2,400 0	25 31	51 21	2,257 0	437 9	544 9	699 1	0 00	0 00	0 00
2,500 0	25 31	51 21	2,347 4	464 7	578 2	741 8	0 00	0 00	0 00
2,507 3	25 31	51 21	2,354 0	466 7	580 7	744 9	0 00	0 00	0 00
Kirtland									
2,600 0	25 31	51 21	2,437 8	491 5	611 6	784 6	0 00	0 00	0 00
2,700 0	25 31	51 21	2,528 2	518 3	644 9	827 3	0 00	0 00	0 00
2,800 0	25 31	51 21	2,618 6	545 1	678 2	870 1	0 00	0 00	0 00
2,900 0	25 31	51 21	2,709 0	571 8	711 5	912 8	0 00	0 00	0 00
2,982 4	25 31	51 21	2,783 5	593 9	739 0	948 0	0 00	0 00	0 00
3,000 0	24 78	51 21	2,799 5	598 6	744 8	955 5	3 00	-3 00	0 00
3,088 9	22 12	51 21	2,881 0	620 7	772 4	990 9	3 00	-3 00	0 00
Fruitland									
3,100 0	21 78	51 21	2,891 3	623 3	775 6	995 0	3 00	-3 00	0 00
3,200 0	18 78	51 21	2,985 1	645 0	802 6	1,029 7	3 00	-3 00	0 00
3,300 0	15 78	51 21	3,080 6	663 6	825 8	1,059 4	3 00	-3 00	0 00
3,336 7	14 68	51 21	3,116 0	669 7	833 3	1,069 0	3 00	-3 00	0 00
Pictured Cliffs									
3,400 0	12 78	51 21	3,177 5	679 1	845 0	1,084 1	3 00	-3 00	0 00
3,470 0	10 68	51 21	3,246 0	688 0	856 1	1,098 3	3 00	-3 00	0 00
Lewis									
3,500 0	9 78	51 21	3,275 5	691 4	860 2	1,103 6	3 00	-3 00	0 00
3,600 0	6 78	51 21	3,374 5	700 4	871 5	1,118 0	3 00	-3 00	0 00
3,700 0	3 78	51 21	3,474 0	706 1	878 6	1,127 2	3 00	-3 00	0 00

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 29-6 #65B
Company:	ConocoPhillips SJB	TVD Reference:	Generic Rig RKB @ 6272 0ft
Project:	San Juan Basin	MD Reference:	Generic Rig RKB @ 6272 0ft
Site:	Russell's Site for Directional MV/DK wells	North Reference:	True
Well:	SJ 29-6 #65B	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 29-6 #65B		
Design:	APD Directional Plan		

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
3,800 0	0 78	51 21	3,573 9	708 6	881 7	1,131 2	3 00	-3 00	0 00
3,826 1	0 00	0 00	3,600 0	708 7	881 9	1,131 4	3 00	-3 00	-196 56
7" - SJ 29-6 #65B ICP									
3,900 0	0 00	0 00	3,673 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,000 0	0 00	0 00	3,773 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,047 1	0 00	0 00	3,821 0	708 7	881 9	1,131 4	0 00	0 00	0 00
Huerfano Bentonite									
4,100 0	0 00	0 00	3,873 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,200 0	0 00	0 00	3,973 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,300 0	0 00	0 00	4,073 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,312 1	0 00	0 00	4,086 0	708 7	881 9	1,131 4	0 00	0 00	0 00
Chacra									
4,400 0	0 00	0 00	4,173 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,500 0	0 00	0 00	4,273 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,600 0	0 00	0 00	4,373 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,700 0	0 00	0 00	4,473 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,800 0	0 00	0 00	4,573 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4,900 0	0 00	0 00	4,673 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,000 0	0 00	0 00	4,773 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,100 0	0 00	0 00	4,873 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,103 1	0 00	0 00	4,877 0	708 7	881 9	1,131 4	0 00	0 00	0 00
Mass. Cliffhouse									
5,187 1	0 00	0 00	4,961 0	708 7	881 9	1,131 4	0 00	0 00	0 00
Menefee									
5,200 0	0 00	0 00	4,973 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,300 0	0 00	0 00	5,073 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,400 0	0 00	0 00	5,173 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,500 0	0 00	0 00	5,273 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,523 1	0 00	0 00	5,297 0	708 7	881 9	1,131 4	0 00	0 00	0 00
Point Lookout									
5,600 0	0 00	0 00	5,373 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,700 0	0 00	0 00	5,473 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,800 0	0 00	0 00	5,573 9	708 7	881 9	1,131 4	0 00	0 00	0 00
5,826 0	0 00	0 00	5,599 9	708 7	881 9	1,131 4	0 00	0 00	0 00
4 1/2"									
5,826 1	0 00	0 00	5,600 0	708 7	881 9	1,131 4	0 00	0 00	0 00
TD - SJ 29-6 #65B PCP									

Targets

Target Name	hit/miss target	Dip Angle (°)	Dip Dir (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (m)	Easting (m)	Latitude	Longitude
SJ 29-6 #65B PCP	- plan hits target	0 00	0 00	5,600 0	708 7	881 9	633,304 53	182,520 62	36° 42' 34 992 N	107° 29' 46 338 W
- Point										
SJ 29-6 #65B ICP	- plan hits target	0 00	0 00	3,600 0	708 7	881 9	633,304 54	182,520 62	36° 42' 34 992 N	107° 29' 46 338 W
- Point										

ConocoPhillips or its affiliates
Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 29-6 #65B
Company:	ConocoPhillips SJBU	TVD Reference:	Generic Rig RKB @ 6272 0ft
Project:	San Juan Basin	MD Reference:	Generic Rig RKB @ 6272 0ft
Site:	Russell's Site for Directional MV/DK wells	North Reference:	True
Well:	SJ 29-6 #65B	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 29-6 #65B		
Design:	APD Directional Plan		


Casing Points				
Measured Depth (ft)	Vertical Depth (ft)	Name	Casing Diameter (in)	Hole Diameter (in)
215 0	215 0	9 5/8"	9 625	12 250
3,826 1	3,600 0	7"	7 000	8 750
5,826 0	5,599 9	4 1/2"	4 500	6 250

Formations					
Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
3,470 0	3,246 0	Lewis		0 00	
4,312 1	4,086 0	Chacra		0 00	
2,507 3	2,354 0	Kirtland		0 00	
3,088 9	2,881 0	Fruitland		0 00	
3,336 7	3,116 0	Pictured Cliffs		0 00	
2,396 7	2,254 0	Ojo		0 00	
5,103 1	4,877 0	Mass Cliffhouse		0 00	
5,523 1	5,297 0	Point Lookout		0 00	
4,047 1	3,821 0	Huerfanito Bentonite		0 00	
5,187 1	4,961 0	Menefee		0 00	
5,826 1	5,600 0	TD		0 00	

Fee Land : Richard Hodgson

LATITUDE: 36°42.4664'N
LONGITUDE: 107°29.9528'W
DATUM: NAD1927

A horizontal number line is shown, starting at 0 and ending at 100. The line is divided into two equal halves by a vertical line at 50. The left half, from 0 to 50, is filled with a black and white checkerboard pattern. The right half, from 50 to 100, is filled with a solid black pattern.



CONOCOPHILLIPS COMPANY SAN JUAN 29-6 UNIT #65B
1390' FSL & 1300' FEL, SECTION 19, T29N, R6W, NMPM
RIO ARriba COUNTY, NEW MEXICO ELEVATION: 6257'


NCE SURVEYS IS NOT LIABLE FOR LOCATION OF UNDERGROUND UTILITIES OR PIPELINES.
CONTRACTOR SHOULD CONTACT ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED UNDERGROUND UTILITIES OR PIPELINES ON WELLPAD AND/OR ACCESS ROAD AT LEAST TWO WORKING DAYS PRIOR TO CONSTRUCTION.

CONOCOPHILLIPS COMPANY SAN JUAN 29-6 UNIT #65B
 1390' FSL & 1300' FEL, SECTION 19, T29N, R6W, NMPM
 RIO ARriba COUNTY, NEW MEXICO ELEVATION: 6257'


HORIZONTAL SCALE 1"=40'

C/L


VERTICAL SCALE 1"=30'



C/L



C/L



NCE SURVEYS IS NOT LIABLE FOR LOCATION OF UNDERGROUND UTILITIES OR PIPELINES.

CONTRACTOR SHOULD CONTACT ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED UNDERGROUND UTILITIES OR PIPELINES ON WELLPAD AND/OR ACCESS ROAD AT LEAST TWO WORKING DAYS PRIOR TO CONSTRUCTION.


CONOCOPHILLIPS COMPANY SAN JUAN 29-6 UNIT #65B

1390' FSL & 1300' FEL, SECTION 19, T29N, R6W, N.M.P.M.


RIO ARriba COUNTY, NEW MEXICO

APD MAP #1

NO NEW CONSTRUCTION
NE/SE SECTION 19, T29N, R6W



1390' FSL & 1300' FEL, SECTION 19, T29N, R6W, N.M.P.M.
RIO ARRIBA COUNTY, NEW MEXICO



Directions from the Intersection of US Hwy 64 & US Hwy 550 in Bloomfield, NM
to ConocoPhillips Company San Juan 29-6 Unit #65B

1390' FSL & 1300' FEL, Section 19, T29N, R6W, NMPM, Rio Arriba County, NM

From the intersection of US Hwy 64 & US Hwy 550 in Bloomfield, NM, travel Easterly on US Hwy 64 for 30.1 miles to Milepost 94.6;

Go left (North-easterly) through locked gate for 300' to staked location on right-hand side of existing roadway which overlaps an existing wellpad.