

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
May 27, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		WELL API NO. 30-045-25329
1. Type of Well: Oil Well ☐ Gas Well ☐ Other		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator XTO Energy Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 382 CR 3100 AZTEC, NM 87410		7. Lease Name or Unit Agreement Name: DAVIS GAS COM J
4. Well Location Unit Letter <u>F</u> : <u>1480</u> feet from the <u>NORTH</u> line and <u>1450</u> feet from the <u>WEST</u> line Section <u>26</u> Township <u>29N</u> Range <u>11W</u> NMPM <u>6TH</u> County <u>SAN JUAN</u>		8. Well Number #1
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 5380
Pit or Below-grade Tank Application ☐ or Closure ☐ Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		10. Pool name or Wildcat BLANCO MESAVERDE / OTERO CHACRA

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐ CASING TEST AND CEMENT JOB ☐ OTHER: PLUG BACK CHACRA; PERF FC ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy Inc. squeezed the Chacra perfs & perf'd the Fruitland Coal per the attached morning report. Please see also, the attached plat.

RCVD JAN 28 '08
OIL CONS. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NADCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE Lorri D. Bingham TITLE REGULATORY COMPLIANCE TECH DATE 1/23/08
Type or print name LORRI D. BINGHAM E-mail address: lorri_bingham@xtoenergy.com Telephone No. 505-333-3100

For State Use Only

APPROVED BY H. Villanueva Deputy Oil & Gas Inspector, District #3 DATE JAN 29 2008
Conditions of Approval, if any:

Davis GC J #1 PB CH; RC FC MR

12/8/07 MIRU. ND WH. NU BOP. Rptd to Henry Villanueva w/NMOCD & Herman Lujan w/BLM @ 10:15 a.m. 12/07/07 to P&A CH form @ 8:00 a.m. 12/10/07. TOH w/tbg, X nipple, 1 jt tbg & Mule Shoe. TIH w/7" strg ml & tbg. CO sc fr/103' - 515' (ti spot in csg @ 118'). SWI. SDFN. Called for nightwatch man.

12/11/07 Bd well. PU & TIH w/tbg. DO sc fr/523' - 694'. TOH w/tbg, XO & 6-1/4" strg ml. PU & TIH w/6-1/4" bit, strg ml, XO & tbg. Tgd @ 61' FS (hd sc). DO sc fr/61' - 92' (hd sc). TOH w/tbg, XO, strg ml & bit. PU & TIH w/6-1/8" bit, strg ml, XO & 1 tbg. MIRU pmp trk. Ppd dwn tbg w/750 gals 15% HCl ac @ 1.5 BPM & flshd w/5 bbls FW @ 0.5 BPM @ 0 psig. SWI. SDFN.

12/12/07 MI & set 1 - 400 bbl frac tk & filled w/160 bbls 2% KCl wtr TOH w/1 jt 2-3/8" tbg, XO, 6-1/4" strg ml & 6-1/8" bit. TIH w/6-1/4" bit, 6-1/4" strg ml, XO, 4 - 3-1/16" DCs, XO & 14 jts tbg. Tgd @ 569' (hd sc). DO sc fr/569' - 570'. RD pwr swivel. TOH w/14 jts tbg & BHA. TIH w/6-1/8" bit, 6-1/4" strg ml, XO, 4 - 3-1/8" DCs, XO & 68 jts tbg. Tgd @ 2,255' (hd sc). DO sc fr/2,255' - 2,266' & 2,520' - 2,527'. PU & TIH w/5 jts tbg. Tgd @ 2,654'. Used 20 BPW w/CO. TOH w/82 jts tbg & BHA. MIRU WLU. RIH w/6.220" GR to 2,600'. POH w/GR. RIH w/Weatherford 7" CICR & set @ 2,550'. POH w/setting tl. RDMO WLU. TIH w/stinger, 7" stabilizer, XO, SN & 80 jts tbg. EOT @ 2,495'. Estb circ w/55 BPW. Circ 15". PT CICR & csg to 800 psig for 5". Tstd OK. Rlsd press. TOH w/10 jts tbg. SWI. Rptd to Henry Villanueva & Shelly Cowden w/NMOCD & Kevin Schneider w/BLM @ 3:30 p.m. 12/11/07. P&A CH perfs fr/2,631' - 2,772' @ 10:00 a.m. 12/12/07. SDFN.

12/13/07 TIH w/stinger, 7" stabilizer, XO, SN & 82 jts 2-3/8" tbg. MIRU cmt equip. Stung into CICR @ 2,550'. EIR 2 @ BPM & 140 psig. Sqzd CH perfs fr/2,631' - 2,772' thru cmt ret @ 2,550' w/34 sxs class C cmt (mixed @ 14.8 ppg & 1.33 cu ft/sx yield). Ppd dwn tbg w/8 bbls cmt @ 2 BPM & 210 psig. Flshd w/8 BFW @ 2 BPM & 210 psig. Stung out fr/CICR. Sptd 2 bbls cmt on top of CICR. TOH w/2 jts tbg. EOT @ 2,495' (TOC). Rev circ tbg cln w/95 BFW & 8 lbs WT-pellets. Circ w/0.5 bbls cmt to pit. TOH w/80 jts tbg, SN, XO, stabilizer & stinger. PT csg to 800 psig for 30" w/chart. Tstd OK. Rlsd press. RDMO cmt equip. MIRU H&M pmp trk. PT csg to 500 psig w/20 gals Methanol. SWI. RDMO pmp trk. Monica Kuehling w/NMOCD & Oscar Torres w/BLM on loc. SDFN.

12/14/07 MIRU H&M pmp trk. PT csg to 2,500 psig for 30" w/chart. Incrd press to 3,000 psig. Tstd OK. Rlsd press. RDMO pmp trk. TIH w/6-1/8" bit, 6-1/4" strg ml, XO, 4 - 3-1/8" DC's, XO & 80 jts 2-3/8" tbg. TOH & LD w/80 jts tbg & BHA. ND BOP. NU WH. SWI. RDMO.

1/11/08 MIRU WLU. Ran GR/CCL fr/1,850' - 1,250'. Correlated depths to Welex Dual Induction Log dated 11/04/82. Perfd Lwr/FC w/3-1/8" csg gun fr/1,638' - 1,645' & 1,579' - 1,586' w/4 JSPF (Owen HSC-3125-369, 15 gm chrgs, 0.49" EHD, 120 deg phasing, 56 holes). POH w/csg gun. RD WLU. MIRU frac equip. BD FC perfs fr/1,579' - 1,645' dwn 7" csg @ 4.6 BPM & 1,388 psig. A. w/1,250 gals 15% NEFE HCl ac & 84 - 7/8" RCN BS. RU WLU. RIH w/JB to 2,360'. POH w/JB. Recd 6 BS. RD WLU. Fracd L/FC perfs dwn 7" csg w/78,017 gals Delta 140 frac fld (18# 13cp Borate XL gelled PW/FW) carrying 111,500# 20/40 Premium Brown sd coated w/Sandwedge & Sandwedge NT per densometer. RU WLU. RIH w/7" 10K CBP & set @ 1,550'. POH w/WL. PT CBP to 3,000 psig for 5". Tstd OK. Perfd Up/FC w/3-1/8" csg gun @ 1,492' - 1,502', 1,486' - 1,490', 1,470' - 1,475' & 1,462' - 1,466' w/4 JSPF (Owen HSC-3125-369, 12 gm chrgs, 0.49" EHD, 120 deg phasing, 92 holes). POH w/csg gun. BD FC perfs fr/1,462' - 1,502' @ 3.7 BPM & 1,314 psig. EIR w/12 BPW @ 10 BPM & 1,235 psig. A. w/1,000 gals 15% NEFE HCl ac & 122 - 7/8" RCN BS. RIH w/JB to 1,550'

Davis GC J #1 PB CH; RC FC MR

(CBP). POH w/JB. Fracd FC perfs dwn 7" csg w/95,193 gals Delta 140 frac fld (18# 13 cp Borate XL gelled PW/FW) carrying 113,800# 20/40 Premium Brown sd coated w/Sandwedge & Sandwedge NT per densometer. RDMO frac equip.

1/19/08 MIRU. ND frac vlv. NU BOP. PU & TIH w/6-1/8" bit, XO, 2 - 3-1/8" DCs, XO & 46 jts 2-3/8" tbg. Tgd @ 1,475' (75' of fill). CO fill fr/1,475' - 1,550' (CBP). DO CBP. Circ cln. TOH w/10 jts tbg. SWI. SDFWE. Night watchman on loc.

1/22/08 TIH w/10 jts 2-3/8" tbg. PU & TIH w/30 jts tbg. Tgd @ 2,495' (PBTD). TOH & LD w/24 jts tbg. TOH w/54 jts tbg, XO, 2 - 3-1/8" DCs & 6-1/8" bit. TIH w/2-3/8" x 30' OEMA w/3/8" weep hole & pin, SN & 54 jts 2-3/8" tbg. RIH w/XTO's 1.910" tbg broach to SN. POH w/tbg broach. LD tbg broach. Ld tbg w/donut & 2-3/8" seal assy as follows; SN @ 1,699'. EOT @ 1,729'. FC perfs fr/1,462' - 1,645'. PBTD @ 2,495'. ND BOP. NU WH. SWI. SDFN. Called for night watchman.

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 South First, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Submit to Appropriate District Office
Fee Lease - 3 Copies
State Lease - 4 Copies

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-25329		² Pool Code 72319 / 71629		³ Pool Name BLANCO MESAVERDE / BASIN FRUITLAND COAL	
⁴ Property Code 22601		⁵ Property Name DAVIS GAS COM J			⁶ Well Number #1
⁷ OGRID No. 5380		⁸ Operator Name XTO Energy, Inc.			⁹ Elevation 5447'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	26	29N	11W		1480	NORTH	1450	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

¹² Dedicated Acres 320 MV/ 1440 and FC	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true & complete to the best of my knowledge & belief and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>[Signature]</i> Signature Lorri D. Bingham Printed Name Regulatory Compliance Tech Title 1/23/08 Date
	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true & correct to the best of my belief. MARCH 21, 2000 Date of Survey Original Survey Signed By: NEALE C. WEWARDS 6857 Certificate Number