District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Feoffice.

Form C-144 June 1, 2004


Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action. Resistration of a pit or below-grade tank. Closure of a pit or below-grade tank.

Type of action Registration of a pit of	r below-grade tank [] Closure of a pit or below-gr	ade tank 🔼
Operator XTO Energy Inc. Telephone 505 333-3207 e-mail address kim_champlin@xtoenergy.com		
Address #382 County Road 3100, Aztec, NM 87410		
Facility or well name EJ Johnson C #1F API # 30-045-33368 U/L or Qtr/Qtr Sec 21N T 27N R 10W		
	36.5560830 Longitude 107.9	0028890 NAD 1927 🗆 1983 🗀
Surface Owner Federal X State Private Indian		
Pit Below-grade tank		
Type Drilling X Production Disposal .		
	Volumebbl Type of fluid Construction material	
Workover ☐ Emergency ☐		
Lined 🛮 Unlined 🗋	Double-walled, with leak detection? Yes If not, explain why not	
Liner type Synthetic Thickness 12 mil Clay	William Artino	
Pit Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water)	50 feet or more, but less than 100 feet	(10 points)
ingli water elevation of ground water)	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area (Less than 200 feet from a private domestic		
water source, or less than 1000 feet from all other water sources)	No	(0 points)
	Less than 200 feet	(20 points)
Distance to surface water (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) Dry Arroyo
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points)	10 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if your are burying in place) onsite offsite from If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No Yes from If yes, show depth below ground surface from It. and attach sample results.		
Additional Comments The drilling reserve pit associated with the subject well was closed per NMOCD and BLM guidelines and in accordance Avita XTO's		
The driving reserve pit associated with the subject well was closed per Niviocid and Belling guidelines and in accordance again, a ros		
drilling pit closure plan.		
A DEC		
15 UECFIAFO 3/		
		4 7WW 5008 2
		01 00M0 6:/
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above described pit or below grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD approved plan .		
2000		
Date. 01/17/2008		
Printed Name/Title Kim Champlin/Environmental Representative Signature // // // Many Alam plants		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Deputy Oil & Gas Inspector,		
District #2		
Printed Name/Title	Signature BSM DSM	Date JAN 2 9 2008

XTO ENERGY INC.
E J JOHNSON C No.1F, 950 FSL 1870 FWL
SECTION 21, T27N, R10W, N.M.P.M., SAN JUAN COUNTY, N. M.
GROUND ELEVATION: 6270', DATE: FEBRUARY 28, 2005

LAT. = 36°33'21.9" N. LONG. = 107"54'10.4" W NAD 27



RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE). BLOW PIT: OVERFLOW PIPE HALPWAY BETWEEN TOP AND BOTTOM AND TO EXTEND OVER PLASTIC LINER AND INTO BLOW PIT.

NOTE: DAGGETT ENTERPRISES, INC. IS NOT LIABLE FOR LINDERGROUND UTILITIES OR PIPELINES. NEW MEXICO ONE CALL TO BE NOTIFIED 48 HOURS PRIOR TO EXCAVATION OR CONSTRUCTION.

