

30-039-07720

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 34 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #99

cps 288w

Elevation 6230' Completion Date 3/20/63 Total Depth 140' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1020 lbs.

Depths anodes placed: 104', 98', 92', 86', 80', 60'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3-20-63

WELL NAME Wilson #5 30-6#99 CPS NO. 288W

LOCATION 34-30N-7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 140'

TOTAL DRILLING RIG TIME 6 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE _____

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 104', #2 98', #3 92', #4 86' 580 660'

TOTAL LBS. COKE USED 1020 lbs

ANODE OUTPUTS 12 VOLTS, #1 2.3, #2 3.0, #3 2.9, #4 3.0 52.3 62.4

TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 7 OHMS 1.67

NUMBER FEET SURFACE CABLE ~~CONNECT~~ 353'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static % = .68 600' NW

ALL CONSTRUCTION COMPLETED

E. Park
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

968'

MORNING

DAYLIGHT

EVENING

1963

Total Mean Int.Crew		
FORMATION	WT./BIT	R.P.M.
<i>Sandy Clay</i>	<i>8730</i>	
<i>Sh. & ss.</i>	<i>" "</i>	
<i>Sandy Clay</i>	<i>" "</i>	

[illegible]

NO. DC	SIZE	LENG.
NO. DC	SIZE	LENG.
STANDS		
SINGLES		
DOWN ON KELLY		
TOTAL DEPTH	140'	

NO. DC	SIZE	LENG.
NO. DC	SIZE	LENG.
STANDS		
SINGLES		
DOWN ON KELLY		
TOTAL DEPTH		

MUD, ADDITIVES USED AND RECEIVED

45 sacks Mud

2 " " HULLS

[illegible]

TIME BREAKDOWN

[illegible]

REMARKS -

REMARKS -

Lost Circulation AT 90.

SIGNED: Toolpusher

Company "Superviso

3115