

30-039-07729

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 32 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #47

cps 279w

Elevation 6211' Completion Date 3/22/63 Total Depth 100' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 850 lbs.

Depths anodes placed: 90', 84', 55', 49', 43', 31'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb-#1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.


WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

S.J. 30-6 ^{#47} ~~ATLANTA #1~~ DATE 3-22-63
WELL NAME SOUTHERN UNION STATE #1 CPS NO. 279W
LOCATION 32-30N-7W
WORK ORDER NUMBER 184-40542-50-02
ANODE HOLE DEPTH 100'
TOTAL DRILLING RIG TIME 3 Hrs
DRILLING TIME FOR RECTIFIER POLE HOLE 0
TYPE AND SIZE BIT USED _____
NUMBER SACKS MUD USED 2
NUMBER SACKS LOST CIRCULATION MAT'L USED 0
ANODE DEPTHS #1 90', #2 84', #3 55', #4 49' 543 631'
TOTAL LBS. COKE USED 850 lbs
ANODE OUTPUTS 12 VOLTS, #1 2.3, #2 2.4, #3 2.4, #4 2.8 5.2.6 6 2.
TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 6.8 OHMS 1.72
NUMBER FEET SURFACE CABLE CONDUIT 263'
DRILLING LOG (ATTACH HERETO).
FORMATION LOG (ATTACH HERETO).
REMARKS: Static C/S = .62 R 600 NW

ALL CONSTRUCTION COMPLETED

E. Paehl
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1104'

5730-6 AR 100 57X

LEASES Smith Wilson Wells NO. 1										CONTRACTOR L.E. Wilson										RIG NO. D-2										REPORT NO.										DATE 3-23										19 68									
MORNING										DAYLIGHT										EVENING																																							
Driller		Total Men In Crew		FORMATION		WT-BIT		R.P.M.		FROM		TO		FORMATION		WT-BIT		R.P.M.		FROM		TO		FORMATION		WT-BIT		R.P.M.																															
P		35		SS.		3491																																																					
75		100		sat ss. stringer																																																							
BIT NO.		NO. DC		SIZE		LENG.				BIT NO.		NO. DC		SIZE		LENG.				BIT NO.		NO. DC		SIZE		LENG.																																	
SERIAL NO.		NO. DC		SIZE		LENG.				SERIAL NO.		NO. DC		SIZE		LENG.				SERIAL NO.		NO. DC		SIZE		LENG.																																	
SIZE		STANDS		SINGLES						SIZE		STANDS		SINGLES						SIZE		STANDS		SINGLES																																			
TYPE		DOWN ON KELLY								TYPE		DOWN ON KELLY								TYPE		DOWN ON KELLY																																					
MAKE		TOTAL DEPTH		100'						MAKE		TOTAL DEPTH								MAKE		TOTAL DEPTH																																					
MUD RECORD		MUD, ADDITIVES USED AND RECEIVED								MUD RECORD		MUD, ADDITIVES USED AND RECEIVED								MUD RECORD		MUD, ADDITIVES USED AND RECEIVED																																					
Time		Vis.								Time		Vis.								Time		Vis.																																					

SIGNED: Toolpusher

Company: Supervisor: