

30-045-10754

GB #2 of 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICOOperator Meridian Oil Location: Unit H Sec. 17 Twp 31 Rng 10Name of Well/Wells or Pipeline Serviced Scott #4Elevation 6103' Completion Date 7-16-65 Total Depth 175' Land Type F  
1408001468Casing Strings, Sizes, Types & Depths 2 7/8" tubing  
195' - T.D.If Casing Strings are cemented, show amounts & types used NAIf Cement or Bentonite Plugs have been placed, show depths & amounts used  
NADepths & thickness of water zones with description of water: Fresh, Clear,  
Salty, Sulphur, Etc. NADepths gas encountered: NAGround bed depth with type & amount of coke breeze used: NADepths anodes placed: 175', 165', 155', 145', 135', 125'Depths vent pipes placed: NoneVent pipe perforations: NARemarks: 1" anodes were installed in 2 7/8" casing

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

30-045-10754 GB #1 of 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

Operator Meridian Oil Location: Unit H Sec 27 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced Scott #4

Elevation 6103' Completion Date 7-16-63 Total Depth 195 Land Type F

Casing Strings, Sizes, Types & Depths 2 7/8" tubing ground bed. 1408001468

If Casing Strings are cemented, show amounts & types used None

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
None

Depths & thickness of water zones with description of water: Fresh, Clear,  
Salty, Sulphur, Etc. None

Depths gas encountered: NA

Ground bed depth with type & amount of coke breeze used: NA

Depths anodes placed: 2 7/8" tubing

Depths vent pipes placed: NA

Vent pipe perforations: NA

Remarks: \_\_\_\_\_

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

30-045-10754

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICOOperator Meridian Oil Location: Unit H Sec 17 Twp 31 Rng 10Name of Well/Wells or Pipeline Serviced Scott #4Elevation 6103' Completion Date 4-8-71 Total Depth 260' Land Type F  
1408001468Casing Strings, Sizes, Types & Depths NAIf Casing Strings are cemented, show amounts & types used NAIf Cement or Bentonite Plugs have been placed, show depths & amounts used  
NADepths & thickness of water zones with description of water: Fresh, Clear,  
Salty, Sulphur, Etc. NADepths gas encountered: NAGround bed depth with type & amount of coke breeze used: 260' T.D2604 pounds of metallurgical coke breezeDepths anodes placed: 246', 240', 234', 228', 222', 216', 210', 204'Depths vent pipes placed: From bottom - to 3' above gradeVent pipe perforations: From bottom to 200'

Remarks: \_\_\_\_\_

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.