

1482

E

30-045 26022

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit I Sec. 22 Twp 30 Rng 12

Name of Well/Wells or Pipeline Serviced MC CORD #13E  
cps 6170w

Elevation N/A Completion Date 1/7/87 Total Depth 320' Land Type\* N/A

Casing, Sizes, Types & Depths 100' OF 7" STEEL CASING

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. 70'

Depths gas encountered: N/A

Type & amount of coke breeze used: 2600 lbs.

Depths anodes placed: 305', 290', 275', 260', 245', 230', 215', 200', 185', 170'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: (gb #1) LOST FIRST HOLE.

RECEIVED  
MAY 31 1991  
OIL CON. DIV  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

# BURGE CORROSION SYSTEMS, INC.

P.O. BOX 1359 - PHONE 334-6141  
AZTEC, NEW MEXICO 87410

Drilling Log (Attach Hereto). ☐

60170W

Completion Date 1-7-87


Well Name McCord # 13-E		Location Union Texas Petroleum	
Type & Size Bit Used		Work Order No. 133	
Anode Hole Depth 320'	Total Drilling Rig Time	Total Lbs. Coke Used 2600	Lost Circulation Mat'l Used
Anode Depth			
#1 305	#2 290	#3 275	#4 260
#5 245	#6 230	#7 215	#8 200
#9 185	#10 170		
Anode Output (Amps)			
#1 3.8	#2 3.0	#3 1.4	#4 1.2
#5 1.0	#6 1.0	#7 1.0	#8 1.2
#9 2.1	#10 1.6		
Anode Depth			
#11	#12	#13	#14
#15	#16	#17	#18
#19	#20		
Anode Output (Amps)			
#11	#12	#13	#14
#15	#16	#17	#18
#19	#20		
Total Circuit Resistance		No. 8 C.P. Cable Used	No. 2 C.P. Cable Used
Volts 12.1	Amps 12.4	Ohms 0.98	2575'

Remarks: Negative Cable 237 feet

All Construction Completed

Johny Smith  
(Signature)

## GROUND BED LAYOUT SKETCH



**COMPANY** UNION TEXAS PETROLEUM **DAILY DRILLING REPORT** 1 - 2 1987

[illegible]

Hole depth was 320'. 2 holes were drilled on this location due to the sand sluffing off down hole.

Brian E. Barge

## Tool Dresser