

1507

30-045-26023

E

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit P Sec. 26 Twp 31 Rng 13Name of Well/Wells or Pipeline Serviced SENER FEDERAL #1E

cps 626

Elevation N/A Completion Date 12/26/86 Total Depth 420' Land Type* N/ACasing, Sizes, Types & Depths N/AIf Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 240'Depths gas encountered: N/AType & amount of coke breeze used: 1600 lbs.Depths anodes placed: 400', 390', 380', 370', 360', 350', 340', 330', 320', 310'Depths vent pipes placed: 420'Vent pipe perforations: 180'Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

BURGE CORROSION SYSTEMS, INC.

P.O. BOX 1359 - PHONE 334-6141
AZTEC, NEW MEXICO 87410

Drilling Log (Attach Hereto). ☒ (2660W)

Completion Date December 26, 1986


Well Name Senter Federal #1-E		Location Union Texas Petroleum		D 26-31N-13W						
Type & Size Bit Used 6 3/4"				Work Order No.						
Anode Hole Depth 420'	Total Drilling Rig Time 8 Hrs.		Total Lbs. Coke Used 1600#	Lost Circulation Mat'l Used		No. Sacks Mud Used				
Anode Depth	#1 400	#2 390	#3 380	#4 370	#5 360	#6 350	#7 340	#8 330	#9 320	#10 310
Anode Output (Amps)	#1 4.4	#2 4.0	#3 4.5	#4 3.9	#5 2.5	#6 2.5	#7 2.6	#8 2.6	#9 2.5	#10 3.9
Anode Depth	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Anode Output (Amps)	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Total Circuit Resistance Volts 12.0	Amps 16.9		Ohms 0.71		No. 8 C.P. Cable Used 3900'		No. 2 C.P. Cable Used			

Remarks: Water was standing at 240' when the hole was logged. Used 420' of 1" vent pipe with 180' of perforations.

All Construction Completed

Cody Munkres
(Signature)

GROUND BED LAYOUT SKETCH



COMPANY Union Texas Petroleum **DAILY DRILLING REPORT** December 26, 1986

80' and 245'	WATER AT	FEET	HOLE MADE:
			420'

[illegible]

Driller

Cody Munkres

Tool Dresser