

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

MB-10

(Submit 3 Copies to OCD Aztec Office)

30-045-26404

Operator: BLACKWOOD & NICHOLS CO. Location: Unit D, Sec. 26, Twp 31N, Rng 7W.

Name of Well/Wells or Pipeline Served NEBU 215

Elevation 6320 Completion Date 8-20-93 Total Depth 350' Land Type* Surface: F Mineral: SF-079010

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open Hole

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Fresh, 295'. NO SAMPLE TAKEN

Depths gas encountered: N/A

Type & amount of coke breeze used: Asbury Flo-Coke - 3,900#

Depths anodes placed: 135' - 302'

Depths vent pipes placed: TD to 4' above ground level

Vent pipe perforations: Bottom - 240'

Remarks: _____

RECEIVED
OCT 14 1993
OIL CON. D'
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. Allen

Title: Operations Engineer

Date: 10/12/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# MB-10 WELL# NERU#215

S 26 T 31 N 1 R

[illegible]

DRILLER W. J. [Signature]

INSPECTOR Joe Matyszek

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

P# MB-10 WELL# N.E. B.U. #215

D S 26 T 31 R

[illegible]


 MILLER

INSPECTOR MDM