

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

MC-7

30-065-27708

Operator: BLACKWOOD & NICHOLS CO. Location: Unit L, Sec. 24, Twp 31N, Rng 7W.

Name of Well/Wells or Pipeline Served NEBU 488

Elevation 6400'± Completion Date 8-18-93 Total Depth 350' Land Type* Surface: F Mineral: SF-079010

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open Hole

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No sample.


Depths gas encountered: N/A

Type & amount of coke breeze used: 76 sx Asbury Flo-coke

Depths anodes placed: 180' - 330'

Depths vent pipes placed: 350' to 4' above ground level.

Vent pipe perforations: 110' - 350'



Remarks: Groundbed is located at 180° S 82° E of NEBU #488.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. Allen

Title: Operations Engineer

Date: 10/12/93

BLACKWOOD & NICHOLS CATHODIC GROUND 'BED DRILLERS' REPORT'

MC-7 WELL # NEBU#488

S 24 T 31N R 7W

[illegible]

ILLER Jose Martinez

INSPECTOR Joe Matysik

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

2# MC#7 WELL# NEBU # 488

S 24 T 31 R

[illegible]

RILLER

INSPECTOR