

API NUMBER	30-045-08161		
OPERATOR NAME	Bloomfield Oil & Gas	WELL NUMBER	4
PROPERTY NAME	Bishop		
SECTION 22	TOWNSHIP 29N	RANGE 11W	
FOOTAGE	230/N 1110W/L		
10 Inch	Sur CSG OD	XX	XX
80 FT	SUR TD	XX	XX
UNKNOWN	SUR CSG WT	XX	XX
UNKNOWN	TOP OF CMT	XX	XX
	ACTUAL	XX	XX
	CACULATED	XX	XX
	6.625 PROD CSG OD	XX	XX
	640 PROD CSG TD	XX	XX
UNKNOWN	PROD CSG WT	XX	XX
UNKNOWN	TOP OF CMT	XX	XX
	ACTUAL	XX	XX
	CACULATED	XX	XX
UNKNOWN	PERF TOP	XX	XX
UNKNOWN	PERF BOTTOM	XX	XX
	PACKER	XX	XX
	TYPE OF PLUG	XX	XX
	CIBP & CMT	XX	XX
UNKNOWN	CMT	XX	XX

PROPOSED PLUGGING OPERATION

TD @ 700' We have no record of cementing of well, or weights of casings.

Do site preparation,dig out welbore area, install anchors,rig up to wellhead, MIPU, install bop equipment,clean out to 700 ft+-, set bottom plug,purf at 130 ft, set surface plug. NDBOP, cut off csging and install P&A marker. RDPU, cut anchors,

Metal pits to be used. Extra water storage in event of water flow, circulating fluids to be disposed properly,Clean and level location.

Microsoft Access													
File Edit View Insert Format Records Tools Window Help													
Type a question for help													
pl_apl : Table													
	API_NUMBER	TWN	RGE	SEC	UL	COUN	FT_N_S	NS	FT_E_W	EW	OPERATOR	WELL_N	WELL_NAME
	30-045-07972	29N	11W	21	M	SAN J	990 S		560 W		AZTEC OIL & GAS	1	SARTEGAN
	30-045-07974	29N	11W	21	M	SAN J	1085 S		795 W		AZTEC OIL & GAS	2	SATENGA-D
	30-045-08149	29N	11W	22		SAN J	0		0		HANEY & SMITH	1	KITTELL
	30-045-08040	29N	11W	22		SAN J	0		0		FINLEY & JOHANSEN	1	FEE
	30-045-26741	29N	11W	22	A	SAN J	1270 N		870 E		MANANA GAS	1	NANCY HARTM
	30-045-26743	29N	11W	22	A	SAN J	1270 N		790 E		MANANA GAS	1E	HARTMAN
	30-045-08136	29N	11W	22	A	SAN J	660 N		785 E		MELBORNE PETROLEUM	1	FINCH
	30-045-08135	29N	11W	22	A	SAN J	790 N		790 E		APACHE DRILLING	1	FINCH
	30-045-08138	29N	11W	22	B	SAN J	500 N		1800 E		MELBORNE PETROLEUM	1	FINCH R L
	30-045-08166	29N	11W	22	C	SAN J	175 N		1570 W		FINLEY & JOHANSEN	1	HARE
	30-045-08150	29N	11W	22	C	SAN J	330 N		1540 W		VINCENT & WELCH INC	1	REFINERY HAI
	30-045-26772	29N	11W	22	D	SAN J	315 N		387 W		MANANA GAS	1	JAN REDDING
	30-045-26771	29N	11W	22	D	SAN J	235 N		368 W		MANANA GAS	1E	COOK
	30-045-08161	29N	11W	22	D	SAN J	230 N		1110 W		BLOOMFIELD OIL & GAS	4	BISHOP G
	30-045-08086	29N	11W	22	D	SAN J	1278 N		1027 W		PAGE & DAVIS	1	SALMON
	30-045-08169	29N	11W	22	D	SAN J	200 N		200 W		SMITH & MILEY	3	BISHOP
	30-045-08148	29N	11W	22	D	SAN J	300 N		300 W		MID-CONTINENT OIL	1	HARE
	30-045-08152	29N	11W	22	D	SAN J	300 N		450 W		HANEY A E	1	BISHOP
	30-045-08109	29N	11W	22	D	SAN J	905 N		1155 W		NATIONAL PETROLEUM	1	
	30-045-08029	29N	11W	22	G	SAN J	2400 N		2310 E		BLOOMFIELD OIL & GAS	7	GARRISON J V
	30-045-13089	29N	11W	22	N	SAN J	830 S		1850 W		KIMBELL KAY	2	COOK-BLOOM
	30-045-26731	29N	11W	22	N	SAN J	590 S		1870 W		MANANA GAS	1	MARY JANE
	30-045-07940	29N	11W	22	N	SAN J	790 S		1850 W		KIMBALL KAY	1	COOK-BLOOM
	30-045-07959	29N	11W	22	O	SAN J	990 S		1650 E		ROBERTS ELVIS	1	GRACE PEARC
	30-045-26721	29N	11W	22	P	SAN J	892 S		860 E		MANANA GAS	2	NANCY HARTM
	30-045-07961	29N	11W	22	P	SAN J	990 S		990 E		KIMBALL KAY	1	HARTMAN-BLC
	30-045-60272	29N	11W	23		SAN J	0		0		BLOOMFIELD OIL & GAS	1	JAMES
	30-045-08124	29N	11W	23		SAN J	0		0		GOODALE A	1	GOODALE
Record: 1 of 22781													
Datasheet View													
NUM													

Datasheet View

NUM

30-045-08161

NEW MEXICO BUREAU OF MINES AND MINERAL RESOURCES
WELL LOG CARD

LOCATION		COUNTY		SEC. 22 T. 29 N. R. 11 W		Bloomfield Oil & Gas Co.	
Bloomfield		AREA		LOG NO. 903-904		Bishop	
WELL NO. 4		ELEVATION		5457'		SOURCE	
NW NW		SEC. 22 T. 29 N. R. 11 W		DEPTH		ELEV.	
STRATIGRAPHIC POINT		DEPTH		ELEV.			
Water sand		40'-80'					
" artesian		410'-50'					
Show Gas		580'-95'					
" " Oil		595'-620'					
Oil sand		660'-700'					
FORMATION		DEPTH		THICKNESS			
TOTAL DEPTH 700'		CASING RECORD					
INITIAL PROD. 6 bbls.		10"		80'			
COMMENCED 2-15-25		6 5/8"		640'			
COMPLETED 3-4-25							
PAY HORIZON							
COMP. IN							
OTHER OWNERSHIP							
I.P. see log.							
Small oil well.							
Water and oil.							

30-045-08161

Log No. 903

NEW MEXICO SCHOOL OF MINES
STATE BUREAU OF MINES AND MINERAL RESOURCES
SOCORRO, NEW MEXICO

WELL LOG DIVISION

COUNTY San Juan

FIELD

COMPANY Bloomfield Oil & Gas Co.

LEASE (Bishop)

Well No. 4

LOCATION (1/4) NW NW

SEC. 22 T. 29N. R. 11W

feet from

line and

feet from

line of Section

COMMENCED 2-15-25

COMPLETED 3-4-25

ABANDONED

REMARKS:

CASING RECORD		ELEVATION	FEET
Diam., in.	Bottom		
10"	80'	5478'	
6-5/8"	640'	5457'	
INITIAL DAILY PRODUCTION:			
	Open		bbls. Oil
	Open		cu. ft. Gas
	Tbg.		bbls. Oil
	Tbg.		cu. ft. Gas

FORMATION	BOTTOM, FEET	FORMATION	BOTTOM, FEET
Surface	40		
Water sand	80		
Boulders	92		
Coarse sand	100		
Hard sand	103		
Blue shale	110		
Blue sticky shale	117		
Sandy shale	127		
Sticky shale	175		
Gray sand	260		
Sandstone	300		
Sticky blue shale	345		
Hard sandstone	385		
Sandy shale	410		
Sand, Artesian water	450		
Blue shale	580		
Sandy shale, showing GAS	595		
Sand showing a little Oil			
and Gas	620		
Sandy shale	680		
Oil sand	700	T.D.	

Producing well. Water was never shut off above or below. Shot with 70 or 80 quarts of Nitro, put on pump and made 25 to 30 barrels of Oil per day for several weeks, --still making 6 to 8 bbls. per day, according to reports of A.C. Kittel, the Refinery man.

~~4/9/1911~~

Has always made several times as much water as Oil, fresh water.

T.P. 697

Shot 70 lbs.